
GYNEX®



From Trevor...

Gynex was founded in 1997 with the mission of "offering the best products at better prices". More than 20 years later we are still committed to that mission, diligently working to provide both new and time-tested quality instruments to your practice at a lower cost.

In this issue, you'll find a number of new products that build on our mission, including the new SURESAMPLE® Select1, a better, more cost-effective endometrial suction curette. (Pages 44-45) We have also included the new Touch-Guard® Instrument Lubricant. If you have met us at any of the exhibitions we attend, you know the importance of lubricating your instruments to not only extend their life, but their effectiveness. Please see page 96 to see all the benefits of this product. We believe this is the best instrument lubricant on the market.

Lastly, we understand that the healthcare industry is navigating uncharted waters right now. The products we've added to this catalog were inspired through focus on safety and affordability. As a convenience, we have added the new Touch-Guard® Infrared Thermometer, a necessity for any business, which can be found on page 22.

As always, please feel free to contact us should you have any questions, thoughts, or ideas, so we may accommodate you.

I wish you a healthy and successful 2020!

Thank you, Trevor Kurz

Chief Operating Officer
GYNEX CORPORATION





Stephen J. Sullivan

Lutten

GYNEX®

1999 – Present	President and CEO, GYNEX Corporation
1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.


GYNEX Products Fall 2020

Table of Contents

Accu-Sound®	32–33
Acetic Acid	2
Asconia® IUD Snare	28
Bariatric Instruments	92–95
Biopsy Punches, Cervical4-1	4, 94–95
Care and Cleaning	96-97
Colposcopes	48–61
Galileo	
CO Series	
Colposcopy Sets	20–21
Endocervical	
Uterine	
Dilators Single Has ® 8 Paraghla	
Dennis Dilators, Single-Use ② & Reusable Soft Dilators, Single-Use ② & Reusable	
Uterine Dilators	
Doppler, Gynex® Ultrasonic	63
Endocervical Speculums	18, 21
Endometrial Samplers	
SURESAMPLE® Select1SURESAMPLE® Endometrial Sampler	44-45
Exam Light, Medical	
	02
Forceps	10
Foerster Ovum	
Laminaria Inserting	
LLETZ	
Hooks	15
HurriCaine®, Topical Anesthetic	76
Hysterectomy Clamps	64–65
Hysterectomy Scissors	66
Index	
IUD Insertion Kit	29
IUD Remover	
Alligator Grasper, Gynex® Ascona® IUD Snare	
Crochet Type	
Serpentine Grasper	
Willows IUD snare	
Keyes Skin Punches	23

Lateral Vaginal Retractors, Stainless Steel
LLETZ, Coated Instruments
Lateral Vaginal Retractors
LLETZ, Electrodes
LLETZ, Accessories71–7
Electrode Extender
Electrode Handpieces
Prefilter, Reducer, and Filter7
Tubing & Connectors, Single-Use®7
Microscope, GYNEX 2
Monsel's
Needle Holders 6
Ordering Information
pHem-Alert4
Extended Needle Adapter & Accessories 7
Scissors
Hysterectomy
IUD3
Sharpening & Repairs
Sounds, Uterine
Accu-Sound
Sims Single-Use ® & Reusable
Speculums, Single-Use ® Disposable, Speculume ® 4-Speculums, Stainless Steel
Auvard8
Graves8
Guttman, & Greenberg
Open-Sided8
Pederson 8
Sullivan
Speculums, Titanium, Rainbow
Speculums, LLETZ Coated
Speculums Suresample
Tenacula
Thermometer, Infrared
Uterine Manipulator, Century UMI
, , , , , ,

Monsel's Ferric Subsulfate Solution, Single-Use ®



Acetic Acid 5%, Single-Use ®



Galileo®

Colposcopes with Direct-Access™

- Features no blockage from center post
- Easier access for intruments
- Improved accuracy and control
- Available with integrated video camera for optional monitor or PC.
- German optics
- Clean elegant design
- Exceptional clarity
- Single and Three-step magnification models available
- LED light source
- Tilt or rolling base
- Now with Right-handed and Left-handled models.



Access with a standard colposcope.



The Direct-Access™ is now availble for left-handed phycisians too.



The Direct-Access™ advantage with a Galileo® Colposcope

Speculume® EZ

Single-Use

Vaginal Speculum with Illumination Insert

Finally, a single-use vaginal speculum that provides true intravaginal lighting, greater clinician visibility, and increased patient comfort. The functionality of the sturdy, classic metal speculum combined with the benefits of modern designs make it silent to operate, disposable, and affordable to any budget.

Slides up and open just like a <u>Graves</u> speculum! "no clicking"



Illumination Insert



DESIGNED FOR IMPROVED PATIENT AND CLINICIAN INTERACTION

Elevates silently; holds securely; releases easily

IMPROVES CLINICAL PERFORMANCE

Provides diffused illumination positioned where needed most

COST-EFFECTIVE AND ENVIRONMENTALLY FRIENDLY

No batteries or electricity needed; no costly cleaning or sterilization chemicals

EASY-TO-USE, STURDY DESIGN

Operates like traditional metal, Graves speculum; disposable like plastic

With Speculume® EZ

- Unique light source generates no heat.
- Light insert ready in a "snap" without requiring
- electricity or batteries.
- After use, discard the entire product as clinical waste; nothing to disassemble, because there is no battery.
- Single middle bolt design allows for simple operation and securely locks in place.
- Completely recyclable and more environmentally friendly than battery-powered devices.
- Chemiluminescent insert produces optimal distributed lighting for 15 minutes, eliminating harsh illumination.

ILLUMINATED VAGINAL SPECULUM Single-Use ® Vaginal Speculum with Illumination Insert

"Finally a disposable speculum that makes sense"



CHEMILUMINE SCENCE

Light insert can be placed on either upper or lower blade. Allows flexibility for optimal bright illumination

SILENT ADJUSTMENT

Single middle bolt silently elevates and securely locks upper blade. Eliminates annoying ratcheting noise for improved patient experience

Low unit price, **\$2.40** each

Speculume® EZ, Small

\$5995 REF 28-100 Box of 25

Speculume® EZ, Medium

REF 28-200 \$59⁹⁵ Box of 25

Speculume® EZ, Large

REF 28-300 \$59⁹⁵ Box of 25

Large user opening provides greater visual access, 42mm x65mm

PINCH GUARDS

"Pinch Guards" block the gap between the proximal ends of upper and lower blades. Safeguards the patient when the upper blade is lowered

ANGLED HANDLE

Handles are angled away from patient. Provides more space between clinician's hands and patient

®Cyalume®

Tischler Biopsy Punches

Stainless Steel


The Best Selling Design in the World


GYNEX Original!

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler biopsy punch is the #1 selling design worldwide. The Tischler and Mini-Tischler are available in two working lengths: Standard 20cm and Extra-long 25cm. On these pages, you will find the entire family of Tischler and Mini-Tischler biopsy punches. Plus, we now carry Tischler Medium (listed on the page 8).

Call GYNEX today at 1 (888) 486-4644 and one of our sales associates will Tischler, Standard gladly assist you with purchasing the biopsy punches you need. Mini-Tischler, Standard

Tischler Biopsy Punches





i-Series Titanium Biopsy Punches



Designed for excellence Manufactured for precision



- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Cutting edges will stay sharp longer
- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Working lengths: 20cm or 25cm
- Tip Locking Tab



Tischler, Straight

REF	TT010	
20c	m Shaft	.\$39995

REF	TT035	
25c	m Shaft.	\$40995
Extr	a-Long	



Actual Bite Size: 7mm x 3mm



Tischler, Up

REF TT011	
20cm Shaft	\$399 95

REF	TT036	
25c	m Shaft	\$40995
Fxtr	a-Long	

Tischler, Down

REF	TT012
20c	m Shaft\$ 399 95

REF TT037	
25cm Shaft	.\$4099
Extra-Long	



Mini-Tischler, Straight

REF	TT005	
20c	m Shaft	\$3999

REF TT03	0
25cm Sh	aft\$ 409 95
Extra-Loi	าต

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Up

REF	TT006
20c	m Shaft\$ 399 95


REF	TT031	
25c	m Shaft	\$ 409 95
Fxtr	ra-l ong	



Mini-Tischler, Down

REF	TT007	
20c	m Shaft	\$ 399 95

REF TT032	
25cm Shaft	.\$ 409 95
Extra-Long	



CERAMIXTM



GYNEX Original!

Our sharpest, longest lasting biopsy punch

- · Proprietary Ceramix coating
- Stays sharp up to 10 times longer than ordinary stainless steel
- Incomparable cutting-edge hardness (see Hardness Comparison Chart below)
- Extremely rust and corrosion resistant
- · Smoother mechanical action
- · Low friction coefficient
- Tip Locking Tab
- Working length 20cm
- · Single anchoring tooth on top and bottom jaws



HARDNESS COMPARISON CHART

Metal	(HV 0.05)	Coated Metal	(HV 0.05)
Stainless Steel	550	TiN Coating ²	2900
Tungsten Carbide	650	CERAMIX Coating	4500

¹ Vikers hardness test at 50gf load ² TiN (Titanium Nitride)

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



CERAMIX Mini-Tischler, Straight

REF 1060 20cm Shaft......\$49995

Tischler Straight Actual Bite Size: 7mm x 3mm



CERAMIX Tischler, Straight

REF 1070 20cm Shaft.......\$499⁹⁵

Tischler Medium

Actual Bite Size: 5mm x 3mm



CERAMIX Tischler, Medium

REF 1065 20cm Shaft..........\$499⁹⁵

Apex

Actual Bite Size: 7mm x 3mm



CERAMIX Apex

REF 1075 20cm Shaft...........\$**499**⁹⁵

ROT¢ TIP™

Rotating Biopsy Punches



ROTO Tip™ rotating biopsy punches offer the added convenience of making a quick change in the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provide you a cost savings option to add angled tips. See our list of other tips on the next page.

Plus these tips easily rotate allowing you to gain better poistioning for a biopsy sample.

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches
- · Working length 21cm

ROT○ TIP ™

Stainless Steel



ROTO TIP™ Extra Handle

REF 1200

Handle only^{\$}189⁰⁰

Tischler, StandardActual Bite Size:

7 Actual Bite 312e. 7mm x 3mm



Tischler, Standard Tip-Straight

REF 1200-10

Complete Punch\$44995

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Tip - Straight

REF 1200-05

Complete Punch \$44995



Tischler, Standard-Straight Mini-Tischler, Straight

REF 1210

Extra Tip......\$26995

Extra Tip.....\$26995



Rotating Biopsy Punches





Tischler, Standard Up




Tischler, Standard Down

REF 1200-30	
Complete Punch	\$44995

REF 1200-20	
Complete Punch	\$449

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Up



Mini-Tischler, Down

REF	1200-25	
Con	nolete Punch	\$44995



Oval TipActual Bite Size:



Oval Tip

REF 1200-35	
Complete Punch	\$4499





Kevorkian Tip

REF 1200-40	
Complete Punch	\$ 449 95

Extra Tips Working length 21cm

Tischler, Standard Up	REF 1230	Extra Tip\$ 269 95
Tischler, Standard Down	REF 1220	Extra Tip\$ 269 95
Mini-Tischler, Up	REF 1225	Extra Tip\$ 269 95
Mini-Tischler, Down	REF 1215	Extra Tip\$ 269 95
Oval Tip	REF 1235	Extra Tip\$ 269 95
Kevorkian Tip	REF 1240	Extra Tip\$ 269 95

Sullivan Ring Handle



Actual Bite Size: 4mm x 2mm

• Excellent for stenotic cervix

REF 1050

- Working length 24cm
- Small handle
- Mini tip



24cm Shaft......\$39995

Sullivan Ring Handle Punch

Kevorkian Ring Handle



Actual Bite Size: 9mm x 3mm

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Working length 25cm



25cm Shaft

\$36495

Kevorkian Ring Handle Punch REF 1053

Kevorkian, Standard



Actual Bite Size: 9mm x 3mm

- Traditional Kevorkian bite.
- Four teeth on bottom jaw
- Tip Locking Tab



Kevorkian Standard Punch

REF 1029

20cm Shaft.....\$39995

- Same handle design as shown above
- · All with 20cm shaft
- Tip Locking Tab



Actual Bite Size for both punches: $7.4 \text{mm} \times 3.9 \text{mm}$





Eppendorfer, Standard Wittner, Straight

ittner, Straight REF 1026

Wittner, Angled REF 1027

20cm Shaft..... \$399⁹⁵ 20cm Shaft..... \$399⁹⁵

20cm Shaft..... \$39995

Eppendorfer, Standard

Wittner Straight, Standard

REF 1017

Hooks



Angle Hook

REF 3225 26cm Length \$49⁹⁵

Five Tip Designs



Iris Hook

REF 3210 26cm Length \$49⁹⁵



2-Prong Hook

REF 3227 26cm Length.........\$5995



Emmett Tenaculum

REF 3220 26cm Length........\$49⁹⁵




3-Prong Hook

REF 3229 26cm Length....... \$5995

Endometrial Curettes





Endocervical Curettes

Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto has developed this unique endocervical spiral curette. It has a dual purpose. First it supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample. Second, it acts as a cervical dilator allowing cervical or endometrial sampling. This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the os, advancing and rotating at the same time.




Endocervical Curettes – SixTip Designs





























 A small tapered diamond-coated sharpening stone, which will help keep your curettes sharp.

GYNEX ME acon

Kevorkian Curette, Single-Use ®


STERILE EO

Not made with natural rubber latex.




Eliminate cross-contamination concerns with the single-use ®, Kevorkian Curette.
The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

Endocervical speculums



Tenaculums



Tenaculums

Straight or Angled Handle and LiteTouch™ or Standard tip













LiteTouchtm Tip

Standard Tip

LiteTouchtm Tip

Standard Tip

Braun Tenaculum

LiteTouchtm, Straight Handle

When closed, LiteTouch tips overlap

Standard, Straight Handle

Standard, Angled Handle

4-6 mm ±1mm

Schroeder Tenaculum

LiteTouch, Straight Handle

When closed, LiteTouch tips overlap 1-2 mm ±1mm

Standard, Straight Handle

REF 3500 Length 25cm.......\$5295
REF B130 Length 30cm.......\$5995
When closed, Standard tips overlap
4-6 mm ±1mm

Standard, Angled Handle

REF 3530 F20 Length 25cm....... \$6295





Foerster Forceps

Straight Handle

REF 3540 Length 24cm.......\$5295 REF B330 Length 30cm......\$5995

Angled Handle

REF 3542 Length 24cm \$62⁹⁵

Schroeder Tenaculum

Double Tooth, Straight Handle

REF 3501 Length 25cm.......\$5295

Colposcopy Sets

Build Your Own Colposcopy Set

Choose ONE item from each of the five lists on the next page

Each *GYNEX Colposcopy Set* consists of five instruments essential for colposcopy procedures:

- Biopsy punch
- Endocervical speculum
- Vaginal speculum
- Endocervical curette
- Tissue hook

To order, choose one item from each of the five lists, and specify that you are ordering a *GYNEX Colposcopy Set*.

Priced at \$675, the GYNEX Five Instrument Colposcopy Set saves you a bundle! Industry standard price for a competitor's "Colposcopy Kit" is \$765 for only four instruments!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a *GYNEX Colposcopy Set*.



Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.

This discount cannot be combinded with any other discount offers such as 5% prepaid discounts, etc. .

Biopsy Punches	REF
☐ Tischler, Straight	1010
☐ Mini-Tischler, Straight	1005
☐ Medium-Tischler	1008
☐ Tischler-Kevorkian	1015
☐ Tischler, Straight, RotoTip	1200-10
☐ Mini-Tischler, Straight, RotoTip	1200-05
☐ Eppendorfer	1017
☐ Wittner, Straight	1026
☐ Wittner, Angled	1027


Endocervical S	Specula	REF
☐ Standard Ratchet	3mm	2130
■ No-Lock Handle	3mm	2030
☐ Standard Ratchet	4mm	2140
☐ No-Lock Handle	4mm	2040

Tissue Hooks	REF
☐ Iris Hook	3210
☐ Emmett Tenaculum	3220
☐ Angle Hook	3225

Endocervical Curettes	REF
☐ Square Tip, with Basket	3005
☐ Square Tip, no Basket	3010
☐ Round Tip, with Basket	3015
☐ Townsend Curette with Basket	3020

Vaginal Specula REF		
□ WideView™	Pederson Medium	2500
□ WideView [™]	Pederson Large	2525
□ WideView [™]	Short Blade	2530
□ WideView [™]	Graves Medium	2540
□ WideView™	Graves Large	2545
□ FullView [™]	Pederson Medium	2600
□ FullView [™]	Pederson Large	2625
□ FullView [™]	Graves Medium	2650
□ FullView [™]	Graves Large	2655
☐ Standard	Pederson Medium	2457
☐ Standard	Pederson Large	2459
☐ Standard	Graves Medium	2452
☐ Standard	Graves Large	2454

Colposcopy Sets



Select one Endocervical Speculum



Select one Hook

See page 15 for more information

Select one Curette

See page 16 for more information

Select one Speculum



See pages 84-85 for more information



Touch-Guard

INFRARED THERMOMETER

















REF TG-2000\$5999

Keyes Punches

Complete Set with Interchangeable Tips

The Keyes Punch Set contains a Keyes Vulvar Punch Handle with six sizes of interchangeable screw on tips, and is enclosed in a storage case with numerically designated holding pins for each tip.

- Sizes 2mm through 7mm
- Convenient storage case


Keyes Punch Set




Keyes Vulvar Punch



These very strong and durable punches are especially useful for skin biopsy of the vulva. Available in sizes: 2mm through 7mm.







Keyes Punch Accessories Kit

\$4495

REF 1326

We have designed the perfect accessory kit for the Keyes Punch. The kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. We thoughtfully included a diamond coated sharpening stone to keep your punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315	s	8895

Ovum forceps



No Ratchet Handle

Ratchet Handle

Sopher Original "lips" protect

surrounding tissue

Sopher Original, Curved

Length 25.5cm (10")

REF 3544 Ratchet Handle	^{\$} 104 ⁹⁵
-------------------------	---------------------------------

Sopher Standard, Curved

Length 25.5cm (10")

Jaw 12mm

REF 3548	Ratchet Handle	^{\$} 104 ⁹⁵

REF 3550 No Ratchet**\$99**95

Jaw 14mm

REF 3552	Ratchet Handle	^{\$} 109 ⁹⁵
----------	----------------	---------------------------------

REF 3554 No Ratchet \$10495

Sopher Standard, Curved

Length 28cm (11")

Jaw 12mm

REF 3556	Ratchet Handle	\$104 ⁹⁵
----------	----------------	---------------------

REF 3558 No Ratchet**\$99**95

Jaw 14mm

REF	3560	Ratchet Handle	\$109 ⁹⁵

REF 3562 No Ratchet \$10495

Sopher Standard, Curved

Length 33cm (13")

Jaw 12mm

REF 3564	Ratchet Handle	^{\$} 114 ⁹⁵
----------	----------------	---------------------------------

REF 3566 No Ratchet \$10995

Jaw 14mm

REF 3568	Ratchet Handle	^{\$} 119 ⁹⁵
----------	----------------	---------------------------------

REF 3570 No Ratchet\$11495







Actual Size Sopher Jaw Size 12mm



Sopher Standard Jaw Closed

Sopher Original Jaw Open



Sopher Standard Jaw Open

Sopher Jaw Size **14mm**

Ovum forceps



Bierer

Length 28cm (11") Straight		
Jaw 16mm		
REF 3572	Ratchet Handle	. \$104 95
REF 3574	No Ratchet	\$99 95
Jaw 19r	nm	
REF 3576	Ratchet Handle	. \$109 ⁹⁵
REF 3578	No Ratchet	. \$104 ⁹⁵
Length 33cm (13") Straight		
Jaw 16r	mm	
REF 3580	Ratchet Handle	. \$109 95
REF 3582	No Ratchet	. \$104 ⁹⁵
Jaw 19mm		
REF 3584	Ratchet Handle	\$114 95



Jacobson, Jaw Open

Jacobson

Length 28cm (11") Straight

Jaw 20mm

REF 3588 No Ratchet**\$104**⁹⁵

Length 33cm (13") Straight

Jaw 20mm

REF 3590 No Ratchet**\$104**⁹⁵

Blumenthal



Blumenthal "lips" protect surrounding tissue

Blumenthal

Length 28cm (11") Straight

Jaw 20mm

REF 3592	No Ratchet		\$104 ^{9!}
	00 /40	"	

Length 33cm (13") Straight Jaw 20mm

REF 3594	No Ratchet	\$109 ⁹⁵	
3334	i vo i latoriot		



Saenger Inner diameter teeth within oval jaws

Saenger

Length 26.5cm (10.5")Jaw 16mm Straight

REF 3596	Ratchet Handle		\$144 ⁹⁵
REF 3598	No Ratchet		\$139 ⁹⁵
Curved			
REF 3600	Ratchet Handle .		\$144 ⁹⁵
REF 3602	No Ratchet		\$139 ⁹⁵
Length 29cm (11.5")Jaw 16mm			

Straight	t	
REF 3604	Ratchet Handle	\$149 ⁹⁵
REF 3606	No Ratchet	\$144 95
Curved		
REF 3608	Ratchet Handle	\$149 ⁹⁵
REF 3610	No Ratchet	\$144 ⁹⁵

Galileo Binocular Microscope

Clearer images and wider views at a great price.

- Condenser numerical aperture: NA = 1.25
- Stage movement range: longtitudinal 50mm, tranverse 75mm
- Fine focusing: minimum division .002mm
- Interpupillary distance adjustment range:
 53–75mm
- Light source: 6V / 20W halogen lamp, adjustable brightness
- Protective cover
- · Exceptional quality and price
- One year parts and labor warranty included
- Extended warranties available (excludes shipping charges)



Components and Specifications

Eyepieces	10X Magnification	25mm Focus	Φ 18mm	Field	
Objectives	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperature)	1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38


Galileo Binocular Microscope

REF MI6000\$85500

Note: 5% prepayment discount does not apply to the Microscope. Regular shipping charges apply.

Extended Warranty

REF MI6000-1 Extended 1 year....... \$7500 REF MI6000-2 Extended 2 years..... \$9500



IUD SPECIALTY SECTION

see the following pages 28-31




Serpentine Grasper IUD Remover

The Serpentine Grasper has a flexible shaft that can be shaped into the most convenient, comfortable and advantageous position for entering the uterine cavity.

The shaft can be bent greater than 360 without the loss of function, it will remain in any desired angle until reshaped as needed.

The small tip allows easy entry into the endocervical canal while the grasping teeth provide a secure grip, especially useful for grasping IUD's.



Gynex® is your key source for all IUD instruments



ASCONA™ IUD String Snare



Gynex is proud to introduce this unique $Ascona^{TM}$ IUD string snare. The $Ascona^{TM}$ is used to overcome the challenge of grabbing a difficult to access IUD string.

In the illustrations at the right you'll see how the device can be used to reach the cervix and hook the string. The easy to rotate handle provides a way to snag the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona $^{\text{\tiny TM}}$ allows the user to gently pull out and remove the IUD

......\$**78**⁹⁵ REF 29-350 Insert and hook IUD string. Rotate handle to snare string. Pull back handle to grasp string.


Gynex® IUD Insertion Kit



Gynex[®] takes pride in bringing innovative new products to the Ob/Gyn community. This convenient, sterile IUD Kit is just one of our most recent innovations. All the best instruments and items necessary for an easy IUD insertion are contained in this handy tray.

Enclosed the user will find one sterile drape to layout all the items on, one Accusound® uterine sound, one tenaculum for cervix stabilization, two cotton swabs, and one pair of our popular IUD string scissors.

All items are sterile and ready to use, then disposed of. Eliminating costly instrument sterilization.





REF 29-500 Box of 12 \$184⁹⁵

IUD SPECIALTY SECTION



Discover the WILLOWSTM IUD String Snare

Willows[™] IUD String Snare

- Rounded tip for easy insertion
- Multiple grasping slots
- Working length 27cm

- Single-Use®
- High quality malleable plastic
- Box of 12

REF 29-300 \$49⁹⁵



IUD Remover, Crochet Type Malleable

- Rounded tip for easy insertion
- Dual grasping slots
- Angled
- Working length 26cm
- High quality malleable metal

REF 29-025 \$84⁹⁵

IUD SPECIALTY SECTION



Not made with natural rubber latex.

IUD String Scissors, Single-Use ®

- Perfect for cutting IUD strings
- Long working length 26.5cm.
- Metal tip with plastic handle
- Handle features guide to reduce splaying
- Each in individual sterile pouch
- Box of 12


REF 29-065\$43⁹⁵ box

IUD String Scissors

- Perfect for cutting IUD strings
- Long working length 25cm.
- Blunt tip with slight curve.
- High quality Stainless steel

\$7495 REF 29-030

Finely serrated teeth in the jaw helps secure the IUD string.



Gynex Alligator Grasper

- Perfect for grasping IUD strings
- Long working length 23cm.
- 2 tip lengths, 10mm and 21mm
- Blunt tip, with fine serrated teeth
- · High quality Stainless steel
- Avaiable in two sizes


REF 29-100 21mm	\$ 89 ⁹⁵
REF 29-550 10mm	\$8995



There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When the ACCU-SOUND® Uterine Sound is inserted into the uterus, a ring comes to rest against the outside of the Os.

The ring stays in place on the ACCU-SOUND* when the device is withdrawn from the uterus and vagina, clearly indicating the uterine measurement. There has never been a uterine sound more accurate and easy to use.

An accurate measurement as easy as 1, 2, 3!



Accurate Measurement

Ergonomic Handle



The ACCU-SOUND uterine sound is useful for both surgical and non-surgical procedures:

- Dilatation and curettage
- Tubal patency studies
- Laparoscopic tubal occlusion
- Diagnosis of uterine position (antiflexed, retroflexed, mid-position)
- **IUD** insertion

Single-Use ®




Not made with natural rubber latex.

ACCU-SOUND® Uterine Sound

REF 4950

Box of 25 \$66.9595

More Sound choices from Gynex




Uterine Dilators



- Especially useful for nulliparous patients
- · Features five interchangeable dilator probes with one handle
- Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm
- Stainless Steel

REF 4005\$16495 set



Extra Mini Dilator Tips

- Only from GYNEX
- Available by popular request
- Sizes 4mm and 5mm
- Stainless Steel
- Fits REF 4005 Handle




Sims Sounds



- Length 32cm (graduated in cm)
- Autoclavable
- Chrome-plated, malleable metal
- OR, Stainless Steel, non-malleable
- OD 4mm

Not Shown at Actual Size Chrome-plated, malleable REF 4332\$3995 Stainless Steel, non-malleable REF 4334

REF 4601



OD 4mm

Box of 25......\$4695

Uterine Dilators






Uterine Dilators



Uterine Dilators



Dots show actual diameter in mm



Hegar Dilator Set

- Features eight dilator probes
- Stainless Steel
- Length 21cm
- Dual sizes on each dilator

REF DHU3800

\$184⁹⁵ set

Soft Dilators



Not made with natural rubber latex.

Soft Dilator, Os Locator, Sterile, Single-Use ⁽²⁾, Yellow

- Used for locating the external Os by gently pushing the tip against the cervix.
- The tapered tip is 23mm in length.
- Overall length is 21.5cm (8.5").
- Soft and malleable
- It is easily identified by the bright yellow color and the single notch near the handle.

REF 4211	Box of 12	. \$49 95
REF 4221	Box of 24	. \$9095

Soft Dilator, Canal Finder, Sterile, Single-Use 2, Blue

- Used for indicating the cervical canal.
- The tapered tip is 45mm in length.
- Overall length is 21.5cm (8.5").
- Soft and malleable
- It is easily identified by the bright blue color and the double notch near the handle.

REF 4212	Box of 12	\$49 95
REF 4222	Box of 24	\$9095

Soft Dilator, Fundus Finder, Sterile, Single-Use [®], Pink

- Used for establishing the entire length of the cervical canal from external Os through the canal to the internal Os.
- The long tapered tip is 85mm in length.
- Overall length is 21.5cm (8.5").
- Soft and malleable
- It is easily identified by the bright pink color and the triple notch near the handle.

REF 4213	Box of 12	\$ 49 95
REF 4223	Box of 24	\$9095

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators

Dilators Shown at Actual Size



Single-Use ®

Single-Use ®

Single-Use ®

Dilators Shown at Actual Size 1.9mm 1.9mm 2.6mm **≯**::**← ≯**::**←** Os Canal **Fundus** Locator, Finder, Finder, Reusable Reusable Reusable

Soft Dilators Reusable

STERILE EO

Not made with natural rubber latex.

Single Dilators *Teflon*

- Reusable—fully autoclavable
- Can be resterilized after use
- Soft and malleable
- Overall length 21.5cm (8.5")



Soft Dilator, Os Locator, Sterile, Reusable

REF 4201 \$4295

Soft Dilator, Canal Finder, Sterile, Reusable

REF 4202 \$4295

Soft Dilator, Fundus Finder, Sterile, Reusable

REF 4203 \$4295




Dilator Set

Great Value! Save on a Set of 3

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200\$9695

Note: Multi-Colored Single-Use ® and White Reusable Soft Dilators are the same shape and are intended for identical use.



Dennis Dilators® Single-Use®



Not made with natural rubber latex.

Three Available Dilators

- Three colors for different soft dilators sizes
- Dual sizes on each dilator
- Number on handle for easy identification
- Sterilized and sealed in procedure blister trays
- Single-Use ®, no need for cleaning after use
- Ergonomic handle
- Order only the size you prefer
- Soft plastic
- Overall length 27cm

5-6mm Dilator, Pir

REF 4240 (G20	Box of	12	\$4595
------------	-----	--------	----	--------

7-8mm Dilator, Yellow

REF 4245 G20	Box of 12	\$4595

9–10mm Dilator, Green

REF	4250 G20	Box of 12	\$45 ⁹⁵

11-12mm Dilator, Blue

REF	4255 <i>G20</i>	Box of 12	\$45 ⁹⁵
-----	------------------------	-----------	--------------------

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators





Dots show actual diameter in mm 12mm



Dots show actual diameter in mm

10mm

8mm

12mm

14mm

Dennis Dilators® Reusable

STERILE EO

Not made with natural rubber latex.

Five Available Dilators

- Five band colors for different dilators sizes
- Five dilators per set
- Dual sizes on each dilator
- Comes sterilized and sealed in procedure blister trays
- May be resterilized after use
 - fully autoclavable
- Soft plastic
- Overall length 28cm

Great Value! Set of 5 Dilators

White reusable, soft dilators. Set of five dilators ranging from 5mm to 14mm.

REF 4230\$9495 Per Set

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators

Uterine Curettes

Sims Uterine Curette












All Sims Uterine Curette Tips Shown at Actual Size

REF CSU3900-9	
Size 00, 10.5 x 4.0 mm, Sharp, Rigid	\$ 67 95
REF CSU3900-0	
Size 0, 10.5 x 4.5 mm, Sharp, Rigid	\$ 67 95
REF CSU3900-1	
Size 1, 13 x 5 mm, Sharp, Rigid	\$ 67 95
REF CSU3900-2	
Size 2, 16 x 6 mm, Sharp, Rigid	\$ 67 95


REF CSU3900-3	
Size 3, 16 x 7 mm, Sharp, Rigid	\$ 67 95
REF CSU3900-4	
Size 4, 20 x 9 mm, Sharp, Rigid	\$ 67 ⁹⁵
REF CSU3900-5	
Size 5, 22 x 9 mm, Sharp, Rigid	\$ 67 ⁹⁵
REF CSU3900-6	
Size 6, 26 x 11 mm, Sharp, Rigid	. \$67 95

Bumm Uterine Curette





All Bumm Uterine Curette Tips Shown at Actual Size



Key Test In Every Vaginal Exam Convenient, Instant, Accurate Reading

pHem-Alert[®] Vaginal pH Testing

GYNEX pHem-Alert

Box of 12^{\$}**64**⁹⁵

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set

Color Change Could be Associated with the Following Conditions

Sunflower Yellow	Dark Yellow	Olive Yellow	Olive Green	Olive Blue	Navy Blue	Midnight Blue
Predominant lactobacilli Possible yeast overgrowth	 Low grade bacterial vaginitis Borderline serum estradiol 	Bacterial vaginitis Low serum estradiol	Bacterial vaginitis Low serum estradiol	Bacterial vaginitis Very low serum estradiol	Low to no serum estradiol	Low to no serum estradiol
 Normal serum estradiol 	Urir	ne: pH 6.0-7.0		Am	nniotic Fluid: p	H 7.0-7.5

The pHEM-ALERT® test measures vaginal pH and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant odor, Unusual discharge

This test may help decide if these symptoms are caused by an infection that may require follow-up by your healthcare provider. This test is only intended for women who have normal menstrual periods (periodic vaginal bleeding) or who may currently be pregnant. If you are pregnant, always discuss your symptoms and the result of this test with your healthcare provider and NEVER treat yourself.

Uterine Manipulator, Single-Use ®

STERILE EO


Not made with natural rubber latex.

Century UMI Uterine Manipulator/Injector Simplified Design

Ideal for Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty, Fertility Exams

- Flexible plastic insertion sleeve
- Sterile, single-use ®
- Flexible sleeve prevents luer fitting cracks
- Diameter 4.5mm
- Pear-shaped balloon for optimal hold
- Balloon forms an excellent seal at internal Os
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Length 33cm

REF 10-160 Box of 12 \$35590




Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.



suresample · Select 1

Endometrial Curette, Single-Use ®





DEPTH MARKER

Set the desired curette marker depth after sounding the uterus. This depth marker minimizes risk of perforation.

SYRINGE CAP

Allows for transportation of sample collected in the syringe.



CANULA AND CAP HOLDER

— CANULA



Twist - and - Lock
Syringe prevents block flow of sampled tissue.

CANULA STYLET

Optional Stylet for added rigidity when inserting, especially useful in stenotic patients.



Endometrial Curette, Single-Use 3



SURESAMPLE® Select1 is a unique, sterile, single-use curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scrapping or vacuum suction. Excellent for controlled insertion in patients where stenosis or atropic endometrium is a concern. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

Features

- Randall-style cutting edge currette
- Better grip and ease of attachment of curette to the syringe
- Clear marks every 1 cm to help monitor precise depth.
- Depth Marker provides protection against perforation of the uterine wall.
- Effective suction system for guick specimen collection in outpatient settings.
- Flexible design to enable smooth insertion and safe accommodation for uterine wall curvature.

Specification

- 10 ml Syringe with twist and lock plunger
- Luer Lock fitting with winged flanges
- Canula length 8-1/8" (20.5 cm)
- Not made with natural rubber latex
- Depth Marker
- OD 3mm

Special Introductory Price!

SURESAMPLE® Endometrial Curette

REF 3130 Box of 5..... \$29⁹⁵ (\$5.99 each) Limit one-time order per office.

SURESAMPLE® Endometrial Curette

REF 3135 Box of 24 ... \$11975 (\$4.99 each)

Low unit price, \$4.99 each




<u>sure</u>sample[®]

Endometrial Sampler, Single-Use ®

An easy to use endometrial sampler—for less.

Less time and less money.



3-port sampling system

We believe that the SURESAMPLE endometrial sampler is one of the finest endometrial samplers available today!

Here are just a few reasons why:

- The SURESAMPLE endometrial sampler's **3-port sampling system** doubles the harvested samples of other sampler devices.
- The 3-port sampling system allows easy sample retrieval with reduced cell damage.



Endometrial Sampler, Single-Use ®

STERILE EO


Not made with natural rubber

Key Features

- **3-Port Sampling System**—one port on each side of the distal end of the shaft and one on the tip end.
- Grip retraction creates a strong internal vacuum.
- Two phase action between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- · Small 3mm shaft diameter
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process—simply push the SURESAMPLE endometrial sampler grip back, forcing the specimen out of the open sampler tip.




High specimen yield and quality




Special Offer! Buy 3 boxes of SURESAMPLE Endometrial Samplers for the price of 2

Offer Expires December 31, 2020

Low unit price, \$3.06 each



Colposcope Direct-Access™ 530VCDA With integrated HD video camera for optional monitor. Three-Step Magnification



Galileo® Colposcope, Direct-Access™, three step magnification (3.75x, 7.5x, 15x) with Video REF 530VCDA-R\$6,79500 (Left Handed REF 530LVCDA-R) with a 5-wheel Rolling Base: (Left Handed REF 530LVCDA-T)

Extended Warranty

REF 530VCDA T/R-1

Extended 1 year\$35000 REF 530VCDA T/R-2 Extended 2 years............. \$50000

Colposcope Direct-Access™ 530VCDA With integrated HD video camera for optional monitor. Three-Step Magnification



Colposcope Direct-Access™ 400DA Three-Step Magnification




Galileo® Colposcope, Direct-Access™, three step magnification (3.75x, 7.5x, 15x) with LED Light

(Left Handed REF 400LDA-R) with a 360° rotating Tilt Base: REF 400DA-T\$5,49500 (Left Handed REF 400LDA-T)

Extended Warranty REF 400DA T/R-1

Extended 1 year\$35000 REF 400DA T/R-2 .Extended 2 years...........\$50000

Colposcope Direct-Access™ 400DA Three-Step Magnification



Focal Length: ± 300mm

Magnification: 3.75X, 7.5X, 15X

Field Of View: 79mm, 39mm, 19mm

Light source: LED

Light intensity: > 25,000 LUX

Working height: 945mm to 1180mm (Tilt Base)

Working height: 975mm to 1195mm (Rolling)

Power Supply: 100V to 240V

Warranty: One year parts and labor

warranty included

Extended warranties available (excludes shipping charges)

A

Galileo design team is the proud recipent of the German • Red Dot concept design award Left Handed Models Available

Colposcope Direct-Access™ 200DA Single Magnification



Galileo® Colposcope, Direct-Access™, Single step magnification (7.5x) with LED Light

Extended Warranty REF 200DA T/R-1 F20 Extended 1 year \$35000 REF 200DA T/R-2 F20 Extended 2 years...... \$50000

Colposcope Direct-Access™ 200DA Single Magnification



SPECIFICATIONS

Focal Length: ± 300mm

Magnification: 7.5X

Field Of View: 39mm

Light source: LED

Light intensity: > 25,000 LUX

Working height: 945mm to 1180mm (Tilt Base)

Working height: 975mm to 1195mm (Rolling)

Power Supply: 100V to 240V

Warranty: One year parts and labor

warranty included

Extended warranties available (excludes shipping charges)

Galileo design team is the proud recipent of the German • Red Dot concept design award

Left Handed Models Available

Colposcope Direct-Access™ Extra Features

Because not everyone is right-handed, we have left-handed models available.


All Galileo® colposcopes are shipped as right-handed Direc-Access models. Because we are aware that many doctors are left-handed, we do offer a left-handed versions. In the illustration at the right, you can see how the left-handed configuration would look. It provides the same easier access that the right-handed models do, for left-handed access.

When ordering your colposcope, you will need to make sure you request a left-handed model to your customer service representative. Note the left-handed REF numbers when ordering. Otherwise all models in this catalog ship as right-handed models as the photos show. *All prices are the same for left-handed models as for right-handed models*.



Superb German Optics

- Multi-coated
- Handpolished
- Individually adjustable binocular optics for true stereoscopic view
- Optical measuring circles for precise measurements
- Apochromatic lens




Apochromatic lens uses 3 elements to direct red, green, and blue light to one point of focus. This minimizes secondary color and corrects chromatic aberration.

Measuring tissue when viewing throught the colposcope

You will see two measuring circles through the lens. Since your Colposcope has up to three different magnifications, the measurement at the tissue site will vary according to the


magnification you're using. This reference chart gives you the correct size per magnification change. Note: There is a small black chart on the right metal housing at the head.





On 3 Step models



Single Step models







Video Accessories for Soliles 530VCDA



(Note: Actual montior shipped may be different than model shown)


REF VC-Magewell \$29900


Gynex Monitor

- Offers a convenient viewing option for patients and staff.
- Easily attaches to Galileo® 530VCDA models.
- One single cable attaches to the colposcope to the monitor.
- Miniumum 15" monitor.
- Rolling base similar to Galileo[®] 530VCDA-R.

Monitor only for desktop (no rolling base)


REF 450M\$29000





CO1100 Colposcope

Single Magnification



Extended 1 year......\$30000

REF CO1100-2Extended 2 years.......\$45000

56

Extended Warranty

REF CO1100-1

CO1100 Colposcope Single Magnification

SPECIFICATIONS

Focal Length: ± 316mm

Magnification: 9X

Field Of View: 22mm

Light source: LED

Light intensity: | >6.5V/ 25,000 LUX

Working height: 33"-47"

Power Supply: 100V to 240V


Warranty: One year parts and labor

warranty included

Extended warranties available (excludes shipping charges)



CO3100 Colposcope Three-Step Magnification



Extended 1 year......\$30000

REF CO3100-2Extended 2 years.......\$45000

58

Extended Warranty

REF CO3100-1

CO3100 Colposcope Three-Step Magnification

SPECIFICATIONS

Focal Length: ± 300mm

Magnification: 3.75X, 7.5X, 15X

Field Of View: 9.5mm, 19mm, 38mm

Light source: LED

Light intensity: 6.5V/25,000 LUX


Working height: 33"-47"

Power Supply: 100V to 240V


Warranty: One year parts and labor

warranty included

Extended warranties available (excludes shipping charges)



CO4100 Colposcope 45° Three-Step Magnification



360° rotating Tilt Base: REF CO3100-LED\$4,79500

CO4100 Colposcope 45° Three-Step Magnification

SPECIFICATIONS

Focal Length: ± 300mm

Optical Angle | 45°

Magnification: 3.75X, 7.5X, 15X

Field Of View: 9.5mm, 19mm, 38mm

Light source: LED

Light intensity: 6.5V/25,000 LUX

Working height: 33"-49"

Power Supply: 100V to 240V

Warranty: One year parts and labor

warranty included

Extended warranties available (excludes shipping charges)



Galileo

Medical Exam light





Get the light you need exactly where you want it with the Gynex medical exam light. We're sure you'll find the convenience of the flexible, adjustable light invaluable for your exam needs.

○⇒lile○ Medical Exam Light

REF MEL-50\$419⁹⁵

Other mounting options

The Galileo® Medical Exam Light has two alternative mounting options available. Below you will find a wall mount bracket and a table mounting bracket.

Wall Mount

The Galileo® Medical Exam Light can be mounted to a wall providing extra floor space when needed.

REF MEL-10 \$6995

Table Mount

The Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.

REF MEL-20 \$84⁹⁵

GYNEX® Ultrasonic

FETAL DOPPLER

Add this excellent Fetal Doppler to your practice!

Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Dimension: 215mm x 200mm x 66mm
- Includes battery charger and earphones

REF D2500\$26595



Thermasonic Gel Warmer



- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01

......\$**290**⁹⁵

Doppler Gel



- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250 ml bottle


REF D-Gel Box of 6......**\$37**95

Hysterectomy Clamps

Titanium Rainbow™

- Retains their crisp edge up to ten times longer than standard stainless steel clamps
- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- High level of corrosion resistance for a rust free surface





Strong Curve	9
REF TT590-21	21cm ^{\$} 278 ⁹⁵
REF TT590-24	24cm ^{\$} 313 ⁹⁵
REF TT590-27	27cm ^{\$} 348 ⁹⁵
REF TT590-30	30cm ^{\$} 368 ⁹⁵
REF TT590-36	36cm \$388 95
11330 30	000111
11330 30	00011
<u></u> 11330 30	333
11330 30	333 S
<u></u>] 11330 30	O O O O O O O O O O O O O O O O O O O
	OSCITI MINISTRALIA DE LA CONTRALIA DE LA CONTR
Angled	21cm
	CO'N.
Angled	21cm
Angled REF TT595-21 REF TT595-24	21cm

Hysterectomy Clamps

The original **ZEPHYR™** stainless steel hysterectomy clamps set our high standard

- Available in four angles: Straight, Slight Curve, Strong Curve, Angled
- Available in four different lengths: 21cm, 24cm, 27cm, and 30cm
- Stainless steel







Straight

REF 3580-21 21cm.......**\$278**⁹⁵

REF 3580-30 30cm \$36895



Slight Curve

REF 3585-21	21cm ^{\$} 278 ^{9!}
REF 3585-24	24cm\$31395
REF 3585-27	27cm ^{\$} 348 ⁹
REF 3585-30	30cm \$36899



Strong Curve

REF 3590-21 21cm......\$27895

REF 3590-24 24cm......**\$313**⁹⁵

REF 3590-27 27cm.......**\$348**⁹⁵

REF 3590-30 30cm \$36895




Angled

REF 3595-30 30cm \$36895

Hysterectomy Scissors

Titanium Rainbow™

- Retain their sharp edge up to ten times longer than standard stainless steel scissors
- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- Very high level of corrosion resistance for a rust free
- Smoother cutting action











The original **ZEPHYR**[™]stainless steel hysterectomy scissors set the standard

- Tungsten carbide cutting edge
- Designed to cut cleanly, every time
- Available in four angles: Curve, Slight Curve, Full Curve, Angled
- Available in two lengths:
 20cm and 23cm


















GYNEX LLETZ Electrodes, Single-Use ®







GYNEX LLETZ Electrode Features



Radius Loop Electrodes Our Most Popular Style

All Electrode Tips Shown at Actual Size










GYNEX LLETZ Electrodes, Single-Use ⁽²⁾


Not made with natural rubber latex.




\$59⁹⁵ Box of 5
Compare to \$92.25
of our competitors










Electrode Accessories

STERILE EO

Not made with natural rubber latex.




Handpieces For LLETZ Procedures

STERILE EO

Not made with natural rubber latex.


Electrode Handpiece, Hand Activated with VL Plug

- For use with standard removable electrodes
- Single-Use ®
- Sterile
- 10 foot cable



Electrode Handpiece, Foot Activated

- For use with standard removable electrodes
- Single-Use ®
- Sterile
- 10 foot cable




LLETZ Accessories, Single-Use ⁽²⁾

Patient Dispersive Pads For LLETZ Procedures Non-Sterile


- Adult size
- In easy open, individually sealed pouches
- Fits most standard electrosurgical units
- 12 dispersive pads per box

All connectors shown at ACTUAL SIZE.

Please reference the images below to confirm ordering the correct product.



LLETZ Accessories






Lidocaine Cartridges, Single-Use ⁽²⁾

• With Epinephrine 1:100,000

• 1.7ml Cartridges

REF 1150

This product contains latex NOTE: A pharmacy or physicians license is required when ordering this product.



REF 5210

LLETZ Accessories

Prefilter, Reducer, and Filter For Smoke Evacuation Systems

Sterile Vacuum Tubing Sets Single-Use ^②

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets.....**\$195**⁹⁵

Prefilter Reducer, Single-Use ® Non-Sterile

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

Oty 10 \$5195

Prefilter, Single-Use ® Non-Sterile

- Fits CooperSurgical® 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Oty 10**\$188**95

ULPA Filter Non-Sterile

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215

.....\$146^{95 each}



LLETZ Accessories, Single-Use (2)

A. Tubing Connector Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue™ to

Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Connects With

Box of 12......\$2195

B. Flexible-S Tubing Non-Sterile

Not made with natural rubber latex.

Connects to DSE Tubing.

Convenient 6-Pack.

1/4" ID,3/8" OD x 2'

REF 8024 F20 Box of 6 \$4295



More in a Box. Same Price Per Piece.

C. DSE Tubing Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible,

No PVC. 1/4" OD x 9"

REF 8009

Box of 50 \$8895

Inserts into smoke evacuation tube clip in speculum

D. Clear-Flue™ Tubing Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Oty 24......^{\$}70⁹⁵

E. Tubing Connector Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue to Sterile


Vacuum Tubing, 3/8" to 7/8"

REF 8103

Box of 12...... \$2195

Connects With

Tubing & Connectors For LLETZ Procedures






Not made with natural rubber latex.

Sterile Vacuum Tubing Sets Single-Use ^②

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets \$19595



HurriCaine® Topical Anesthetic



Sterilization Notice. Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270°**. Gynex LLETZ coating must be autoclaved at **250°**. Please lower autoclave setting to this temprature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments. Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10-6.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalnt.

Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challening system on material functionality, although 60 cycles is the average compatibility. After 30 cycles surface bubbling may be visable, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ Instruments

LLETZ-Coated Braun Tenaculum


LightTouch™or StandardTissue Forceps

OK to **Autoclave** Read Notice on Page 74

Braun LiteTouch Tenaculum

LiteTouch when closed. tips overlap 1-2 mm

......\$145⁹⁵ REF LT2250



- Coated Stainless Steel
- Length 25cm
- LiteTouch™ features atraumatic design

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm.

\$14595 **REF** 3249



LLETZ-Coated Hooks

Iris Hook

REF 3230 \$8595 each

Emmett Tenaculum

......\$**85**95 _{each} REF 3240

Coated Stainless Steel. Length 26cm on all hooks

Angle Hook

......\$**85**⁹⁵ each **REF** 3245

LLETZ-Coated Tissue Forceps

REF 3205

.....\$95⁹⁵ each



- Coated Stainless Steel
- Length 21.5cm

LLETZ-Coated Rulers

LLETZ-Coated Depth Ruler

- Coated Stainless Steel
- Length 24cm
- Millimeter markings, center at 5mm

REF 3250\$10295 each

LLETZ-Coated Width Ruler

- Coated Stainless Steel
- Length 22cm
- Millimeter markings

REF 3255^{\$}102⁹⁵ each


LLETZ Coated Speculums

4-Way Expander Vaginal Speculum

for LLETZ procedures!

It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

- Unique speculum with built-in lateral retractor blades.
- Side blades lock firmly into place.
- · Pederson size blades.
- Designed for LLETZ procedures with Gynex's autoclavable lavender coating.



4-Way Expander Vaginal Speculum Medium

REF L4MEX F20 115mm \$239 95 each


Large

REF L4LEX F20 125mm \$249 95 each

OK to Autoclave Read Notice on Page 76 Before Ordering




Lateral Vaginal Retractors



LVR Blade Reference Chart: Shown Actual Size, Scale 1:1

Before Ordering


Open-Sided Speculums Left or Right Opening



LLETZ Coated Speculums

Sullivan Vaginal Speculum for LLETZ procedures!





Pederson



LLETZ Coated Speculums

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula
- · Locks firmly into place
- Ideal for bariatric patients
- Also available uncoated is stainless steel (see page 86–87)


OK to Autoclave Read Notice on Page 76 Before Ordering


Blade Reference Chart: Shown Actual Size, Scale 1:1


Graves











Stainless Steel Standard


Stainless Steel Vaginal Speculums


Pederson & Graves
















Stainless Steel Vaginal Speculums

Sullivan Vaginal Speculum

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most speculums
- · Locks firmly into place
- · Ideal for bariatric patients
- Available in coated models for LLETZ procedures (see page 78)








C-Arm is designed to parallel the contour of the patient's leg

150mm


No side obstructions like most specula






Lateral Vaginal Retractors

- Control side wall collapse and get cervical access with a GYNEX Stainless LVR™.
- For unparalleled ease of use and variety of practical sizes, nothing compares
 with GYNEX Stainless LVRs™.
- These fine retractors are especially compatible with GYNEX Wide-View™ and FullView™ Specula.
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix.





Auvard Weighted Speculum

- Fixed weight, 1.4 kg
- 105mm Long
- 38mm wide

Auvard Weighted Speculum

REF SA2200

......\$297⁹⁵each



Stainless Steel Vaginal Speculums

Guttman Stainless Steel Speculum with Special Blades

- This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina.
- Small, specifically designed separators open and stabilize the vagina.

Guttman Medium Speculum


REF 2310 Top Separator: 82mm \$6295each


Guttman Large Speculum

REF 2312 Top Separator: 92mm...... \$6295 each



Greenberg Hysteroscopy Speculum





• Open right side

"The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical, cases in which a speculum is used."

James Greenberg, MD, Boston, MA








Experience the convenience of 24 hour online shopping for all of your favorite Gynex products. Watch for our latest specials and newest product introductions. **WWW.GYNEX.COM**

Titanium Rainbow™ Speculums Pederson & Graves

Introducing our Titanium Rainbow line of speculums. This exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel. Both Pederson's and Graves' are available in two viewing widths: WideView (40mm) and FullView (70mm). Just specify the length (medium or large) when placing your order.








The Jupiter Speculum[™]

The solution for your extreme bariatric patients




0mm

There is a growing demand for physicians to examine very large patients. Access to the cervix can be extremely difficult in these cases. Gynex® is proud to now offer a solution to this difficult situation. As such, we are introducing the Jupiter SpeculumTM.


Developed by Washington University in St. Louis, this triple extra large stainless steel speculum provides the needed access that even the largest graves speculum cannot provide. The Jupiter SpeculumTM may not be needed everyday, but it can be indispensible when the need arises.

DEE	D2000	\$29995
NEF	B2900	 *233**

lot to lot.




Biopsy Punches





• Tip Locking Tab

For more information, see page 9



Tischler, Straight Extra-Long

REF TT035



Tischler, Up Extra-Long

REF TT036



Tischler, Down Extra-Long

REF TT037



GYNEX Original!




Mini-Tischler, Straight Extra-Long

REF TT030



Mini-Tischler, Up Extra-Long

REF TT031



Mini-Tischler, Down Extra-Long

REF TT032







INSTRUMENT LUBRICANT AND RUST INHIBITOR

The Only Instrument Lubricant and Rust Inhibitor Clinically Tested to be Thoroughly Steam Penetrable and Steam Sterilizable

Used routinely as part of the Gynex Instrument Care System, Touch-Guard® Instrument Lubricant and Rust Inhibitor will greatly reduce repair and replacement costs. Touch-Guard® Instrument Lubricant and Rust Inhibitor provides permanent lubrication and protection for all surgical instruments.

Features

- Withstands the high temperatures of autoclaving
- Restores articulation to sticky box-locks and joints
- Water soluable high-grade mineral oil lubricant and rust inhibitor.
- Prevents rust, spots, stains and corrosion thus prolonging the life of the instrument.
- Prevents damage due to the misuse of stiff or grinding instruments thus reducing repair and replacement costs.
- Steam penetrable, steam sterilizable and ETO sterilizable.
- Non-oily, non-sticky, non-toxic and silicone free.

REF TG-100 16.9 fl. oz. (500 ml)\$1495





INSTRUMENT CARE AND CLEANING



Spectra-Clave™ Autoclave Cleaner

- Helps reduce deposits and stains on the inside of the chamber
- Easily sprayed into chamber interior

REF SS4 320Z.....\$2995

REF SS4-12 Case of 12 .. \$26095



Spectra-Soap® For Manual Cleaning of Surgical Instruments

- High suds detergent with rust inhibitor
- Neutral pH, designed for surgical instruments
- Concentrated: 1 gallon makes 85 gallons

REF SS2

1 Gallon \$4095

GYNEX Hot Beads




These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX Hot Beads come in simple pre-measured containers. Follow the same directions that came with your sterilizer unit for changing the sterilization beads, then pop the top of our container and pour in

6-Month Supply
1-year Supply

REF 7106

Stain-Ex[™] For Your LLETZ Instruments



- · Removes blood stains
- Removes Monsel's stains
- Bio degradable and phosphate free

REF SS10

Stain-Ex

1 Gallon......**\$85**95

REPAIRS AND SHARPENING

Gynex® sharpens and repairs most instruments.

All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication. If the instrument that you would like to have sharpened or repaired is not listed above, or you have any questions, please contact us for more information.

Pricing is as follows:

Toll Free: (888) 486–4644 (7:30AM–4:00PM PST)

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Notifications

Selling Notice:

All products are limited to purchase by licensed medical practioners, phycians and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GYNEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer obtain must Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was re-Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
- *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)
 Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship. **Disclaimer:**

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and in-

formation in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ceramix, Century Uterine Clear-Flue, Manipulator/Injector, C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. DennisDilators and Target Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of Redmond. Washington. ConMed and Sabre are registered trademarks of ConMed. Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lockand Euro-Med are registered trademarks of Cooper Companies, HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP. Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon is a registered trademark of DuPont. Speculume is a registered trademark of Cyalume.
Force Majeure.

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Notwithstanding the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in Redmond, WA

Latex Notice


ONLY the following product in this catalog *may* contain latex:

REF 1150 Lidocaine Cartridges (cartridge stoppers)

INDEX

Acetic Acid 2	Forceps	Scissors
Alligator Grapser, Gynex 31	Foerster, Stainless19	IUD String31
Ascona® IUD String Snare28	Laminaria Insertion Forceps26	Titanium Rainbow66
Accu-Sound [®] 32-33	LLETZ Sponge Forceps, Single-Use ②76	Zephyr Stainless66
Bariatric Instruments93-95	LLETZ Coated Tissue Forceps77	Iris Stainless67
Biopsy Punches	Ovum Forceps24-25	Littaur Stitch Stainless67
Ceramix11	Galileo Colposcopes48-54	Smoke Evacuation
Cobalt Blue10	Grasper	Prefilter, Single-Use ®74
i-Series Titanium Rainbow9, 95	Alligator Grapser, Gynex31	Prefilter Reducer74
Stainless4-8, 21, 94	Serpentine Grasper27	ULPA Filter74
Apex 8, 94	Hooks	Tubing75
Eppendorfer 14, 21	Stainless15, 21	Sounds Sims33-34
Kevorkian 14, 21	LLETZ Coated77	Speculums
Medium-Tischler 8, 92	HurriCaine	Disposable, Speculume® EZ 4-5
Mini-Tischler 6-13, 21, 92	Spray Kit76	LLETZ
RotoTip Biopsy Punches12-13	Swabs76	LLETZ, 4-Way Expander78
Sullivan 14	IUD Instruments	LLETZ, left/right opening79
Tischler6-13, 94	Ascona® IUD String Snare 28	LLETZ, Graves 82-83, 93
Wittner,14, 21	Accu-Sound®32-33	LLETZ, Pedersons82
Care and Cleaning	Alligator Grasper31	LLETZ, Sullivan80-81
Beads, Hot Glass Sterilizer97	Crochet Type IUD Removers 30	Stainless Specula
Instrument Lubrication96	IUD Insertion Kit29	Auvard88
Spectra-Clave97	Serpentine Grasper27	Graves85
Spectra-Soap97	String Scissors31	Greenberg89
Stain-Ex97	Willows IUD String Snare30	Guttman89
Clamps 64-65	Patient Dispersive Pads72	Jupiter92
Colposcopes 48-61	Punches	Pederson84
Colposcopy Sets20-21	Keyes23	Left/Right Opening92
Curettes 16-17, 44-47	Keyes Acessories23	Sullivan86-87
Dilators	Vulvar23	Titanium Rainbow
Dilators, Uterine34-37	Light, medical exam, Gynex62	Graves91
DennisDilators, Single-Use @40	Lateral Vaginal Retractors	Pederson 91
DennisDilators, Reusable41	LLETZ79	Sterilization
Hank Dilators, Uterine35	Stainless88	Beads, Hot Glass Sterilizer 97
Hegar Dilators, Uterine 37	Lidocaine73	SURESAMPLE ® 44-47
Mini Dilators, Uterine	LLETZ Coated Instruments	Syringe, Cartridge73
Stainless, Set34	All Items77-83, 91	Tenacula
Stainless, 4mm and 5mm34	Hooks77	Braun19
Pratt Dilators, Uterine36	LVR79	Schroeder19
Small Dilators, Uterine35	Speculum	Skene 18
Soft Dilators, Single-Use 238	Sponge Forceps, Single-Use @76	Teale
Soft Dilators, Reusable39	Microscope26	Thermometer, Infrared97
Doppler, Ultrasonic63	Monsel's2	Tubing
Electrodes	Needle Adapter73	Tubing, Single-Use ®
Ball Electrode70	Needle Holders	Clear-Flue Tubing
Electrode Extender71	Webster67	DSE Tubing 75
Electrode Handpieces71	Mayo-Hegar67	Flexible-S Tubing
H-Series Loop Electrodes70	Crile-Wood67	Tubing Connectors74
Needle Electrode70	Ovum Forceps	Uterine Manipulator/Injector43
Radius Loop Electrodes69	Bierer25	Uterine Sound
Square Loop Electrodes70	Blumenthal25	Accu-Sound
Endocervical 19, 21	Jacobson25	Reusable, Malleable34
Specula 18, 21	Saenger25	Single-Use ®, Sterile34
Exam Light, medical, Galileo62	Sopher Original24	Willows IUD String Snare 30
Endometrial Sampler	pHem-Alert43	
Endometrial Curette44-45	Repairs & Sharpeing Service97	
Endometrial Sampler46-47		

Shipping from Redmond, WA



5% Discount for orders with payment by credit card:









PayPal for online purchases:

www.gynex.com

Toll Free: (888) 486-4644 (7:30AM-4:00PM PST)

Fax: (425) 895-0115

Web: www.gynex.com

E-mail: service@gynex.com

Mail Orders To: **GYNEX**

P.O. Box 3189

Redmond, WA 98073

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB Redmond, Washington. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$14.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, and international orders.

Please Note: A handling fee will apply to orders that use customer's own shipping account.

Please Note: An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 98 of this catalog. All customers are requested to read this information.



Mail Orders To GYNEX P.O. Box 3189 Redmond, WA 98073

Make a copy of this order form, fill it out and mail or fax it to GYNEX at (425) 895-0115

GYNCX Order	Order Form		
Billing Address: Name Address CityState Zip	Ship To: Name Address CityState		
Phone ()	FaxContact Person		

REF	Qty.	Description	Price Each	Total

Make checks payable to: GYNEX Corp.			Total Amount Ordered	
Credit Card Charge: MasterCard	VISA	AMERICAN EXPRIES	5% Discount for Pre-Paid Orders	
Credit Card Security Code	Exp. Date	_	Pre-Paid Ground Shipping and Handling Note: ContinentalUS only. NotAlaska or Hawaii. (Otherwise actual shipping charges apply.)	\$14.50
Credit Card Number			Washington State Residents add sales tax	
Signature			Total	



14603 NE 87th St., Redmond, WA 98052

Phone:1.888.486.4644
Fax: 1.425.895.0115
Web: www.gynex.com
Email: service@gynex.com

PRSRT STD US POSTAGE PAID GYNEX

