


# GYNEX®

Streamline Your Practice By Including Single-Use Devices



*Winter 2021*

## Steve says . . .

**With 2020 in the rear-view mirror, we at Gynex would like to wish you a Happy New Year! May 2021 bring happiness, health, and prosperity to all of you.**

Gynex has an extensive selection of products, but given the current situation it feels especially important to emphasize the usage of single-use products, as they help lower the risk of cross contamination and keep you focused on the efficiency of your practice.

We offer a wide range of single-use products; IUD instruments, dilators, keyes punches and electrosurgical products. In this issue we are highlighting some of our single-use instruments, like our SpecuLume EZ, an illuminated speculum designed for improved patient and clinician interaction (see pages 4-5). And our newest SURESAMPLE • Select1, a single-use curette for sampling the uterine endometrium (see pages 44-45). All our products are individually packaged and ready to use. Throughout the catalog you will find our full product line of single-use items. As times are changing, we are adapting to your needs.

Thank you for your continuous trust in Gynex. I hope we can continue to earn your business and if you have any questions, thoughts, or ideas please let us know so we can accommodate you.


Thank you,



**Stephen Sullivan**

President and CEO, GYNEX Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.



## GYNEX®

**Trevor Kurz**

Chief Operating Officer  
GYNEX Corporation

# GYNEX Products Winter 2021

## Table of Contents HIGHLIGHTED CONTENT IS OF SINGLE-USE PRODUCTS

Accu-Sound® Single-Use®.....	32-33	Keyes Skin Punches , Single-Use® & Reusable .....	23
Acetic Acid, Single-Use®.....	2	Lateral Vaginal Retractors, Stainless Steel .....	88
Asconia® IUD Snare .....	28	Lidocaine .....	73
Bariatric Instruments.....	92-95	LLETZ, Coated Instruments .....	77-83, 93
Biopsy Punches, Cervical .....	6-14, 94-95	Speculums .....	78-83
Care and Cleaning.....	96-97	Lateral Vaginal Retractors .....	79
Colposcopes.....	48-61	Tenacula, Hooks, Forceps, Rulers .....	77
Galileo® .....	48-54	LLETZ, Electrodes, Single-Use® .....	68-70
CO Series.....	56-61	LLETZ, Accessories .....	71-75
Colposcopy Sets .....	20-21	Electrode Extender, Single-Use® .....	71
Curettes .....		Electrode Handpieces, Single-Use® .....	71
Endocervical.....	16-17	Patient Dispersive Pads, Single-Use® .....	72
Uterine .....	42	Prefilter, Reducer, and Filter Single-Use®.....	74
Dilators .....	34-41	Tubing & Connectors, Single-Use® .....	75
Dennis Dilators, Single-Use® & Reusable .....	40-41	Microscope, GYNEX® .....	26
Soft Dilators, Single-Use® & Reusable .....	38-39	Monsel's, Single-Use® .....	2
Uterine Dilators.....	34-37	Needle Holders .....	67
Doppler, Gynex® Ultrasonic .....	63	Ordering Information .....	100
Endocervical Speculums .....	18, 21	pHem-Alert, Single-Use® .....	43
Endometrial Samplers .....	45-47	Extended Needle Adapter & Accessories .....	73
SURESAMPLE® Select1, Single-Use® .....	44-45	Scissors.....	31, 66-67
SURESAMPLE® Endometrial Sampler, Single-Use® ....	46-47	Hysterectomy .....	66
Exam Light .....	62	Iris .....	67
Forceps .....		IUD .....	31
Foerster .....	19	Sharpening & Repairs .....	97
Ovum .....	24-25	Sounds, Uterine .....	
Laminaria Forceps .....	26	Accu-Sound®, Single-Use® .....	32, 33
Sponge Forceps, Single-Use® .....	76	Speculums, SpecuLume®, Single-Use® .....	4-5
Hooks .....	15	Speculums, Stainless Steel .....	84-92
HurriCaine®, Topical Anesthetic.....	76	Auvard .....	88
Hysterectomy Clamps.....	64-65	Graves .....	85
Hysterectomy Scissors .....	66	Guttman, & Greenberg.....	89
Index .....	99	Jupiter.....	92
IUD Insertion Kit, Single-Use®.....	29	Open-Sided .....	92
IUD Remover .....		Pederson .....	84
Alligator Grasper, Gynex® .....	31	Sullivan .....	86-87
Ascona® IUD Snare.....	28	SpecuLume®EZ, Single-Use®.....	4-5
Crochet Type, Single-Use®.....	30	Speculums, Titanium Rainbow™ .....	91
Serpentine Grasper.....	27	Speculums, LLETZ Coated .....	78-83
Willows IUD String Snare, Single-Use®.....	30	SURESAMPLE® Select1, Single-Use® .....	44-47
		Tenacula .....	18-19
		Thermometer, Infrared .....	22
		Uterine Manipulator, Century UMI, Single-Use® .....	43

# Monssel's Ferric Subsulfate Paste 20-22%

**Helps to control bleeding during biopsy, LLETZ and laser procedures**

- Pre-thickened for easy application
- Box of 12 Individual - 8ml vials
- Includes 12 rayon-tipped applicator swabs
- Single-Use ®

**REF 5055** Box of 12.....**\$179<sup>95</sup>**



NOTE: A pharmacy or a physician's license is required when ordering this product.

# Acetic Acid 5%

**Helps enhance the appearance of abnormal areas**

- Pre-measured for easy application
- Box of 12 Individual - 12ml vials
- Includes 12 rayon-tipped applicator swabs
- Single-Use ®

**REF AA312** Box of 12.....**\$84<sup>95</sup>**







Galileo®

We have designed the Direct-Access™ Colposcopes with you in mind, as it features no blockage from center post for easier access for instruments. See for yourself why your peers are choosing Galileo.

Finest Optics • Elegant Design • Right and Left Handled Models


see pages 48-55

# SpecuLume® EZ


Single-Use ☒ Vaginal Speculum with Illumination Insert

Finally, a single-use vaginal speculum that provides true intra-vaginal lighting, greater clinician visibility, and increased patient comfort. The functionality of the sturdy, classic metal speculum combined with the benefits of modern designs make it silent to operate, disposable, and affordable to any budget.

***Slides up and open just like a Graves speculum!  
"No Clicking"***



MADE IN THE USA



Illumination Insert

## **DESIGNED FOR IMPROVED PATIENT AND CLINICIAN INTERACTION**

Elevates silently; holds securely; releases easily

## **IMPROVES CLINICAL PERFORMANCE**

Provides diffused illumination positioned where needed most

## **COST-EFFECTIVE AND ENVIRONMENTALLY FRIENDLY**

No batteries or electricity needed; no costly cleaning or sterilization chemicals

## **EASY-TO-USE, STURDY DESIGN**

Operates like traditional metal, Graves speculum; disposable like plastic

## With SpecuLume® EZ

- Unique light source generates no heat.
- Light insert ready in a "snap" without requiring electricity or batteries.
- After use, discard the entire product as clinical waste; nothing to disassemble, because there is no battery.
- Single middle bolt design allows for simple operation and securely locks in place.
- Completely recyclable and more environmentally friendly than battery-powered devices.
- Chemiluminescent insert produces optimal distributed lighting for 15 minutes, eliminating harsh illumination.

# ILLUMINATED VAGINAL SPECULUM

Single-Use ☒ Vaginal Speculum with Illumination Insert

*“Finally a disposable speculum  
that makes sense”*

## LARGER OPENING

Large user opening  
*Provides greater visual  
access, 42mm x65mm*

## CHEMILUMINESCENCE

Light insert can be placed on  
either upper or lower blade  
*Allows flexibility for optimal  
bright illumination*

## PINCH GUARDS

“Pinch Guards” block the gap between the proximal  
ends of upper and lower blades  
*Safeguards the patient when the upper blade is lowered*

## SILENT ADJUSTMENT

Single middle bolt silently elevates  
and securely locks upper blade  
*Eliminates annoying ratcheting  
noise for improved patient  
experience*

## ANGLED HANDLE

Handles are angled away from patient  
*Provides more space between  
clinician’s hands and patient*

**Low unit price,  
\$2.40 each**

### Speculume® EZ , Small

REF 28-100 ..... \$59<sup>95</sup>  
Box of 25

### Speculume® EZ , Medium

REF 28-200 ..... \$59<sup>95</sup>  
Box of 25

### Speculume® EZ , Large

REF 28-300 ..... \$59<sup>95</sup>  
Box of 25




Powered By  
**CYALUME®**



# Tischler Biopsy Punches

Invented by GYNEX President Stephen J. Sullivan, the modern  
Tischler Biopsy Punch is the #1 Selling Design Worldwide!



**Not sure which biopsy punch you need?**

Call GYNEX today at **1(888) 486-4644** and one of our sales associates will gladly assist you.



## Standard Tischler



Actual Bite Size: 7mm x 3mm

### Tischler, Straight Standard

REF 1010 20cm Shaft..... \$399<sup>95</sup>


REF 1035 25cm Shaft..... \$409<sup>95</sup>



Actual Bite Size: 7mm x 3mm

### Tischler, Up Standard

REF 1012 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 7mm x 3mm

### Tischler, Down Standard

REF 1014 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 7mm x 3mm

### Tischler, Left Standard

REF 1020 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 7mm x 3mm

### Tischler, Right Standard

REF 1019 20cm Shaft..... \$399<sup>95</sup>

Stainless Steel

GYNEX  
Original!



Actual Bite Size: 4.2mm x 2.3mm

### Mini-Tischler, Straight Standard

REF 1005 20cm Shaft..... \$399<sup>95</sup>

REF 1030 25cm Shaft..... \$409<sup>95</sup>



Actual Bite Size: 4.2mm x 2.3mm

### Mini-Tischler, Up Standard

REF 1006 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 4.2mm x 2.3mm

### Mini-Tischler, Down Standard

REF 1007 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 4.2mm x 2.3mm

### Mini-Tischler, Left Standard

REF 1022 20cm Shaft..... \$399<sup>95</sup>



Actual Bite Size: 4.2mm x 2.3mm

### Mini-Tischler, Right Standard

REF 1021 20cm Shaft..... \$399<sup>95</sup>

Stainless Steel

GYNEX  
Original!

Actual Bite Size: 5mm x 3mm

**Medium Tischler**

- Two lengths: Standard 20cm and Extra-Long 25cm
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

**Tischler, Medium Standard** REF 100820cm Shaft.....\$399<sup>95</sup>**Tischler, Medium Extra-Long** REF 103325cm Shaft.....\$409<sup>95</sup>

Actual Bite Size: 9mm x 3mm

**Tischler-Kevorkian**

- Length: Standard 20cm
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab


**Tischler-Kevorkian Standard** REF 101520cm Shaft.....\$399<sup>95</sup>**Tischler-Kevorkian Extra-Long** REF 103725cm Shaft.....\$409<sup>95</sup>GYNEX  
Original!

Actual Bite Size: 7mm x 3mm

**Apex™**

- Two lengths: Standard 20cm and Extra-Long 25cm
- V-shaped anchoring jaw on the top and bottom
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

**Apex, Standard** REF 102520cm Shaft.....\$399<sup>95</sup>**Apex, Extra-Long** REF 103925cm Shaft.....\$409<sup>95</sup>



## i-Series Titanium Biopsy Punches

- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Cutting edges will stay sharp longer
- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Working lengths: 20cm or 25cm
- Tip Locking Tab

Designed for excellence • Manufactured for precision

### Tischler, Standard


Actual Bite Size: 7mm x 3mm



#### Tischler, Straight

REF TT010  
20cm Shaft.....\$399<sup>95</sup>


REF TT035  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long



#### Tischler, Up

REF TT011  
20cm Shaft.....\$399<sup>95</sup>

REF TT036  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long



#### Tischler, Down

REF TT012  
20cm Shaft.....\$399<sup>95</sup>

REF TT037  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long

### Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



#### Mini-Tischler, Straight

REF TT005  
20cm Shaft.....\$399<sup>95</sup>

REF TT030  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long



#### Mini-Tischler, Up

REF TT006  
20cm Shaft.....\$399<sup>95</sup>

REF TT031  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long



#### Mini-Tischler, Down

REF TT007  
20cm Shaft.....\$399<sup>95</sup>

REF TT032  
25cm Shaft.....\$409<sup>95</sup>  
Extra-Long

Titanium Coated

GYNEX  
Original!

## i-Series Titanium Biopsy Punches

Actual Bite Size:  
7mm x 3mm

## Tischler, Colbalt Straight


REF TB010

20cm Shaft .....\$399<sup>95</sup>


Actual Bite Size:  
4.2mm x 2.3mm

## Tischler, Cobalt Mini

REF TB005

20cm Shaft.....\$399<sup>95</sup>

Actual Bite Size:  
7mm x 3mm




## Tischler, Straight

REF Pink010

20cm Shaft.....\$399<sup>95</sup>

Actual Bite Size:  
4.2mm x 2.3mm



## Tischler, Mini

REF Pink005

20cm Shaft.....\$399<sup>95</sup>

## Tischler, Pink Punches

- Exclusive titanium coating is harder than ordinary stainless steel
- Slightly wider handle to accommodate differences in grip sizes
- Cutting edges will stay sharp longer
- Single-spring handle
- Working length: 20cm
- Tip-Locking tab



Ceramic Coated

GYNEX  
Original!


CERAMIX™

Our sharpest, longest  
lasting biopsy punch**Ceramix® Biopsy Punches**


- Proprietary Ceramix coating
- Stays sharp up to 10 times longer than ordinary stainless steel
- Incomparable cutting-edge hardness (see Hardness Comparison Chart below)
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab
- Working length 20cm
- Single anchoring tooth on top and bottom jaws

**HARDNESS COMPARISON CHART**

Metal	(HV 0.05)	Coated Metal	(HV 0.05)
Stainless Steel	550	TiN COATING <sup>2</sup>	2900
Tungsten Carbide	650	CERAMIX Coating	4500

<sup>1</sup> Vikers hardness test at 50gf load   <sup>2</sup> TiN (Titanium Nitride)

Actual Bite Size:  
4.2mm x 2.3mm



**CERAMIX**  
**Mini-Tischler, Straight**

REF 1060

20cm Shaft..... **\$499<sup>95</sup>**

Actual Bite Size:  
7mm x 3mm



**CERAMIX**  
**Tischler, Straight**

REF 1070

20cm Shaft..... **\$499<sup>95</sup>**

Actual Bite Size:  
5mm x 3mm



**CERAMIX**  
**Tischler, Medium**

REF 1065

20cm Shaft..... **\$499<sup>95</sup>**


Actual Bite Size:  
7mm x 3mm



**CERAMIX**  
**Apex**

REF 1075

20cm Shaft..... **\$499<sup>95</sup>**



# ROTO TIP™

## Rotating Biopsy Punches

ROTO Tip™ rotating biopsy punches offer the added convenience of making a quick change in the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provide you a cost savings option to add angled tips.

These tips easily rotate allowing you to gain better positioning for a biopsy sample.

### Features

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches
- Working length 21cm

*See our list of other tips on the next page.*



**ROTO TIP™ Extra Handle**

REF 1200

Handle only .....\$189<sup>00</sup>

Actual Bite Size:  
7mm x 3mm



**Tischler,  
Standard Tip-Straight**

REF 1200-10

Complete Punch .....\$449<sup>95</sup>

Actual Bite Size:  
4.2mm x 2.3mm



**Mini-Tischler,  
Tip - Straight**

REF 1200-05

Complete Punch .....\$449<sup>95</sup>

### Extra Tips



Working length 21cm

**Tischler, Standard-Straight**

REF 1210

Extra Tip .....\$269<sup>95</sup>


**Mini-Tischler, Straight**

REF 1205

Extra Tip .....\$269<sup>95</sup>

## Tischler, Standard


Actual Bite Size: 7mm x 3mm



**Tischler, Standard Up**

REF 1200-30

Complete Punch .....\$449<sup>95</sup>




**Tischler, Standard Down**

REF 1200-20

Complete Punch .....\$449<sup>95</sup>

## Mini-Tischler


Actual Bite Size: 4.2mm x 2.3mm



**Mini-Tischler, Up**

REF 1200-25

Complete Punch .....\$449<sup>95</sup>



**Mini-Tischler, Down**

REF 1200-15

Complete Punch .....\$449<sup>95</sup>

## Oval Tip

Actual Bite Size:

5mm x 3mm



**Oval Tip**


REF 1200-35

Complete Punch .....\$449<sup>95</sup>

## Kevorkian Tip

Actual Bite Size:

9mm x 3mm



**Kevorkian Tip**

REF 1200-40

Complete Punch .....\$449<sup>95</sup>

## Extra Tips



Working length 21cm

### Tischler, Standard Up

REF 1230

Extra Tip.....\$269<sup>95</sup>

### Tischler, Standard Down

REF 1220

Extra Tip.....\$269<sup>95</sup>

### Mini-Tischler, Up

REF 1225

Extra Tip.....\$269<sup>95</sup>

### Mini-Tischler, Down

REF 1215

Extra Tip.....\$269<sup>95</sup>

### Oval Tip

REF 1235

Extra Tip.....\$269<sup>95</sup>

### Kevorkian Tip

REF 1240

Extra Tip.....\$269<sup>95</sup>

Stainless Steel



Actual Bite Size: 4mm x 2mm

### Sullivan Ring Handle Punch

- Excellent for stenotic cervix
- Working length 24cm
- Small handle
- Mini tip

REF 1050 24cm Shaft .....\$399<sup>95</sup>



Actual Bite Size: 9mm x 3mm

### Kevorkian Ring Handle Punch

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Working length 25cm

REF 1053 25cm Shaft .....\$364<sup>95</sup>



Actual Bite Size: 9mm x 3mm

### Kevorkian, Standard Punch

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

REF 1029 20cm Shaft .....\$399<sup>95</sup>



### Eppendorfer and Wittner

- Same handle design as shown above
- Tip Locking Tab

Actual Bite Size for both punches:  
7.4mm x 3.9mm

Eppendorfer, Standard

REF 1017

20cm Shaft.....\$399<sup>95</sup>

Wittner, Straight

REF 1026

20cm Shaft.....\$399<sup>95</sup>

Wittner, Angled

REF 1027

20cm Shaft.....\$399<sup>95</sup>



Eppendorfer, Standard



Wittner Straight, Standard



## Hooks

### Five Tip Designs



#### Angle Hook

REF 3225

26cm Length ..... \$49<sup>95</sup>



#### 2-Prong Hook

REF 3227

26cm Length..... \$59<sup>95</sup>



#### Iris Hook

REF 3210


26cm Length ..... \$49<sup>95</sup>



#### 3-Prong Hook

REF 3229

26cm Length..... \$59<sup>95</sup>



#### Emmett Tenaculum

REF 3220

26cm Length..... \$49<sup>95</sup>



## Novak Curette

- » Length 25cm
- » Luer lock suction attachment

- 2mm Shaft/Tip

REF 3302 ..... \$51<sup>95</sup>

- 3mm Shaft/Tip

REF 3303 ..... \$51<sup>95</sup>

- 4mm Shaft/Tip

REF 3304 ..... \$51<sup>95</sup>



## Randall Curette

- » Length 25cm
- » Luer lock suction attachment

- 2mm Shaft/Tip

REF 3310 ..... \$51<sup>95</sup>

- 3mm Shaft/Tip

REF 3312 ..... \$51<sup>95</sup>

- 4mm Shaft/Tip


REF 3314 ..... \$51<sup>95</sup>



Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto has developed this unique endocervical spiral dual purpose curette. First it supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample. Second, it acts as a cervical dilator allowing cervical or endometrial sampling. This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the os, advancing and rotating at the same time.


### Titanium Cobalt Lickrish Spiral Curette

REF TB3040 21cm Length..... \$79<sup>95</sup>



### Titanium Rainbow Lickrish Spiral Curette

REF TC3040 21cm Length..... \$79<sup>95</sup>



### Stainless Lickrish Spiral Curette

REF 3040 21cm Length..... \$79<sup>95</sup>



## Endocervical Curettes

### Six Tip Designs

Basket size: 10.5mm x 2mm



#### Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

REF 3005 32cm Length..... \$76<sup>95</sup>

Basket size: 11.5mm x 2mm



#### Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

REF 3015 32cm Length..... \$76<sup>95</sup>

Basket size 12mm x 2mm



#### Kevorkian Curette no Basket Square Tip

With no basket on this curette it allows for easier removal of sample after the curettage procedure.

REF 3010 32cm Length..... \$76<sup>95</sup>

Basket size: 7mm x 1.3mm



#### Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

REF 3020 32cm Length..... \$76<sup>95</sup>



#### Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue.

REF 3025 30cm Length..... \$76<sup>95</sup>



#### EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

REF 3050 32cm Length..... \$79<sup>95</sup>



Basket size: 10.5mm x 2mm


**Titanium Rainbow Kevorkian  
Curette with Basket Square Tip**
REF TC3005 32cm Length..... **\$76<sup>95</sup>**

Basket size: 11.5mm x 2mm


**Titanium Rainbow Kevorkian  
Curette with Basket Round Tip**
REF TC3015 32cm Length ..... **\$76<sup>95</sup>**

Basket size 12mm x 2mm


**Titanium Rainbow Kevorkian  
Curette no Basket Square Tip**
REF TC3010 32cm Length ..... **\$76<sup>95</sup>**
**Titanium Rainbow Dublin  
Curette Round Tip**
REF TC3025 30cm Length ..... **\$76<sup>95</sup>**

Basket size: 12mm x 2mm


**Titanium Rainbow Townsend Curette**
REF TC3020 32cm Length..... **\$76<sup>95</sup>**
**Curette Sharpening File**

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900 ..... **\$31<sup>95</sup>**

STERILE EO

Not made with natural rubber latex.


**Kevorkian Curette, Single-Use ②**

Kevorkian Curette eliminate cross-contamination concerns with the Single-Use ②. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

Working Length: 16cm  
OD: 4mmTotal Length: 31cm  
Inner Basket OD: 3mmREF 3030 Box of 25..... **\$73<sup>95</sup>**

## GYNEX Endocervical Speculum

### Standard Ratchet

REF 2130 3mm Tip ..... \$186<sup>95</sup>

REF 2140 4mm Tip ..... \$186<sup>95</sup>

### No-Lock Handle

REF 2030 3mm Tip ..... \$175<sup>95</sup>

REF 2040 4mm Tip ..... \$175<sup>95</sup>



Length 27cm

## GYNEX Tenaculum

### Skene Tenaculum


Slight Curve

REF 3534 Length 24cm ..... \$52<sup>95</sup>

### Teale Tenaculum

Slight Curve

REF 3536 Length 23cm ..... \$52<sup>95</sup>







**Angled**



**Straight**

*Straight or Angled Handle and LiteTouch™ or Standard Tip*



**LiteTouch™ Tip**



**Standard Tip**



**LiteTouch™ Tip**



**Standard Tip**

## Braun Tenaculum

### LiteTouch™, Straight Handle

REF T2230 Length 25cm.....\$52<sup>95</sup>

*When closed, LiteTouch tips overlap 1-2 mm ±1mm*

### Standard, Straight Handle

REF 3502 Length 25cm.....\$52<sup>95</sup>

REF B230 Length 30cm.....\$59<sup>95</sup>

*When closed, Standard tips overlap 4-6 mm ±1mm*

### Standard, Angled Handle

REF 3532 Length 25cm.....\$62<sup>95</sup>

## Schroeder Tenaculum

### LiteTouch, Straight Handle

REF T2222 Length 25cm.....\$52<sup>95</sup>

*When closed, LiteTouch tips overlap 1-2 mm ±1mm*

### Standard, Straight Handle

REF 3500 Length 25cm.....\$52<sup>95</sup>

REF B130 Length 30cm.....\$59<sup>95</sup>

*When closed, Standard tips overlap 4-6 mm ±1mm*

### Standard, Angled Handle


REF 3530 Length 25cm.....\$62<sup>95</sup>



## Schroeder Tenaculum

### Double Tooth, Straight Handle

REF 3501 Length 25cm.....\$52<sup>95</sup>



## Foerster Forcep

### Straight Handle

REF 3540 Length 24cm .....\$52<sup>95</sup>

REF B330 Length 30cm .....\$59<sup>95</sup>

### Angled Handle

REF 3542 Length 24cm .....\$62<sup>95</sup>

## Build Your Own Colposcopy Set

Choose ONE item from each of the five lists  
on the next page

Each **GYNEX Colposcopy Set** consists of five instruments essential for colposcopy procedures:

- Biopsy punch
- Endocervical speculum
- Vaginal speculum
- Endocervical curette
- Tissue hook

To order, choose one item from each of the five lists, and specify that you are ordering a **GYNEX Colposcopy Set**.

Priced at \$675, the GYNEX Five Instrument Colposcopy Set saves you a bundle! Industry standard price for a competitor's "Colposcopy Kit" is \$765 for only four instruments!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a **GYNEX Colposcopy Set**.



**\$675<sup>00</sup> Per Set!**


**Note:** All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.

***This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...***

## Biopsy Punches

REF

- ☐ Tischler, Straight.....1010
- ☐ Mini-Tischler, Straight.....1005
- ☐ Medium-Tischler .....1008
- ☐ Tischler-Kevorkian .....1015
- ☐ Tischler, Straight, RotoTip.....1200-10
- ☐ Mini-Tischler, Straight, RotoTip.....1200-05
- ☐ Eppendorfer.....1017
- ☐ Wittner, Straight .....1026
- ☐ Wittner, Angled.....1027



## Select one Biopsy Punch

For more information, see pages 6-14

## Endocervical Specula

REF

- ☐ Standard Ratchet 3mm .....2130
- ☐ No-Lock Handle 3mm .....2030
- ☐ Standard Ratchet 4mm .....2140
- ☐ No-Lock Handle 4mm .....2040



## Select one Endocervical Speculum

For more information, see page 18

## Tissue Hooks

REF

- ☐ Iris Hook .....3210
- ☐ Emmett Tenaculum .....3220
- ☐ Angle Hook.....3225

## Select one Hook

For more information, see page 15

## Endocervical Curettes

REF

- ☐ Square Tip, with Basket.....3005
- ☐ Square Tip, no Basket .....3010
- ☐ Round Tip, with Basket.....3015
- ☐ Townsend Curette with Basket.....3020

## Select one Curette

For more information, see page 16

## Vaginal Specula

REF

- ☐ WideView™ Pederson Medium .....2500
- ☐ WideView™ Pederson Large.....2525
- ☐ WideView™ Short Blade .....2530
- ☐ WideView™ Graves Medium .....2540
- ☐ WideView™ Graves Large.....2545
- ☐ FullView™ Pederson Medium .....2600
- ☐ FullView™ Pederson Large.....2625
- ☐ FullView™ Graves Medium .....2650
- ☐ FullView™ Graves Large.....2655
- ☐ Standard Pederson Medium .....2457
- ☐ Standard Pederson Large.....2459
- ☐ Standard Graves Medium .....2452
- ☐ Standard Graves Large.....2454

## Select one Speculum

For more information, see pages 84-85





# Touch-Guard™

## INFRARED THERMOMETER

### Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature
- Weight: 1.8 oz.
- Dimension: 15 x 3.7 x 1.6

REF TG-2000 ..... \$59<sup>99</sup>



LED Display



Non-Contact



1 Sec. Reading



Accuracy +/- 0.4°F



Memory Function



Automatic Shutdown



Battery Operated

Get reliable results within seconds with Touch-Guard Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.

# Keyes Punch Set

The Keyes Punch Set contains a Keyes Vulvar Punch Handle with six sizes of interchangeable screw on tips, and is enclosed in a storage case with numerically designated holding pins for each tip.

- Sizes 2mm through 7mm
- Convenient storage case

**REF 1310** .....**\$226<sup>95</sup>**



Complete Set with Interchangeable Tips

## Keyes Vulvar Punch



These very strong and durable punches are especially useful for skin biopsy of the vulva. Available in sizes: 2mm through 7mm

- |   |   |
|---|---|
| <p>● 2mm Tip</p> <p><b>REF 1302</b> .....<b>\$41<sup>95</sup></b></p> | <p>● 3mm Tip</p> <p><b>REF 1303</b> .....<b>\$41<sup>95</sup></b></p> |
| <p>● 4mm Tip</p> <p><b>REF 1304</b> .....<b>\$41<sup>95</sup></b></p> | <p>● 5mm Tip</p> <p><b>REF 1305</b> .....<b>\$41<sup>95</sup></b></p> |
| <p>● 6mm Tip</p> <p><b>REF 1306</b> .....<b>\$41<sup>95</sup></b></p> | <p>● 7mm Tip</p> <p><b>REF 1307</b> .....<b>\$41<sup>95</sup></b></p> |

## Keyes Vulvar Punch, Single-Use®

**STERILE EO**

Not made with natural rubber latex.



These amazing punches are especially useful for skin biopsy of the vulva. Sterile, Single-Use®, Seamless tips. Available in sizes: 2mm through 8mm

### Box of 25

- |   |   |
|---|---|
| <p>● 2mm Tip <i>Orange</i></p> <p><b>REF 1322</b> .....<b>\$44<sup>95</sup></b></p> | <p>● 3mm Tip <i>Red</i></p> <p><b>REF 1323</b> .....<b>\$44<sup>95</sup></b></p>  |
| <p>● 4mm Tip <i>Green</i></p> <p><b>REF 1324</b> .....<b>\$44<sup>95</sup></b></p>  | <p>● 5mm Tip <i>Blue</i></p> <p><b>REF 1325</b> .....<b>\$44<sup>95</sup></b></p> |
| <p>● 6mm Tip <i>Pink</i></p> <p><b>REF 1326</b> .....<b>\$44<sup>95</sup></b></p>   |   |

## Keyes Punch Accessories Kit

We have designed the perfect accessory kit for the Keyes Punch. The kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. We thoughtfully included a diamond coated sharpening stone to keep your punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

**REF KPA1315** .....**\$88<sup>95</sup>**







No Ratchet Handle

## Sopher Original

**Length 25.5cm (10") Curved Jaw 11mm**

REF 3544 Ratchet Handle ..... \$104<sup>95</sup>

REF 3546 No Ratchet ..... \$99<sup>95</sup>

## Sopher Standard

**Length 25.5cm (10") Curved Jaw 12mm**

REF 3548 Ratchet Handle ..... \$104<sup>95</sup>

REF 3550 No Ratchet ..... \$99<sup>95</sup>

**Length 25.5cm (10") Curved Jaw 14mm**

REF 3552 Ratchet Handle ..... \$109<sup>95</sup>

REF 3554 No Ratchet ..... \$104<sup>95</sup>

## Sopher Standard

**Length 28cm (11") Curved Jaw 12mm**

REF 3556 Ratchet Handle ..... \$104<sup>95</sup>

REF 3558 No Ratchet ..... \$99<sup>95</sup>

**Length 28cm (11") Curved Jaw 14mm**

REF 3560 Ratchet Handle ..... \$109<sup>95</sup>

REF 3562 No Ratchet ..... \$104<sup>95</sup>

## Sopher Standard

**Length 33cm (13") Curved Jaw 12mm**

REF 3564 Ratchet Handle ..... \$114<sup>95</sup>

REF 3566 No Ratchet ..... \$109<sup>95</sup>

**Length 33cm (13") Curved Jaw 14mm**

REF 3568 Ratchet Handle ..... \$119<sup>95</sup>

REF 3570 No Ratchet ..... \$114<sup>95</sup>



**Actual Size  
Sopher**  
Jaw Size 11mm



**Actual Size  
Sopher**  
Jaw Size 12mm



**Actual Size  
Sopher**  
Jaw Size 14mm



Ratchet Handle



*Sopher Original* "lips" protect surrounding tissue



*Sopher Original*  
Jaw Open



*Sopher Standard*  
Jaw Closed



*Sopher Standard*  
Jaw Open



*Bierer, Jaw Open*

## Bierer

### Length 28cm (11") Straight Jaw 16mm

REF 3572 Ratchet Handle ..... \$104<sup>95</sup>

REF 3574 No Ratchet ..... \$99<sup>95</sup>

### Length 28cm (11") Straight Jaw 19mm

REF 3576 Ratchet Handle ..... \$109<sup>95</sup>

REF 3578 No Ratchet ..... \$104<sup>95</sup>

### Length 33cm (13") Straight Jaw 16mm

REF 3580 Ratchet Handle ..... \$109<sup>95</sup>

REF 3582 No Ratchet ..... \$104<sup>95</sup>

### Length 33cm (13") Straight Jaw 19mm

REF 3584 Ratchet Handle ..... \$114<sup>95</sup>

REF 3586 No Ratchet ..... \$109<sup>95</sup>



*Jacobson, Jaw Open*

## Jacobson

### Length 28cm (11") Straight Jaw 20mm

REF 3588 No Ratchet ..... \$104<sup>95</sup>

### Length 33cm (13") Straight Jaw 20mm

REF 3590 No Ratchet ..... \$104<sup>95</sup>



*Blumenthal*  
"lips" protect surrounding tissue

## Blumenthal

### Length 28cm (11") Straight Jaw 20mm

REF 3592 No Ratchet ..... \$104<sup>95</sup>

### Length 33cm (13") Straight Jaw 20mm

REF 3594 No Ratchet ..... \$109<sup>95</sup>



*Saenger Inner diameter teeth  
within oval jaws*

## Saenger

### Length 26.5cm (10.5") Straight Jaw 16mm

REF 3596 Ratchet Handle ..... \$144<sup>95</sup>

REF 3598 No Ratchet ..... \$139<sup>95</sup>

### Length 26.5cm (10.5") Curved Jaw 16mm

REF 3600 Ratchet Handle ..... \$144<sup>95</sup>

REF 3602 No Ratchet ..... \$139<sup>95</sup>

### Length 29cm (11.5") Straight Jaw 16mm

REF 3604 Ratchet Handle ..... \$149<sup>95</sup>

REF 3606 No Ratchet ..... \$144<sup>95</sup>

### Length 29cm (11.5") Curved Jaw 16mm

REF 3608 Ratchet Handle ..... \$149<sup>95</sup>


REF 3610 No Ratchet ..... \$144<sup>95</sup>



*Blumenthal*

## Galileo® Binocular Microscope

- Condenser numerical aperture: NA = 1.25
- Stage movement range: longitudinal 50mm, transverse 75mm
- Fine focusing: minimum division .002mm
- Interpupillary distance adjustment range: 53–75mm
- Light source: 6V / 20W halogen lamp, adjustable brightness
- Protective cover
- Exceptional quality and price
- One year parts and labor warranty included
- Extended warranties available (excludes shipping charges)



*Clearer images and wider views at a great price!*

### Components and Specifications

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
Objectives	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperature)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38

### Galileo Binocular Microscope

**REF MI6000** ..... **\$855<sup>00</sup>**

**Note:** 5% prepayment discount does not apply to the Microscope. Regular shipping charges apply.

### Extended Warranty

**REF MI6000-1** Extended 1 year..... **\$75<sup>00</sup>**  
**REF MI6000-2** Extended 2 years..... **\$95<sup>00</sup>**

### Laminaria Insertion Forceps


Specifically designed for insertion of laminaria.

**REF 1600** ..... **\$74<sup>95</sup>**



## IUD SPECIALTY SECTION

*see the following pages 28-31*



### Serpentine Grasper IUD Remover

The Serpentine Grasper has a flexible shaft that can be shaped into the most convenient, comfortable and advantageous position for entering the uterine cavity.

The shaft can be bent greater than 360 without the loss of function, it will remain in any desired angle until reshaped as needed.

The small tip allows easy entry into the endocervical canal while the grasping teeth provide a secure grip, especially useful for grasping IUD's.



#### Features


- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access
- High quality Stainless steel
- Tip in closed position 4.5mm
- Working length 20cm

REF 29-010 ..... \$295<sup>00</sup>

*Gynex® is your key source for all IUD instruments*

## ASCONA™ IUD String Snare

In the illustrations bellow you'll see how the device can be used to reach the cervix and hook the string. The easy to rotate handle provides a way to snag the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona™ allows the user to gently pull out and remove the IUD. The Ascona™ is easily dis-assembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.



REF 29-350


\$78<sup>95</sup>

*The Ascona™ is used to overcome the challenge of grabbing a difficult to access IUD string*



# Gynex® IUD Insertion Kit

Decreases The Risk Of Transmission Of Infectious Agents • Eliminating Costly Instrument Sterilization  
*This sterile IUD Insertion Kit comes organized in a handy tray ready to use*



*Everything you need to quickly and safely perform an IUD insertion*

**REF 29-500** Box of 12..... **\$184<sup>95</sup>**



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

## IUD Remover, Crochet Type, Single-Use ②

- Rounded tip for easy insertion
- Dual grasping slots
- Angled
- Working length 26.5cm

STERILE EO

Not made with natural rubber latex.

REF 29-200

Box of 12.....\$49<sup>95</sup>



## Willows™ IUD String Snare, Single-Use ②

- Rounded tip for easy insertion
- Multiple grasping slots
- Working length 27c
- High quality malleable plastic

REF 29-300

Box of 12.....\$49<sup>95</sup>



## IUD Remover, Crochet Type

- Rounded tip for easy insertion
- Dual grasping slots
- Angled
- Working length 26cm
- High quality Stainless steel

REF 29-020

.....\$74<sup>95</sup>



## IUD Remover, Crochet Type Malleable

- Rounded tip for easy insertion
- Dual grasping slots
- Angled
- Working length 26cm
- High quality malleable metal

REF 29-025

.....\$84<sup>95</sup>



## IUD String Scissors, Single-Use ②

- Perfect for cutting IUD strings
- Long working length 26.5cm
- Metal tip with plastic handle
- Handle features guide to reduce splaying
- Individual sterile pouch

STERILE EO

Not made with natural rubber latex.

REF 29-065 Box of 12.....\$43<sup>95</sup>

Finely serrated teeth in the jaw helps secure the IUD string




## IUD String Scissors

- Perfect for cutting IUD strings
- Long working length 25cm
- Blunt tip with slight curve
- High quality Stainless steel

REF 29-030 .....\$74<sup>95</sup>

Finely serrated teeth in the jaw help secure the IUD string



Jaw 10mm



Jaw 21mm

## Gynex Alligator Grasper

- Perfect for grasping IUD strings
- Long working length 23cm
- 2 tip lengths, 10mm and 21mm
- Blunt tip, with fine serrated teeth
- High quality Stainless steel
- Available in two sizes

REF 29-100 Jaw Size: 21mm .....\$89<sup>95</sup>


REF 29-550 Jaw Size: 10mm .....\$89<sup>95</sup>

**Dilating Tip**




There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When the ACCU-SOUND® Uterine Sound is inserted into the uterus, a ring comes to rest against the outside of the Os. The ring stays in place on the ACCU-SOUND® when the device is withdrawn from the uterus and vagina, clearly indicating the uterine measurement. There has never been a uterine sound more accurate and easy to use.


## An accurate measurement as easy as 1,2,3!




- Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



- Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.
- ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



- Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



- An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® uterine sound
- No more guesswork!

**Single-Use** ⓧ

STERILE EO

Not made with natural rubber latex.

**Ergonomic Handle**



**The ACCU-SOUND® Uterine Sound is useful for both surgical and non-surgical procedures:**

- Dilatation and Curettage
- Tubal patency studies
- Laparoscopic tubal occlusion
- Diagnosis of uterine position (anteflexed, retroflexed, mid-position)
- IUD insertion

**ACCU-SOUND® Uterine Sound**

REF 4950 Box of 25 ..... \$66<sup>95</sup>


**More Sound choices from Gynex**

**Sims Sound Plus+, Single-Use** ⓧ

- Length 33cm (printed numerical markings)
- Working length 24cm
- Malleable plastic
- OD 4mm

STERILE EO

Not made with natural rubber latex.




REF 4675 Box of 25 ..... \$53<sup>95</sup>

**Sim Sound, Single-Use** ⓧ

- Length 25cm (indent marked at 4cm thru 9cm)
- Working length 16.6cm
- Malleable plastic
- OD 4mm

STERILE EO

Not made with natural rubber latex.




REF 4601 Box of 25 ..... \$46<sup>95</sup>



## Mini Dilator Set

- Especially useful for nulliparous patients
- Features five inter-changeable dilator probes with one handle
- Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm
- Stainless Steel

**REF 4005** Set ..... **\$164<sup>95</sup>**




## Extra Mini Dilator Tips

(Fits **REF 4005** Handle)

- Sizes 4mm and 5mm
- Only from GYNEX


**REF 4005.4** 4mm.. **\$39<sup>95</sup>**


**REF 4005.5** 5mm.. **\$39<sup>95</sup>**



## Sims Sound, Reusable

- Length 32cm (graduated in cm)
- Autoclavable
- OD 4mm
- Chrome-Plated, Malleable Metal
- or Stainless Steel, Non-Malleable







Dots show actual diameter in mm

### Small Dilator Set

- Features six dilator probes
- Stainless Steel
- Length 19.2cm
- Each probe is one size

REF 4008 Set ..... \$164<sup>95</sup>

Sold individually \$39<sup>95</sup>




### Hank Dilator Set









- Features six dilator probes
- Stainless Steel
- Length 26.9cm
- Dual sizes on each dilator

REF 4010 Set..... \$164<sup>95</sup>

Sold individually \$39<sup>95</sup>



Dots show actual diameter in mm & Fr









							
4.3mm 13 Fr	5.667mm 17 Fr	7mm 21 Fr	8.3mm 25 Fr	9.667mm 29 Fr	11mm 33 Fr	12.3mm 37 Fr	13.667mm 41 Fr


## Pratt Dilator Set

- Features eight dilator probes
- Stainless Steel
- Length 29.5cm
- Dual sizes on each dilator

**REF** DPU3850 Set..... **\$194<sup>95</sup>**



							
5mm 15 Fr	6.3mm 19 Fr	7.667mm 23 Fr	9mm 27 Fr	10.3mm 31 Fr	11.687mm 35 Fr	13mm 39 Fr	14mm 43 Fr



*Dots show actual diameter in mm*



4mm 6mm 8mm 10mm 12mm 14mm 16mm 18mm



## Hegar Dilator Set

- Features eight dilator probes
- Stainless Steel
- Length 21cm
- Dual sizes on each dilator

**REF** DHU3800 Set..... **\$184<sup>95</sup>**

## Soft Dilators®, Single-Use ②

### Soft Dilator, Os Locator, Sterile, Single-Use ②

- Used for locating the external Os by gently pushing the tip against the cervix
- The tapered tip is 23mm in length
- Overall length is 21.5cm (8.5")
- Soft and malleable
- It is easily identified by the bright yellow color and the single notch near the handle

REF 4211 Box of 12 ..... \$49<sup>95</sup>

REF 4221 Box of 24 ..... \$90<sup>95</sup>

Yellow

### Soft Dilator, Canal Finder, Sterile, Single-Use ②

- Used for indicating the cervical canal
- The tapered tip is 45mm in length
- Overall length is 21.5cm (8.5")
- Soft and malleable
- It is easily identified by the bright blue color and the double notch near the handle

REF 4212 Box of 12 ..... \$49<sup>95</sup>

REF 4222 Box of 24 ..... \$90<sup>95</sup>

Blue

### Soft Dilator, Fundus Finder, Sterile, Single-Use ②

- Used for establishing the entire length of the cervical canal from external Os through the canal to the internal Os
- The long tapered tip is 85mm in length
- Overall length is 21.5cm (8.5")
- Soft and malleable
- It is easily identified by the bright pink color and the triple notch near the handle

REF 4213 Box of 12 ..... \$49<sup>95</sup>

REF 4223 Box of 24 ..... \$90<sup>95</sup>


Pink

STERILE EO

Not made with natural rubber latex.


### Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators



Os Locator, Single-Use ②    Canal Finder, Single-Use ②    Fundus Finder, Single-Use ②





## Soft Dilators®, Reusable

### Single Dilators Teflon

- Reusable—fully autoclavable
- Can be resterilize after use
- Soft and malleable
- Overall length 21.5cm (8.5")

STERILE EO

Not made with natural rubber latex.



Reusable Soft  
Teflon Dilators  
OK to Autoclave

### Soft Dilator, Os Locator, Sterile, Reusable

REF 4201 ..... \$42<sup>95</sup>

### Soft Dilator, Canal Finder, Sterile, Reusable

REF 4202 ..... \$42<sup>95</sup>

### Soft Dilator, Fundus Finder, Sterile, Reusable

REF 4203 ..... \$42<sup>95</sup>


## Great Value! Save on a Set of 3 Dilators

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3..... \$96<sup>95</sup>



**Note:** Multi-Colored Single-Use® and White Reusable Soft Dilators are the same shape and are intended for identical use.



## Dennis Dilators®, Single-Use ②

- Four colors for different soft dilators sizes
- Dual sizes on each dilator
- Number on handle for easy identification
- Sterilized and sealed in procedure blister trays
- Single-Use ②
- Ergonomic handle
- Order only the size you prefer
- Soft plastic
- Overall length 27cm

### 5-6mm Dilator, Pink

REF 4240 Box of 12 ..... \$45<sup>95</sup>

### 7-8mm Dilator, Yellow

REF 4245 Box of 12 ..... \$45<sup>95</sup>

### 9-10mm Dilator, Green

REF 4250 Box of 12 ..... \$45<sup>95</sup>

### 11-12mm Dilator, Blue

REF 4255 Box of 12 ..... \$45<sup>95</sup>

STERILE EO

Not made with natural rubber latex.

### Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover



Dots show actual diameter in mm



Dots show actual diameter in mm

5mm

7mm

9mm

11mm

13mm

6mm

8mm

10mm

12mm

14mm

## Dennis Dilators®, Reusable

### ***Great Value!***

### ***Save on a Set of 5 Dilators***

5mm to 14mm

- Five band colors for different dilators sizes
- Dual sizes on each dilator
- Soft plastic
- Overall length 28cm
- Sterilized and sealed in procedure blister trays
- Reusable - resterilize after use (fully autoclavable)

**REF 4230** Set of 5 ..... **\$94<sup>95</sup>**

STERILE EO

Not made with natural rubber latex.

### **Procedure Blister Tray**

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators

## Sims Uterine Curette



**All Sims Uterine Curette Tips Shown at Actual Size**

**REF CSU3900-9**

Size 00, 10.5 x 4.0 mm, Sharp, Rigid ..... **\$67<sup>95</sup>**

**REF CSU3900-0**

Size 0, 10.5 x 4.5 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**REF CSU3900-1**

Size 1, 13 x 5 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**REF CSU3900-2**

Size 2, 16 x 6 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**REF CSU3900-3**

Size 3, 16 x 7 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**REF CSU3900-4**

Size 4, 20 x 9 mm, Sharp, Rigid..... **\$67<sup>95</sup>**


**REF CSU3900-5**

Size 5, 22 x 9 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**REF CSU3900-6**

Size 6, 26 x 11 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

## Bumm Uterine Curette




**REF CBU3920-1**

Size 1, 48 x 25 mm, Sharp, Rigid ..... **\$67<sup>95</sup>**



**REF CBU3920-2**

Size 2, 52 x 30 mm, Sharp, Rigid..... **\$67<sup>95</sup>**



**REF CBU3920-3**

Size 3, 62 x 35 mm, Sharp, Rigid..... **\$67<sup>95</sup>**

**All Bumm Uterine Curette Tips Shown at Actual Size**


Single-Use ②

## ***pHem-Alert<sup>®</sup>*** ***Vaginal pH Testing***

**GYNEX pHem-Alert**

REF pH-99

Box of 12 ..... **\$64<sup>95</sup>**



Key Test In Every Vaginal Exam  
Convenient, Instant, Accurate Reading

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set
- CPT codes: 83986 and 83986QW

### **Color Change Could be Associated with the Following Conditions**

Sunflower Yellow	Dark Yellow	Olive Yellow	Olive Green	Olive Blue	Navy Blue	Midnight Blue
<ul style="list-style-type: none"> <li>• Normal pH</li> <li>• Predominant lactobacilli</li> <li>• Possible yeast overgrowth</li> <li>• Normal serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Low grade bacterial vaginitis</li> <li>• Borderline serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Bacterial vaginitis</li> <li>• Low serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Bacterial vaginitis</li> <li>• Low serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Bacterial vaginitis</li> <li>• Very low serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Low to no serum estradiol</li> </ul>	<ul style="list-style-type: none"> <li>• Low to no serum estradiol</li> </ul>
Urine: pH 6.0–7.0				Amniotic Fluid: pH 7.0–7.5		

**The *pHEM-ALERT<sup>®</sup>* test measures vaginal pH and is intended for use by women who have any of the following vaginal symptoms:** Itching, Burning, Unpleasant odor, Unusual discharge

This test may help decide if these symptoms are caused by an infection that may require follow-up by your healthcare provider. This test is only intended for women who have normal menstrual periods (periodic vaginal bleeding) or who may currently be pregnant. If you are pregnant, always discuss your symptoms and the result of this test with your healthcare provider and NEVER treat yourself.

## **Uterine Manipulator, Single-Use ②**


STERILE EO

Not made with natural rubber latex.

### **Century UMI Uterine Manipulator/Injector Simplified Design**

Ideal for Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty, Fertility Exams

- Flexible plastic insertion sleeve
- Sterile, Single-Use ②
- Flexible sleeve prevents luer fitting cracks
- Diameter 4.5mm
- Pear-shaped balloon for optimal hold
- Balloon forms an excellent seal at internal Os
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Length 33cm



Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.


REF 10-160

Box of 12 ..... **\$355<sup>90</sup>**



# sure@sample® *Select 1*

## Endometrial Curette, Single-Use ②



# sure@sample® • Select1

## Endometrial Curette, Single-Use ⓘ

STERILE EO

Not made with natural rubber latex.

SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

### SPECIFICATIONS:

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- Cannula length 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- Not made with natural rubber latex
- 10mL standard syringe with Twist-and-Lock plunger
- Luer Lock fitting with winged flanges
- Sterile, Single-Use ⓘ



### FEATURES:

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- Twist-and-Lock plunger on syringe makes it easier to dispense collected specimen
- White Syringe Cap allows transportation of sample collected in the syringe

## CUTTING COST AND ELEVATING EFFECTIVENESS

### Special Introductory Price!

#### SURESAMPLE® Endometrial Curette

**REF 3130** Box of 5 ..... **\$29<sup>95</sup>** (\$5.99 each)  
Limit one-time order per office

#### SURESAMPLE® Endometrial Curette


**REF 3135** Box of 24 ... **\$119<sup>75</sup>** (\$4.99 each)

**Low unit price, \$4.99 each**

# sure@sample®

## Endometrial Sampler, Single-Use ®

An easy to use endometrial sampler-for less.  
*Less time and less money.*



**We believe that the SURESAMPLE Endometrial Sampler is one of the finest endometrial samplers available today!**

**Here are just a few reasons why:**

- The SURESAMPLE Endometrial Sampler's **3-port sampling system** **doubles the harvested samples of other sampler devices**
- The 3-port sampling system allows **easy sample retrieval with reduced cell damage**

# sure@sample®


## Endometrial Sampler, Single-Use ⑧

### Key Features

- **3-Port Sampling System** - one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- **Two phase action** between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- **Small 3mm shaft diameter**
- **No cutting or splitting of tip** (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** - simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip.

STERILE EO

Not made with natural rubber latex.



### Better performance than other brands




Figure 1. Mean amount of tissue biopsied by each endometrial biopsy device. (\*=p,0.0001)

**SURESAMPLE Endometrial Sampler retrieves more than TWICE the harvest of its competition!**

**Special Offer!** Buy 3 boxes of SURESAMPLE Endometrial Samplers for the price of 2

Offer Expires April 30, 2021

**Low unit price, \$3.06 each**

**SURESAMPLE® Endometrial Sampler**

REF 3115

Box of 25..... **\$114<sup>95</sup>**


5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

# Galileo® Colposcope Direct-Access™ 530VCDA

*With integrated HD video camera for optional monitor*

## Three-Step Magnification

**Multiple Patents  
Featured**



**Rolling Base**

**Patented** Power supply inside base

The **Rolling Base**, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design.

The **Tilt Base** provides a stable platform and a 360° rotation. Wheels make it easily portable.

## Galileo® Colposcope, Direct-Access™, three step magnification (3.75x, 7.5x, 15x) with Video

with a 5-wheel Rolling Base: **REF 530VCDA-R** .....\$6,795<sup>00</sup> (Left Handed **REF 530LVCDA-R**)

with a 360° rotating Tilt Base: **REF 530VCDA-T** .....\$6,795<sup>00</sup> (Left Handed **REF 530LVCDA-T**)

**Extended Warranty** **REF 530VCDA T/R-1**

Extended 1 year ....\$350<sup>00</sup>

**REF 530VCDA T/R-2** Extended 2 years.....\$500<sup>00</sup>



# Galileo® Colposcope Direct-Access™ 530VCDA

*With integrated HD video camera for optional monitor*

Three-Step Magnification

Galileo®

## SPECIFICATIONS


Focal Length:	± 300mm
Magnification:	3.75X, 7.5X, 15X
Field Of View:	79mm, 39mm, 19mm
Light Source:	LED
Light Intensity:	> 25,000 LUX
Working Height:	945mm to 1180mm (Tilt Base)
Working Height:	975mm to 1195mm (Rolling)
Power Supply:	100V to 240V
Video Feed:	HDMI-Video
Warranty:	One year parts and labor warranty included
	Extended warranties available (excludes shipping charges)

Galileo design team is the proud recipient of the German • Red Dot Concept Design Award

Left Handed Models Available

# Galileo® Colposcope Direct-Access™ 400DA

## Three-Step Magnification



**Rolling Base**

**Patented** Power supply inside base

The **Rolling Base**, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design.

The **Tilt Base** provides a stable platform and a 360° rotation. Wheels make it easily portable.

### Galileo® Colposcope, Direct-Access™, three step magnification (3.75x, 7.5x, 15x) with LED Light

with a 5-wheel Rolling Base: **REF 400DA-R** ..... **\$5,495<sup>00</sup>** (Left Handed **REF 400LDA-R**)  
 with a 360° rotating Tilt Base: **REF 400DA-T** **\$5,495<sup>00</sup>** (Left Handed **REF 400LDA-T**)

Extended Warranty **REF 400DA T/R-1**

Extended 1 year .... **\$350<sup>00</sup>**

**REF 400DA T/R-2** ..Extended 2 years..... **\$500<sup>00</sup>**

# Galileo® Colposcope Direct-Access™ 400DA

Three-Step Magnification

Galileo®

## SPECIFICATIONS

Focal Length:	± 300mm
Magnification:	3.75X, 7.5X, 15X
Field Of View:	79mm, 39mm, 19mm
Light Source:	LED
Light Intensity:	> 25,000 LUX
Working Height:	945mm to 1180mm (Tilt Base)
Working Height:	975mm to 1195mm (Rolling)
Power Supply:	100V to 240V
Warranty:	One year parts and labor warranty included Extended warranties available (excludes shipping charges)




Left Handed Models Available

Galileo design team is the proud recipient of the German • Red Dot concept design award

# Galileo® Colposcope Direct-Access™ 200DA

## Single Magnification

**Multiple Patents  
Featured**



**Rolling Base**



**Patented** Power supply inside base

**The Rolling Base**, with 5 locking wheels, is a highly portable industry standard with a clean sleek design



**The Tilt Base** provides a stable platform and a 360° rotation. Wheels make it easily portable.

**Galileo® Colposcope, Direct-Access™, Single step magnification (7.5x) with LED Light**  
 with a 5-wheel Rolling Base: [REF] 200DA-R ..... \$4,495<sup>00</sup> (Left Handed [REF] 200LDA-R )  
 with a 360° rotating Tilt Base: [REF] 200DA-T \$4,495<sup>00</sup> (Left Handed [REF] 200LDA-T )

**Extended Warranty** [REF] 200DA T/R-1

Extended 1 year ....\$350<sup>00</sup>

[REF] 200DA T/R-2 ..Extended 2 years.....\$500<sup>00</sup>

# Galileo® Colposcope Direct-Access™ 200DA

Single Magnification

Galileo®



## SPECIFICATIONS

Focal Length:  $\pm 300\text{mm}$

Magnification: 7.5X

Field Of View: 39mm

Light Source: LED

Light Intensity:  $> 25,000 \text{ LUX}$

Working Height: 945mm to 1180mm (Tilt Base)

Working Height: 975mm to 1195mm (Rolling)

Power Supply: 100V to 240V

Warranty: One year parts and labor  
warranty included

Extended warranties available  
(excludes shipping charges)

Galileo design team is  
the proud recipient of the  
German • Red Dot concept

Left Handed Models Available



# Galileo® Colposcope Direct-Access™ Extra Features

**Because not everyone is right-handed, we have left-handed models available.**


All Galileo® colposcopes are shipped as right-handed Direc-Access models. Because we are aware that many doctors are left-handed, we do offer a left-handed versions. In the illustration at the right, you can see how the left-handed configuration would look. It provides the same easier access that the right-handed models do, for left-handed access. When ordering your colposcope, you will need to make sure you request a left-handed model to your customer service representative.

Note: the left-handed REF numbers when ordering. Otherwise all models in this catalog ship as right-handed models as the photos show. **All prices are the same for left-handed models as for right-handed models.**



## Superb German Optics

- Multi-coated
- Hand polished
- Individually adjustable binocular optics for true stereoscopic view
- Optical measuring circles for precise measurements
- Apochromatic lens



Apochromatic lens uses 3 elements to direct red, green, and blue light to one point of focus. This minimizes secondary color and corrects chromatic aberration.

## Measuring tissue through the colposcope

You will see two measuring circles through the lens. Since your Colposcope has up to three different magnifications, the measurement at the tissue site will vary according to the magnification you're using. This reference chart gives you the correct size per magnification change.


	φmm	A	B
A B	3.75X	5.8	22.1
	7.5X	2	11
	15X	1	5.2

On 3 Step models

	φmm	A	B
A B	7.5	2	11

Single Step models

Note: There is a small black chart on the right metal housing at the head.



## Video Accessories for Galileo® 530VCDA



(Note: Actual monitor shipped may be different than model shown)

### Gynex Monitor

- Offers a convenient viewing option for patients and staff
- Easily attaches to Galileo® 530VCDA models
- One single cable attaches to the colposcope to the monitor
- Minimum 15" monitor
- Rolling base similar to Galileo® 530VCDA-R


### Monitor with stand on rolling base

REF 450MS ..... **\$1,595<sup>00</sup>**

### Monitor only for desktop (no rolling base)

REF 450M ..... **\$290<sup>00</sup>**

Galileo®



### Video Capture device for the Galileo® 530VCDA colposcope

- Provides a way to connect the Galileo® 530VCDA to a PC
- Uses a USB 2.0 or 3.0 port on a computer
- Available as free download with purchase
- \*Requires Video software


REF VC-Magewell ..... **\$299<sup>00</sup>**

# CO1100 Colposcope

## Single Magnification

### Featuring LED Light Source:

- Lasts longer
- Cool to the touch
- Gives you more of a sure color balance



### CO Series Colposcope, Single step magnification (9x) with LED Light

360° rotating Tilt Base: [REF] CO1100-LED ..... \$2,895<sup>00</sup>

Extended Warranty [REF] CO1100-1

Extended 1 year.....\$300<sup>00</sup>

[REF] CO1100-2 .....Extended 2 years.....\$450<sup>00</sup>

Same Day Shipping for All In-Stock Orders Received by 2PM PST

www.gynex.com • 1.888.486.4644

# CO1100 Colposcope

Single Magnification


## SPECIFICATIONS

Focal Length:	± 316mm
Magnification:	9X
Field Of View:	22mm
Light Source:	LED
Light Intensity:	>6.5V/ 25,000 LUX
Working Height:	33"–47"
Power Supply:	100V to 240V
Warranty:	One year parts and labor warranty included Extended warranties available (excludes shipping charges)



## Three-Step Magnification

- Lasts longer
- Cool to the touch
- Gives you more of a sure color balance



360° rotating Tilt Base: **REF** **CO3100-LED** ..... **\$3,995<sup>00</sup>**

REF	CO3100-2	.....Extended 2 years.....	<b>\$450<sup>00</sup></b>
-----	----------	----------------------------	---------------------------

**www.gynex.com • 1.888.486.4644**



# CO3100 Colposcope

## Three-Step Magnification

### SPECIFICATIONS

Focal Length:	± 300mm
Magnification:	3.75X, 7.5X, 15X
Field Of View:	9.5mm, 19mm, 38mm
Light Source:	LED
Light Intensity:	6.5V/25,000 LUX
Working Height:	33"–47"
Power Supply:	100V to 240V
Warranty:	One year parts and labor warranty included Extended warranties available (excludes shipping charges)




# CO4100 Colposcope

## 45° Three-Step Magnification

### Featuring LED Light Source:

- Lasts longer
- Cool to the touch
- Gives you more of a sure color balance



**CO Series Colposcope, 45° angle, Three step magnification (3.75x, 7.5x, 15x) with LED Light**

360° rotating Tilt Base: [REF] CO3100-LED .....\$4,795<sup>00</sup>

Extended Warranty [REF] CO4100-1 Extended 1 year.....\$300<sup>00</sup>

[REF] CO4100-2 .....Extended 2 years.....\$450<sup>00</sup>

Same Day Shipping for All In-Stock Orders Received by 2PM PST


www.gynex.com • 1.888.486.4644

# CO4100 Colposcope

45° Three-Step Magnification

## SPECIFICATIONS

Focal Length:	± 300mm
Optical Angle	45°
Magnification:	3.75X, 7.5X, 15X
Field Of View:	9.5mm, 19mm, 38mm
Light Source:	LED
Light Intensity:	6.5V/25,000 LUX
Working Height:	33"–49"
Power Supply:	100V to 240V
Warranty:	One year parts and labor warranty included Extended warranties available (excludes shipping charges)





Galileo®

## Medical Exam Light

- Provides instant sharp focused LED light
- Lightweight
- Rolls easily on the 5 wheel base
- Flexible neck
- Out of the way over your shoulder
- Plugs into a standard outlet

*Your Lighting Solution*



Get the light you need exactly where you want it with the Gynex medical exam light. We're sure you'll find the convenience of the flexible, adjustable light invaluable for your exam needs.

## Galileo® Medical Exam Light

**REF MEL-50** ..... \$419<sup>95</sup>

### Other mounting options

The Galileo® Medical Exam Light has two alternative mounting options available. Below you will find a wall mount bracket and a table mounting bracket.

### Wall Mount

The Galileo® Medical Exam Light can be mounted to a wall providing extra floor space when needed.

**REF MEL-10** ..... \$69<sup>95</sup>

### Table Mount

The Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.

**REF MEL-20** ..... \$84<sup>95</sup>

# GYNEX® Ultrasonic

## FETAL DOPPLER

**Add this excellent Fetal Doppler to your practice!**

### Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Dimension: 215mm x 200mm x 66mm
- Includes battery charger and earphones

REF D2500 ..... **\$265<sup>95</sup>**



### Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01 ..... **\$290<sup>95</sup>**



### Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250 ml bottle

REF D-GEL Box of 6 ..... **\$37<sup>95</sup>**



## Titanium Rainbow™

- Retains their crisp edge up to ten times longer than standard stainless steel clamps
- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- High level of corrosion resistance for a rust free surface



**GYNEX**  
**Original!**

### Straight

REF TT580-21	21cm .....	<b>\$278<sup>95</sup></b>
REF TT580-24	24cm .....	<b>\$313<sup>95</sup></b>
REF TT580-27	27cm .....	<b>\$348<sup>95</sup></b>
REF TT580-30	30cm .....	<b>\$368<sup>95</sup></b>
REF TT580-36	36cm .....	<b>\$388<sup>95</sup></b>



### Slight Curve

REF TT585-21	21cm .....	<b>\$278<sup>95</sup></b>
REF TT585-24	24cm .....	<b>\$313<sup>95</sup></b>
REF TT585-27	27cm .....	<b>\$348<sup>95</sup></b>
REF TT585-30	30cm .....	<b>\$368<sup>95</sup></b>
REF TT585-36	36cm .....	<b>\$388<sup>95</sup></b>



### Strong Curve

REF TT590-21	21cm .....	<b>\$278<sup>95</sup></b>
REF TT590-24	24cm .....	<b>\$313<sup>95</sup></b>
REF TT590-27	27cm .....	<b>\$348<sup>95</sup></b>
REF TT590-30	30cm .....	<b>\$368<sup>95</sup></b>
REF TT590-36	36cm .....	<b>\$388<sup>95</sup></b>



### Angled


REF TT595-21	21cm .....	<b>\$278<sup>95</sup></b>
REF TT595-24	24cm .....	<b>\$313<sup>95</sup></b>
REF TT595-27	27cm .....	<b>\$348<sup>95</sup></b>
REF TT595-30	30cm .....	<b>\$368<sup>95</sup></b>
REF TT595-36	36cm .....	<b>\$388<sup>95</sup></b>



## ZEPHYR™

The original **ZEPHYR™** stainless steel hysterectomy clamps set our high standard

- Available in four angles: Straight, Slight Curve, Strong Curve, Angled
- Available in four different lengths: 21cm, 24cm, 27cm, and 30cm
- Stainless steel



### Straight

REF 3580-21	21cm .....	\$278 <sup>95</sup>
REF 3580-24	24cm .....	\$313 <sup>95</sup>
REF 3580-27	27cm .....	\$348 <sup>95</sup>
REF 3580-30	30cm .....	\$368 <sup>95</sup>



### Slight Curve

REF 3585-21	21cm .....	\$278 <sup>95</sup>
REF 3585-24	24cm .....	\$313 <sup>95</sup>
REF 3585-27	27cm .....	\$348 <sup>95</sup>
REF 3585-30	30cm .....	\$368 <sup>95</sup>



### Strong Curve

REF 3590-21	21cm .....	\$278 <sup>95</sup>
REF 3590-24	24cm .....	\$313 <sup>95</sup>
REF 3590-27	27cm .....	\$348 <sup>95</sup>
REF 3590-30	30cm .....	\$368 <sup>95</sup>



### Angled

REF 3595-21	21cm .....	\$278 <sup>95</sup>
REF 3595-24	24cm .....	\$313 <sup>95</sup>
REF 3595-27	27cm .....	\$348 <sup>95</sup>
REF 3595-30	30cm .....	\$368 <sup>95</sup>



## Titanium Rainbow™

- Retain their sharp edge up to ten times longer than standard stainless steel scissors
- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- Very high level of corrosion resistance for a rust free surface
- Smoother cutting action


GYNEX  
Original!




**Slight Curve Scissors**  
REF TT680-20  
20cm ..... \$204<sup>95</sup>  
REF TT680-23  
23cm ..... \$285<sup>95</sup>



**Curve Scissors**  
REF TT685-20  
20cm ..... \$230<sup>95</sup>  
REF TT685-23  
23cm ..... \$295<sup>95</sup>



**Full Curve Scissors**  
REF TT690-20  
20cm ..... \$245<sup>95</sup>  
REF TT690-23  
23cm ..... \$300<sup>95</sup>



**Angled Scissors**  
REF TT695-20  
20cm ..... \$245<sup>95</sup>  
REF TT695-23  
23cm ..... \$300<sup>95</sup>

## The original Zephyr™ stainless steel hysterectomy

- Tungsten carbide cutting edge
- Designed to cut cleanly, every time
- Available in four angles: Curve, Slight Curve, Full Curve, Angled
- Available in two lengths: 20cm and 23cm

ZEPHYR™




**Slight Curve Scissors**  
REF 3680-20  
20cm ..... \$204<sup>95</sup>  
REF 3680-23  
23cm ..... \$285<sup>95</sup>




**Curve Scissors**  
REF 3685-20  
20cm ..... \$230<sup>95</sup>  
REF 3685-23  
23cm ..... \$295<sup>95</sup>




**Full Curve Scissors**  
REF 3690-20  
20cm ..... \$245<sup>95</sup>  
REF 3690-23  
23cm ..... \$300<sup>95</sup>




**Angled Scissors**  
REF 3695-20  
20cm ..... \$245<sup>95</sup>  
REF 3695-23  
23cm ..... \$300<sup>95</sup>



**Iris Angled Scissors**  
REF S3812 11cm Length.... **\$38<sup>95</sup>**



**Iris Curved Scissors**  
REF S3814 11cm Length.... **\$33<sup>95</sup>**




**Iris Straight Scissors**  
REF S3816 11cm Length.... **\$28<sup>95</sup>**



**Littaur Stitch Scissors**

REF S3810 14cm Length ..... **\$17<sup>95</sup>**



Smooth Jaw

**Webster Smooth Needle Holder**

REF NHW3400 13cm Length.... **\$32<sup>95</sup>**



Serrated Jaw

**Mayo-Hegar Needle Holder**

REF NHMH3410-14 14cm Length..... **\$28<sup>95</sup>**

REF NHMH3410-16 16cm Length..... **\$30<sup>95</sup>**

REF NHMH3410-18 18cm Length..... **\$33<sup>95</sup>**

REF NHMH3410-20 20cm Length..... **\$37<sup>95</sup>**



Serrated Jaw

**Crile-Wood Needle Holder**

REF NHCW3420-15 15cm Length..... **\$30<sup>95</sup>**

REF NHCW3420-18 18cm Length..... **\$34<sup>95</sup>**

REF NHCW3420-20 20cm Length..... **\$38<sup>95</sup>**

REF NHCW3420-23 23cm Length..... **\$45<sup>95</sup>**

Reference chart for actual instrument length in cm. Length measured around curve.

Length: 20cm (7.875")

23cm (9.0")



## GYNEX LLETZ ELECTRODES ALL SIZES

# Box of 5 ONLY \$59<sup>95</sup>

Compare to \$92.25 of our competitors

## GYNEX LLETZ Electrodes, Sterile Single-Use ②

*We believe that our LLETZ Electrodes are the best on the market!*

### Here are just a few reasons why:

- Our molded handles provide security.
- Our loop wires are 0.20 mm thick to help reduce backward drag.
- Our HexLoc™ anti-rotation system at the bottom of the shaft keeps the handle from rotating.
- We package each electrode in a molded blister tray which keeps the tip true to shape and protects it from breakage.

### Procedure Blister Trays


- Keeps tips true to shape
- Every electrode is sterilized
- Easy to open cover
- Procedure ready



STERILE EO

Not made with natural rubber latex.

## GYNEX LLETZ Electrode Features



## Radius Loop Electrodes Our Most Popular Style

All Electrode Tips Shown at Actual Size

REF 12-0505 5mm x 5mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1007 10mm x 7mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1010 10mm x 10mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1505 15mm x 5mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1508 15mm x 8mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1512 15mm x 12mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-1515 15mm x 15mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-2008 20mm x 8mm

Box of 5 ..... \$59<sup>95</sup>



STERILE EO

Not made with natural rubber latex.

REF 12-2010 20mm x 10mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-2013 20mm x 13mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-2015 20mm x 15mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-2510 25mm x 10mm

Box of 5 ..... \$59<sup>95</sup>



REF 12-2515 25mm x 15mm


Box of 5 ..... \$59<sup>95</sup>



### Electrode Measurements

REF 12-2015  
Width Height

WHAT REFERENCE NUMBERS MEAN





## GYNEX LLETZ ELECTRODES ALL SIZES

# Box of 5 ONLY \$59<sup>95</sup>

Compare to \$92.25 of our competitors

STERILE EO

Not made with natural rubber latex.

## H-Series Loop Electrodes

*Precision Depth and Width Control*

REF 13-1010 10mm x 10mm  
Box of 5.....\$59<sup>95</sup>



REF 13-1505 15mm x 5mm  
Box of 5.....\$59<sup>95</sup>



REF 13-2005 20mm x 5mm  
Box of 5.....\$59<sup>95</sup>



REF 13-2007 20mm x 7mm  
Box of 5.....\$59<sup>95</sup>




REF 13-2010 20mm x 10mm  
Box of 5.....\$59<sup>95</sup>



### Electrode Measurements

REF 12-2015  
Width Height

WHAT REFERENCE NUMBERS MEAN



## Square Loop Electrodes

REF 19-1004 10mm x 4mm  
Box of 5.....\$59<sup>95</sup>



REF 19-1010 10mm x 10mm  
Box of 5.....\$59<sup>95</sup>



## Ball Electrodes

*Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions*

REF 2-3-2 3mm Diameter, 13.5cm shaft  
Box of 5.....\$59<sup>95</sup>



REF 2-5-2 5mm Diameter, 13.5cm shaft  
Box of 5.....\$59<sup>95</sup>



## Needle Electrode

*For electrofulguration using coagulation power outputs*

REF 15-0001 26mm Long Needle  
Box of 5.....\$59<sup>95</sup>



## Electrode Extender

*Effectively Doubles the Shaft Length of Your Electrode*

REF 12-0000 13cm Length  
Box of 5 ..... \$39<sup>95</sup>

STERILE EO

Not made with natural rubber latex.



**ACCESS DEEP CAVITIES AND OTHER  
HARD-TO-REACH SITES**



## Electrode Handpiece, Hand Activated with VL Plug

*For use with standard removable electrodes*

- Single-Use ☒
- Sterile
- 10 foot cable

REF 755VL Box of 12..... \$104<sup>95</sup>




## Electrode Handpiece, Foot Activated

*For use with standard removable electrodes*

- Single-Use ☒
- Sterile
- 10 foot cable

REF 950 Box of 12..... \$67<sup>95</sup>



## Patient Dispersive Pads For LLETZ Procedures Non-Sterile

- Adult size
- In easy open, individually sealed pouches
- Fits most standard electrosurgical units
- 12 dispersive pads per box

All connectors shown at ACTUAL SIZE.

Please reference the images below to confirm ordering the correct product.

### Standard Electrosurgical Patient Dispersive Pad


Not made with natural rubber latex.



compare your connector to confirm size

REF 6010

Box of 12 ..... \$94<sup>95</sup>



Manufacturers	
Generators Compatibility:	Pad REF #:
BEI® Plus II	395-302
CooperSurgical® LEEP® 1000	6050P
CooperSurgical® LEEP® 6000	6050P

### Patient Dispersive Pad

Not made with natural rubber latex.



compare your connector to confirm size

REF 21-809

Box of 12 ..... \$81<sup>95</sup>



Manufacturers	
Generators Compatibility:	Pad REF #:
Utah Medical Finesse®	ESU-405

### Patient Dispersive Pad, Split (REM)

Not made with natural rubber latex.



compare your connector to confirm size

REF 33-714

Box of 12 ..... \$81<sup>95</sup>




Manufacturers	
Generators Compatibility:	Pad REF #:
ConMed® Sabre® 180	402-2204
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II®	ESU-420

## Extended Needle Adapters Reusable

Extends the reach of hypodermic needles  
Stainless Steel, comes in 3-6 inch lengths



REF 5120	7.62cm (3")	\$26 <sup>95</sup>
REF 5122	10.16cm (4")	\$26 <sup>95</sup>
REF 5124	12.7cm (5")	\$26 <sup>95</sup>
REF 5126	15.24cm (6")	\$26 <sup>95</sup>



## Cartridge Syringe Reusable - Threaded tip

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210	\$83 <sup>95</sup>
----------	--------------------



LIDOCAINE HCl 2%  
and Epinephrine 1:100,000 Injection  
(LIDOCAINE HYDROCHLORIDE AND  
EPINEPHRINE INJECTION, USP)

1.7ml

## Lidocaine Cartridges, Single-Use ②

- With Epinephrine 1:100,000
- 1.7ml Cartridges

REF 1150	Box of 50	\$79 <sup>95</sup>
----------	-----------	--------------------

This product contains latex

NOTE: A pharmacy or physicians license is required when ordering this product.

# Prefilter, Reducer, and Filter For Smoke Evacuation Systems

## **Sterile Vacuum Tubing Sets Single-Use** ②

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

**REF 8200**      12 Sets..... **\$195<sup>95</sup>**



## **Prefilter Reducer, Single-Use** ② **Non-Sterile**

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

**REF 8230**      Qty 10 ..... **\$51<sup>95</sup>**



Connects With

## **Prefilter, Single-Use** ② **Non-Sterile**

- Fits CooperSurgical® 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

**REF 8210**      Qty 10 ..... **\$188<sup>95</sup>**



Connects With

*Perfect match for the competitor's smoke evacuator at a far more **reasonable price!***

## **ULPA Filter Non-Sterile**

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

**REF 8215**      ..... **\$164<sup>95</sup> each**



Connects With




## Tubing and Connectors for LLETZ Procedures

### A. Tubing Connector Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue™ to Flexible-S Tubing. 1/4" to 7/8"

REF 8100 Box of 12.....\$21<sup>95</sup>



### B. Flexible-S Tubing Non-Sterile

Not made with natural rubber latex.

Connects to DSE Tubing. Convenient 6-Pack.

1/4" ID, 3/8" OD x 2'

REF 8024 Box of 6 .....\$42<sup>95</sup>



*More in a Box.  
Same Price Per Piece.*

### C. DSE Tubing Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 .....\$88<sup>95</sup>




*Inserts into  
smoke evacuation  
tube clip in speculum*

### D. Clear-Flue™ Tubing Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072 Qty 24.....\$70<sup>95</sup>




### E. Tubing Connector Non-Sterile


Not made with natural rubber latex.

Connects Clear-Flue to Sterile Vacuum Tubing. 3/8" to 7/8"


REF 8103 Box of 12.....\$21<sup>95</sup>



Connects With



**GYNEX coated  
specula for LLETZ  
procedures.**



STERILE EO

Not made with natural rubber latex.

### Sterile Vacuum Tubing Sets Single-Use ②

Fits many popular smoke evacuation systems that use 1/2" OD. The 9' tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets .....\$195<sup>95</sup>



## Sponge Forceps, Non-Sterile, Single-Use ②

Non-PVC, Length 24cm

REF 3207	12-Pack.....	\$36 <sup>95</sup>
REF 3214	24-Pack .....	\$68 <sup>95</sup>



Not made with natural rubber latex.

## HurriCaine® Topical Anesthetic

### HurriCaine Snap-n-Go™ Swabs

- 72 Single-Use® swabs per box
- Fast onset - 20 seconds
- Helps eliminate cross contamination
- Dose .15ml



REF 0569 ..... \$51<sup>95</sup>

### HurriCaine Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use® extension tubes



REF 0183 ..... \$69<sup>95</sup>

## Sterilization Notice

*Please read before ordering Gynex LLETZ coated instruments*

We find that most autoclaves are default set at **270°**. Gynex LLETZ coating must be autoclaved at **250°**. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

### Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is **saturated steam at 250° for 25–30 minutes**. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10<sup>-6</sup>.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are **completely dry** when removed from the autoclave.

### Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent.

Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

## LLETZ-Coated Braun Tenaculum

LightTouch™ or Standard Tissue Forceps

Extremely gentle tissue pickup • Coated Stainless Steel • Length 25cm • LiteTouch™ features atraumatic design

### Braun LiteTouch Tenaculum

LiteTouch when closed, tips overlap 1-2 mm

REF LT2250 ..... \$145<sup>95</sup>

### Braun Standard Tenaculum

Tips overlap 4-6 mm.  $\pm 1$  mm

REF 3249 ..... \$145<sup>95</sup>

## LLETZ-Coated Hooks

Length 26cm on all hooks • Coated Stainless Steel

### Iris Hook

REF 3230 ..... \$85<sup>95</sup>

### Emmett Tenaculum

REF 3240 ..... \$85<sup>95</sup>

### Angle Hook

REF 3245 ..... \$85<sup>95</sup>

☒ OK to Autoclave  
Read Notice on Page 76  
Before Ordering

## LLETZ-Coated Tissue Forceps

- Coated Stainless Steel
- Length 21.5cm

REF 3205 ..... \$95<sup>95</sup>

## LLETZ-Coated Rulers

### LLETZ-Coated Depth Ruler

- Coated Stainless Steel
- Length 24cm
- Millimeter markings, center at 5mm

REF 3250 ..... \$102<sup>95</sup>

### LLETZ-Coated Width Ruler

- Coated Stainless Steel
- Length 22cm
- Millimeter markings


REF 3255 ..... \$102<sup>95</sup>

## 4-Way Expander Vaginal Speculum for LLETZ procedures!

It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

### Features

- Unique speculum with built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Designed for LLETZ procedures with Gynex's autoclavable lavender coating



## 4-Way Expander Vaginal Speculum

### MEDIUM

REF L4MEX 115mm ..... \$239<sup>95</sup>

### LARGE


REF L4LEX 125mm ..... \$249<sup>95</sup>



☒ **OK to Autoclave**  
Read Notice on Page 76  
Before Ordering

## Lateral Vaginal Retractor

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated LVR™. The GYNEX LLETZ LVR provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.



LVR Blade Reference Chart: Shown Actual Size, Scale 1:1

## Open-Sided Speculum


Left or Right Opening

Pederson LLETZ


Graves LLETZ




Don't Forget to Order Your DSE Smoke Evacuation Tubing for Your LLETZ Specula (see pages 72-73)



Sullivan Vaginal Speculum for LLETZ procedures!



Pederson



Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula
- Locks firmly into place
- Ideal for bariatric patients
- Also available uncoated is stainless steel (see page 86–87)

 **OK to Autoclave**  
Read Notice on Page 76  
Before Ordering

Graves

Blade Reference Chart: Shown Actual Size, Scale 1:1



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).



## Pederson & Graves for LLETZ procedures

LLETZ Coated

WideView™

FullView™

LongView™

☒ OK to Autoclave  
Read Notice on Page 76  
Before Ordering

180mm  
175mm  
170mm  
165mm  
160mm  
155mm  
150mm  
145mm  
140mm  
135mm  
130mm  
125mm  
120mm  
115mm  
110mm  
105mm  
100mm  
95mm  
90mm  
85mm  
80mm  
75mm  
70mm  
65mm  
60mm  
55mm  
50mm  
45mm  
40mm  
35mm  
30mm  
25mm  
20mm  
15mm  
10mm  
5mm  
0mm

Pederson LLETZ

Medium

Large

LongView

LongView

LongView

WideView

REF 2845

FullView

REF 2855

\$139<sup>95</sup>

WideView

REF 2847

FullView

REF 2857

\$139<sup>95</sup>

WideView

REF 2885

FullView

REF 2887

\$149<sup>95</sup>

WideView

REF 2882

FullView

REF 2883

\$149<sup>95</sup>



WideView

REF 2880

FullView


REF 2881

\$149<sup>95</sup>



## Graves LLETZ

Blade Reference Chart: Shown Actual Size, Scale 1:1



Stainless Steel

# Stainless Steel Vaginal Speculum

Pederson & Graves




Standard



WideView™



FullView™



Standard  
30mm

GYNEX

180mm  
175mm  
170mm  
165mm  
160mm  
155mm  
150mm  
145mm  
140mm  
135mm  
130mm  
125mm  
120mm  
115mm  
110mm  
105mm  
100mm  
95mm  
90mm  
85mm  
80mm  
75mm  
70mm  
65mm  
60mm  
55mm  
50mm  
45mm  
40mm  
35mm  
30mm  
25mm  
20mm  
15mm  
10mm  
5mm  
0mm

Pederson

Small (virginal)

**Small Standard\***  
\*opening 25mm  
REF 2455  
\$29<sup>95</sup>

Medium

**Standard**  
REF 2457  
\$29<sup>95</sup>

**WideView**  
REF 2500  
\$39<sup>95</sup>

**FullView**  
REF 2600  
\$39<sup>95</sup>

Large

**Standard**  
REF 2459  
\$29<sup>95</sup>

**WideView**  
REF 2525  
\$39<sup>95</sup>

**FullView**  
REF 2625  
\$39<sup>95</sup>

LongView

**WideView**  
REF 2785  
\$57<sup>95</sup>

**FullView**  
REF 2787  
\$57<sup>95</sup>

LongView



**WideView**  
REF 2782  
\$57<sup>95</sup>

**FullView**  
REF 2783  
\$57<sup>95</sup>

LongView


**WideView**  
REF 2780  
\$57<sup>95</sup>

**FullView**  
REF 2781  
\$57<sup>95</sup>



## Graves

Blade Reference Chart: Shown Actual Size, Scale 1:1







## Sullivan Vaginal Speculum

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most speculum
- Locks firmly into place
- Ideal for bariatric patients
- Available in coated models for LLETZ procedures (see page 78)




## Pederson Blades






C-Arm is designed to parallel the contour of the patient's leg



No side obstruction like most specula






5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).



## Lateral Vaginal Retractor

- Control side wall collapse and get more cervical access with a GYNEX Stainless LVR™
- For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX Stainless LVRs
- These fine retractors are especially compatible with GYNEX Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



LVR Blade Reference Chart: Shown Actual Size, Scale 1:1

## Auvard Weighted Speculum

- Fixed weight, 1.4 kg
- 105mm Long
- 38mm wide

### Auvard Weighted Speculum

REF SA2200 ..... \$297<sup>95</sup>



## Guttman Stainless Steel Speculum with Special Blades

- This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina
- Small, specifically designed separators open and stabilize the vagina
- Available in two sizes (Medium And Large)

### Medium

REF 2310 Top Separator: 82mm..... **\$62<sup>95</sup>**

### Large


REF 2312 Top Separator: 92mm..... **\$62<sup>95</sup>**



## Greenberg Hysteroscopy Speculum

- The Greenberg Hysteroscopy Speculum is a traditional open-sided Graves speculum with shorter blades
- Open right side

REF 2801 ..... **\$51<sup>95</sup>**



*“The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used.”*

**James Greenberg, MD,**  
Boston, MA




Experience the convenience of 24 hour online shopping for all of your favorite Gynex products.

Watch for our latest specials and newest product introductions.


[WWW.GYNEX.COM](http://WWW.GYNEX.COM)




Introducing our Titanium Rainbow line of specula. This exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel. Pederson's and Graves' are available in two viewing widths: WideView (40mm) and FullView (70mm). Just specify the length (medium or large) when placing your order.



Pederson



Graves




5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).



## Pederson

## Graves



**Note:** Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.


## The Jupiter Speculum™

### The solution for your extreme bariatric patients


There is a growing demand for physicians to examine very large patients. Access to the cervix can be extremely difficult in these cases. Gynex® is proud to now offer a solution to this difficult situation. As such, we are introducing the Jupiter Speculum™.

Developed by Washington University in St. Louis, this triple extra large stainless steel speculum provides the needed access that even the largest graves speculum cannot provide. The Jupiter Speculum™ may not be needed everyday, but it can be indispensable when the need arises.


REF B2900 ..... \$299<sup>95</sup>







Graves LongView coated for LLETZ



Graves LongView Stainless Steel



☒ **OK to Autoclave**  
Read Notice on Page 76  
Before Ordering

Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ Coated

Stainless Steel

LongView

**WideView**

REF 2882

**FullView**

REF 2883

**\$149<sup>95</sup>**

LongView

**WideView**

REF 2880

**FullView**

REF 2881

**\$149<sup>95</sup>**

LongView

**WideView**

REF 2878

**FullView**

REF 2879

**\$149<sup>95</sup>**

LongView

**WideView**

REF 2782

**FullView**

REF 2783

**\$57<sup>95</sup>**

LongView

**WideView**

REF 2780

**FullView**

REF 2781

**\$57<sup>95</sup>**

LongView

**WideView**

REF 2778

**FullView**

REF 2779

**\$57<sup>95</sup>**

180mm  
175mm  
170mm  
165mm  
160mm  
155mm  
150mm  
145mm  
140mm  
135mm  
130mm  
125mm  
120mm  
115mm  
110mm  
105mm  
100mm  
95mm  
90mm  
85mm  
80mm  
75mm  
70mm  
65mm  
60mm  
55mm  
50mm  
45mm  
40mm  
35mm  
30mm  
25mm  
20mm  
15mm  
10mm  
5mm  
0mm



Stainless Steel

## Tischler Biopsy Punches

GYNEX  
Original!



### Tischler, Standard, Tip

Actual Bite Size:  
7mm x 3mm

### Mini-Tischler, Tip

Actual Bite Size:  
4.2mm x 2.3mm



Straight



Straight

### Tischler, Standard-Straight Extra-Long

REF 1035


25cm Shaft..... \$409<sup>95</sup>

### Mini-Tischler, Straight Extra-Long

REF 1030

25cm Shaft..... \$409<sup>95</sup>

GYNEX  
Original!



### Medium Tischler

Actual Bite Size:  
5mm x 3mm

### Medium Tischler, Extra-Long

REF 1033

25cm Shaft..... \$409<sup>95</sup>



### Apex™

Actual Bite Size:  
7mm x 3mm

### Apex™, Extra-Long

REF 1039


25cm Shaft..... \$409<sup>95</sup>

For more information, see page 8



Designed for excellence • Manufactured for precision

GYNEX  
Original!




## i-Series Titanium Biopsy Punches

- Exclusive Titanium Rainbow TiO coating is harder than ordinary stainless steel
- Cutting edges will stay sharp longer
- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Working lengths: 20cm or 25cm
- Tip Locking Tab

*For more information, see page 9*


## Tischler, Standard

Actual Bite Size:  
7mm x 3mm




**Tischler, Straight  
Extra-Long**

REF TT035  
25cm Shaft.....\$409<sup>95</sup>



**Tischler, Up Extra-Long**

REF TT036  
25cm Shaft.....\$409<sup>95</sup>




**Tischler, Down  
Extra-Long**

REF TT037  
25cm Shaft.....\$409<sup>95</sup>


## Mini-Tischler

Actual Bite Size:  
4.2mm x 2.3mm




**Mini-Tischler,  
Straight Extra-Long**

REF TT030  
25cm Shaft.....\$409<sup>95</sup>



**Mini-Tischler, Up  
Extra-Long**

REF TT031  
25cm Shaft.....\$409<sup>95</sup>



**Mini-Tischler, Down  
Extra-Long**

REF TT032  
25cm Shaft.....\$409<sup>95</sup>

## Bariatric Tissue Forceps, 1x2 teeth

Extended reach in two long lengths

REF BTF25 25cm length.....\$55<sup>95</sup>

REF BTF30 30cm length.....\$55<sup>95</sup>



End view - Tip Detail



# Touch-Guard®

**NEW**

## Instrument Lubricant And Rust Inhibitor

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue. Maintaining instruments quality and performance, regular lubrication is essential.

### Features

- Prevents damage due to the misuse of stiff or grinding instruments
- Water soluble high-grade mineral oil lubricant and rust inhibitor
- Restores articulation to sticky box-locks and joints
- Withstands the high temperatures of autoclaving
- Non-oily, non-sticky, non-toxic and silicone free
- Prevents rust, spots, stains and corrosion

REF TG-100 16.9 fl. oz. (500 ml) ..... **\$14<sup>95</sup>**



**Maximize your  
investment!**



To preserve and extend the life of your instrument!

**CLEAN • LUBRICATE • STERILIZE**

## Instrument Care And Cleaning



### Spectra-Clave™ Autoclave Cleaner

- Helps reduce deposits and stains on the inside of the chamber
- Easily sprayed into chamber interior

REF SS4 32oz.....\$29<sup>95</sup>

REF SS4-12 Case of 12 .....\$260<sup>95</sup>



### Spectra-Soap® For Manual Cleaning of Surgical Instruments

- High suds detergent with rust inhibitor
- Neutral pH, designed for surgical instruments
- Concentrated: 1 gallon makes 85 gallons

REF SS2 1 Gallon .....\$40<sup>95</sup>

### GYNEX® Hot Beads For Hot Bead Sterilizer Users



These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX Hot Beads come in simple pre-measured containers. Follow the same directions that came with your sterilizer unit for changing the sterilization beads, then pop the top of our container and pour in the beads.



6-Month Supply REF 7106 6-Pack.....\$130<sup>95</sup>

1-year Supply REF 7112 12-Pack.....\$240<sup>95</sup>

### Stain-Ex™ For Your LLETZ Instruments

Stain-Ex is a specially denatured alcohol solution that removes tough stains from the GYNEX line of LLETZ-Coated instruments (see pages 72–75). A variety of stains including blood and Monsel's can be removed when soaked in Stain-Ex. No hard scrubbing that can damage the coating is needed. Follow the instructions and you can keep your instruments looking as good as new.



- Removes blood stains
- Removes Monsel's stains
- Bio degradable and phosphate free

REF SS10 1 Gallon .....\$85<sup>95</sup>

## GYNEX® SHARPENS AND REPAIRS MOST INSTRUMENTS

**Toll Free: (888) 486-4644**  
(7:00AM–3:30PM PST)

All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

### Pricing is as follows:

Gynex brand biopsy punch.....\$65.00

Non-Gynex brand biopsy punch.....\$75.00

Gynex brand curette.....\$40.00

Non-Gynex brand curette.....\$50.00

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

### **Selling Notice:**

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

### **Warranty:**

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GYNEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

### **Return Policy:**

Customer must obtain a Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

### **The following items may be returned:**

- Product with RMA number
  - All returns must be made within 30 days of the item receipt (except for warranty).
  - Product with unbroken seals, with labels intact, in original container and packaging
  - Unused instruments which have not been cleaned or sterilized
  - Single-Use<sup>®</sup> product (sterile) in original, unopened package
  - Product damaged in shipment\*
  - Product that has at least 12 months remaining shelf life as determined by the expiration date
  - Instruments damaged, broken or not working properly due to defects in material or workmanship
- \*Note: Product returned due to error or damage in shipping must be re-reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.*

### **The following items may not be returned:**

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

### **Restocking Charge:**

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

### **Disclaimer:**

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GYNEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

### **Trademark Notices:**

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Wilows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Target • Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of Redmond, Washington. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon

is a registered trademark of DuPont. Speculum is a registered trademark of Cyalume.

### **Force Majeure:**

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Notwithstanding the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

### **Official Notice**

**ALL products are shipped from GYNEX state-of-the-art warehouse in Redmond, WA**

### **Latex Notice**

**ONLY** the following product in this catalog may contain latex:

**REF 1150** Lidocaine Cartridges (cartridge stoppers)



<b>Acetic Acid</b> .....	2	<b>Endometrial Sampler</b>		<b>pHem-Alert</b> .....	43
<b>Alligator Grapser, Gynex</b> .....	31	Endometrial Curette .....	44-45	<b>Repairs &amp; Sharpening Service</b> .....	97
<b>Ascona® IUD String Snare</b> .....	28	Endometrial Sampler.....	46-47	<b>Scissors</b>	
<b>Accu-Sound®</b> .....	32-33	<b>Forceps</b>		IUD String .....	31
<b>Bariatric Instruments</b> .....	92-95	Foerster, Stainless.....	19	Titanium Rainbow .....	66
<b>Biopsy Punches</b>		Laminaria Insertion Forceps.....	26	Zephyr Stainless.....	66
Ceramix .....	11	Sponge Forceps, Single-Use ②.....	76	Iris Stainless.....	67
Cobalt Blue .....	10	LLETZ Coated Tissue Forceps.....	77	Littaur Stitch Scissors .....	67
i-Series Titanium Rainbow .....	9, 95	Ovum Forceps.....	24-25	<b>Smoke Evacuation</b>	
Stainless.....	4-8, 21, 94	<b>Galileo Colposcopes</b> .....	48-54	Prefilter, Single-Use ②.....	74
Apex.....	8, 94	<b>Grasper</b>		Prefilter Reducer.....	74
Eppendorfer .....	14, 21	Alligator Grapser, Gynex .....	31	ULPA Filter.....	74
Kevorkian.....	14, 21	Serpentine Grasper .....	27	Tubing.....	75
Medium-Tischler .....	8, 94	<b>Hooks</b>		<b>Sounds</b> Sims.....	33-34
Mini-Tischler .....	6-13, 21, 94	Stainless.....	15, 21	<b>Speculums</b>	
RotoTip Biopsy Punches .....	12-13	LLETZ Coated .....	77	Disposable, Speculume® EZ .....	4-5
Sullivan.....	14	<b>HurriCaine</b>		LLETZ	
Tischler.....	6-13, 94	Spray Kit.....	76	LLETZ, 4-Way Expander.....	78
Wittner, .....	14, 21	Swabs .....	76	LLETZ, left/right opening .....	79
<b>Care and Cleaning</b>		<b>IUD Instruments</b>		LLETZ, Graves.....	82-83, 93
Beads, Hot Glass Sterilizer.....	97	Ascona® IUD String Snare .....	28	LLETZ, Pedersons .....	82
Instrument Lubrication.....	96	Accu-Sound® .....	32-33	LLETZ, Sullivan .....	80-81
Spectra-Clave.....	97	Alligator Grasper.....	31	Stainless Specula	
Spectra-Soap.....	97	Crochet Type IUD Removers.....	30	Auvarde.....	88
Stain-Ex.....	97	IUD Insertion Kit.....	29	Graves .....	85
<b>Clamps</b> .....	64-65	Serpentine Grasper .....	27	Greenberg .....	89
<b>Colposcopes</b> .....	48-61	String Scissors.....	31	Guttman .....	89
<b>Colposcopy Sets</b> .....	20-21	Willows IUD String Snare .....	30	Jupiter.....	92
<b>Curettes</b> .....	16-17, 42, 44-45	<b>Patient Dispersive Pads</b> .....	72	Pederson.....	84
<b>Dilators</b>		<b>Punches</b>		Left/Right Opening.....	92
Dilators, Uterine.....	34-37	Keyes.....	23	Sullivan.....	86-87
Dennis Dilators, Single-Use ② .....	40	Keyes Accessories .....	23	Titanium Rainbow	
Dennis Dilators, Reusable .....	41	Vulvar.....	23	Graves .....	91
Hank Dilators, Uterine .....	35	<b>Light, medical exam, Gynex</b> .....	62	Pederson.....	91
Hegar Dilators, Uterine .....	37	<b>Lateral Vaginal Retractors</b>		<b>Sterilization</b>	
Mini Dilators, Uterine		LLETZ.....	79	Beads, Hot Glass Sterilizer.....	97
Stainless, Set .....	34	Stainless.....	88	<b>SURESAMPLE® Select1</b> .....	44-47
Stainless, 4mm and 5mm.....	34	<b>Lidocaine</b> .....	73	<b>Syringe, Cartridge</b> .....	73
Pratt Dilators, Uterine .....	36	<b>LLETZ Coated Instruments</b>		<b>Tenacula</b>	
Small Dilators, Uterine .....	35	All Items .....	77-83, 91	Braun.....	19
Soft Dilators, Single-Use ② .....	38	Hooks .....	77	Schroeder.....	19
Soft Dilators, Reusable.....	39	LVR.....	79	Skene.....	18
<b>Doppler, Ultrasonic</b> .....	63	Speculum .....	78-83, 93	Teale.....	18
<b>Electrodes</b>		Sponge Forceps, Single-Use ②.....	76	<b>Thermometer, Infrared</b> .....	97
Ball Electrode .....	70	<b>Microscope</b> .....	26	<b>Tubing</b>	
Electrode Extender.....	71	<b>Monse's</b> .....	2	Tubing, Single-Use ②.....	75
Electrode Handpieces .....	71	<b>Needle Adapter</b> .....	73	Clear-Flue Tubing.....	75
H-Series Loop Electrodes.....	70	<b>Needle Holders</b>		DSE Tubing .....	75
Needle Electrode .....	70	Webster.....	67	Flexible-S Tubing.....	75
Radius Loop Electrodes .....	69	Mayo-Hegar .....	67	Tubing Connectors.....	74
Square Loop Electrodes.....	70	Crile-Wood .....	67	<b>Uterine Manipulator/Injector</b> .....	43
<b>Endocervical</b>		<b>Ovum Forceps</b>		<b>Uterine Sound</b>	
Specula .....	18, 21	Bierer .....	25	Accu-Sound.....	32-33
<b>Galileo, Medical Exam Light</b> .....	62	Blumenthal .....	25	<b>Willows IUD String Snare</b> .....	30
		Jacobson.....	25		
		Saenger.....	25		
		Sopher Original.....	24		



[illegible]

(7:00AM-3:30PM PST)

**E-mail: [service@gynex.com](mailto:service@gynex.com)**

GYNEX

Redmond, WA 98073

## PayPal for online purchases



**Warranties Returns and Disclaimers:** All information concerning these GYNEX policies are detailed on page 98 of this catalog. All customers are requested to read this information.

# GYNEX®

**Mail Orders To**

GYNEX

P.O. Box 3189

Redmond, WA 98073

**Make a copy of this order form, fill it out and mail or fax it to GYNEX at (425) 895-0115**

GYNEX		Order Form
<b>Billing Address:</b>  Name _____  Address _____  City _____ State _____ Zip _____  Email _____  Phone ( _____ ) _____	<b>Ship To:</b>  Name _____  Address _____  City _____ State _____ Zip _____  Fax _____  Contact Person _____	

REF	Qty.	Description	Price Each	Total

<b>Make checks payable to: GYNEX Corp.</b>  Credit Card Charge:  _____ <b>Credit Card Security Code</b> <b>Exp. Date</b>  _____ <b>Credit Card Number</b>  _____ <b>Signature</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr style="background-color: #e0e0e0;"> <th style="text-align: center; padding: 5px;">Total Amount Ordered</th> <th style="width: 10%;"></th> </tr> <tr> <td style="text-align: center; padding: 5px;"><b>5% Discount for Pre-Paid Orders</b></td> <td></td> </tr> <tr> <td style="text-align: center; padding: 5px;"> <b>Pre-Paid Ground Shipping and Handling</b>            CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII.  <i>(Shipping charges apply for orders to Alaska and Hawaii)</i> </td> <td style="text-align: center; vertical-align: middle; padding: 5px;"><b>\$14.50</b></td> </tr> <tr style="background-color: #e0e0e0;"> <td style="text-align: center; padding: 5px;"><b>Sales Tax Apply for Residents of: WA, NV, MN, WI</b></td> <td></td> </tr> <tr style="background-color: #e0e0e0;"> <td style="text-align: center; padding: 5px;"><b>Total</b></td> <td></td> </tr> </table>	Total Amount Ordered		<b>5% Discount for Pre-Paid Orders</b>		<b>Pre-Paid Ground Shipping and Handling</b> CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. <i>(Shipping charges apply for orders to Alaska and Hawaii)</i>	<b>\$14.50</b>	<b>Sales Tax Apply for Residents of: WA, NV, MN, WI</b>		<b>Total</b>	
Total Amount Ordered											
<b>5% Discount for Pre-Paid Orders</b>											
<b>Pre-Paid Ground Shipping and Handling</b> CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. <i>(Shipping charges apply for orders to Alaska and Hawaii)</i>	<b>\$14.50</b>										
<b>Sales Tax Apply for Residents of: WA, NV, MN, WI</b>											
<b>Total</b>											

5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

# GYNEX®

14603 NE 87th St., Redmond, WA 98052

Phone: 1.888.486.4644

Fax: 1.425.895.0115

Web: [www.gynex.com](http://www.gynex.com)

Email: [service@gynex.com](mailto:service@gynex.com)

PRSR STD  
US POSTAGE  
**PAID**  
GYNEX

## *sure@sample® • Select1* *Endometrial Curette*

The unique design and special features of the SURESAMPLE • Select1 allow for better accuracy and a more reliable sample.

See pages 44-45