

# Century UMI™

**Uterine Manipulator / Injector** 

See page 41

# Trevor says . . .



Thank you for allowing Gynex to serve your instrument needs. It has always been our mission to bring you the latest products with transparent, affordable pricing. In keeping with this mission, we have made some updates to our catalog.

Please see The Century UMI™ on page 41 (REF 10-160). We have worked to not only lower the price of this product, but each Century UMI™ now includes a 10cc syringe for your convenience. This easy-to-use uterine manipulator with pear-shaped balloon tip exposes the patient's pelvic anatomy for better definition and optimal access. Its curved design allows for gentle insertion and its stiffer shaft enables a more effective manipulation of the uterus. With our cost savings passed to you, there is no better time to try the Century UMI™.

We are also offering, for a limited time, special pricing on our pHem-Alert®. This convenient Vaginal pH test comes securely packaged in a tray with a patented pH "key" and easy to read pH chart. Right now, you can purchase 2 boxes for the price of one. For more information see page 90 (REF pH-99).

To all our customers who have trusted us over the years, we want to thank you for your patronage and loyalty. To best serve you, we have moved locations. Our new location in Texas will allow us to get products around the country even faster. Please look to page 96 for our updated Transit map and new address.

As always, if you have any questions, thoughts, or ideas, please let us know so we can accommodate you.

Thank you,

Trevor Kurz

Trevor Kurz

Chief Operating Officer, GYNEX Corporation



Stephen Sullivan

President and CEO, GYNEX Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.

# **GYNEX Products Spring 2021**

## **Table of Contents**

COVER: Century UMI™ Uterine Manipulator / Injector4	41
Monsel's Ferric Subsulfate Paste	. 2
Acetic Acid®	. 3
Speculum - SpecuLume® EZ, Single-Use ®4	-5
TISCHLER BIOPSY PUNCHES6-1	10
Biopsy Punch - Ceramix®	11
Bariatric Tissue Forceps, 1x2 teeth	11
ROTATING PUNCHES -ROTOTip™12-1	13
Ring Handle Punches	14
Eppendorfer and Whittner Punch	14
HOOKS	15
ENDOMETRIAL CURETTES	15
ENDOCERVICAL CURETTES16-1	17
Curette Sharpening File	17
Endocervical Speculum	18
TENACULUM18-1	19
Foerster Forcep	19
COLPOSCOPY SET20-2	21
Thermometer -Touch-Guard™	22
KEYES PUNCHES	23
OVUM FORCEPS24-2	25
IUD SECTION	
Serpentine Grasper	26
Ascona® IUD Snare	
IUD Insertion Kit -GYNEX®, Single Use ®	
IUD Removers2	
IUD Scissors2	29
Alligator Grasper by GYNEX®2	29
UTERINE SOUNDS - Accu-Sound® / Sims30-3	
UTERINE DILATORS - Stainless Steel, Soft and Dennis 32-3	
UTERINE CURETTE - Sims / Bumm	
Uterine Manipulator / Injector - Century UMI™	
Endometrial Curette - SURESAMPLE® Select1	
Endometrial Sampler - SURESAMPLE®	
COLPOSCOPES - Galileo®46-5	
Accessories for Galileo®	
Binocular Microscope, Galileo®	
COLPOSCOPES - CO Series	
Medical Exam Light ,Galileo®	
Fetal Doppler - GYNEX®	

<b>HYSTERECTOMY CLAMPS</b> - Titanium Rainbow ™/ Zephyr ™62	-63
$\textbf{HYSTERECTOMY SCISSORS} - \ Titanium \ Rainbow \ ^{\text{\tiny TM}} / \ Zephyr \ ^{\text{\tiny TM}} \$	64
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	65
LLETZ ELECTRODES66	-68
Electrode Extender / Handpieces	69
Patient Dispersive Pads for LLETZ Procedure	70
Extended Needle Adapter and Accesories	71
Lidocaine Cartridges, Single-Use ®	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	73
Sponge Forceps, Single-Use ®	74
Topical Anesthetic - HurriCaine®	74
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenacumlum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum7	3-79
Pederson & Graves Vaginal Speculum80	)-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum82	2-83
Sullivan Speculum84	1-85
Lateral Vaginal Retractors	86
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Laminaria Insertion Forceps	
Titanium Rainbow™ Speculum	
Vaginal pH Test - pHEM ALERT®	
Instrument Lubricant - Touch-Guard™	92
INSTRUMENT CARE AND CLEANING	93
INSTRUMENT REPAIRS AND SHARPENING	93
INDEX	95
ORDER INFORMATION90	3-97
ORDER FORM90	3-97
BACK COVER: SURESAMPLE® Select1 Endometrial Curette 42	-43


# **Monsel's**Ferric Subsulfate Paste 20-22%

# Helps control bleeding during biopsy, LLETZ and laser procedures.

Monsel's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8 ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

NOTE: A pharmacy or a physician's license is required when ordering this product.







# **Acetic Acid 5%**

# Helps enhance the appearance of abnormal areas.

- Box of 12 Individual 12 ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use <sup>(2)</sup>

**REF** AA312 Box of 12...... \$8495

NOTE: A pharmacy or a physician's license is required when ordering this product.

# Speculume® EZ

Single-Use 

Vaginal Speculum with Illumination Insert

Finally, a single-use vaginal speculum that provides true intravaginal lighting, greater clinician visibility, and increased patient comfort. The functionality of the sturdy, classic metal speculum combined with the benefits of modern designs make it silent to operate, disposable, and affordable to any budget.

Slides up and open just like a <u>Graves</u> speculum! "No Clicking"



Illumination Insert



MADE IN THE USA

# DESIGNED FOR IMPROVED PATIENT AND CLINICIAN INTERACTION

Elevates silently; holds securely; releases easily

#### **IMPROVES CLINICAL PERFORMANCE**

Provides diffused illumination positioned where needed most

#### COST-EFFECTIVE AND ENVIRONMENTALLY FRIENDLY

No batteries or electricity needed; no costly cleaning or sterilization chemicals

#### **EASY-TO-USE, STURDY DESIGN**

Operates like traditional metal, Graves speculum; disposable like plastic

# With Speculume® EZ

- Unique light source generates no heat.
- Light insert ready in a "snap" without requiring electricity or batteries.
- After use, discard the entire product as clinical waste; nothing to disassemble, because there is no battery.
- Single middle bolt design allows for simple operation and securely locks in place.
- Completely recyclable and more environmentally friendly than battery-powered devices.
- Chemiluminescent insert produces optimal distributed lighting for 15 minutes, eliminating harsh illumination.

# ILLUMINATED VAGINAL SPECULUM

Single-Use 

Vaginal Speculum with Illumination Insert

# "Finally a disposable speculum that makes sense"

#### LARGER OPENING

Large user opening Provides greater visual access, 42mm x65mm



either upper or lower blade Allows flexibility for optimal bright illumination

#### **PINCH GUARDS**

"Pinch Guards" block the gap between the proximal ends of upper and lower blades

Safeguards the patient when the upper blade is lowered

#### SILENT ADJUSTMENT

Single middle bolt silently elevates and securely locks upper blade Eliminates annoying racketing noise for improved patient experience

#### **ANGLED HANDLE**

Handles are angled away from patient Provides more space between clinician's hands and patient

### Low unit price, \$2.40 each

Speculume® EZ, Small

REF 28-100 ......<sup>\$</sup>59<sup>95</sup> Box of 25

Speculume® EZ, Medium

REF 28-200 \$59<sup>95</sup> Box of 25

Speculume® EZ , Large

REF 28-300 ......\$59<sup>95</sup>

Box of 25



# **Tischler Biopsy Punches**

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide!



# Not sure which biopsy punch you need?

Call GYNEX today at 1(888) 486-4644 and one of our sales associates will gladly assist you.

# TISCHLER BIOPSY PUNCHES

Stainless Steel

GYNEX
Original!


The Best Selling Design in The World





20cm Shaft......\$39995

REF 1021





# **I-SERIES TITANIUM BIOPSY PUNCHES**

# Titanium Rainbow™ TiO Coating





- Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel
- Cutting edges will stay sharp longer
- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Working lengths: 20cm or 25cm
- Tip Locking Tab

### Tischler - Standard, Titanium Rainbow™

Actual Bite Size:7mm x 3mm





#### Tischler, Straight

**REF TT010** 20cm Shaft ...... \$399<sup>95</sup>

REF TT035

25cm Shaft, Extra-Long ..... \$40995

## Tischler, Up

**REF TT011** 20cm Shaft ...... \$39995

REF TT036

25cm Shaft, Extra-Long ..... \$409<sup>95</sup>

#### Tischler, Down


**REF TT012** 20cm Shaft ...... \$399<sup>95</sup>

REF TT037

25cm Shaft, Extra-Long ..... \$40995

# Mini-Tischler, Titanium Rainbow™

Actual Bite Size: 4.2mm x 2.3mm




#### Mini-Tischler, Straight

REF TT005 20cm Shaft ...... \$3995

REF TT030

25cm Shaft, Extra-Long ..... \$409<sup>95</sup>



#### Mini-Tischler, Up

**REF TT006** 20cm Shaft ...... \$399<sup>95</sup>

REF TT031

25cm Shaft, Extra-Long ..... \$409<sup>95</sup>




#### Mini-Tischler, Down

**REF TT007** 20cm Shaft ...... \$399<sup>95</sup>


REF TT032

25cm Shaft, Extra-Long ..... \$409<sup>95</sup>

### **Titanium Coated**



Designed for excellence • Manufactured for durability



# **CERAMIX®** Biopsy Punches

Our sharpest, longest lasting biopsy punch

- · Proprietary Ceramix coating
- Stays sharp up to 10 times longer than ordinary stainless steel
- Incomparable cutting-edge hardness (see Hardness Comparison Chart below)
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab
- Working length 20cm
- Single anchoring tooth on top and bottom jaws

#### HARDNESS COMPARISON CHART

Metal	(HV 0.05)	Coated Metal	(HV 0.05)
Stainless Steel	550	TiN Coating <sup>2</sup>	2900
Tungsten Carbide	650	<b>CERAMIX Coating</b>	4500

<sup>&</sup>lt;sup>1</sup> Vikers hardness test at 50gf load <sup>2</sup> TiN (Titanium Nitride)



CERAMIX
Mini-Tischler, Straight

**REF 1060** 20cm Shaft.......**\$499**<sup>95</sup>



**CERAMIX Tischler, Straight** 

REF 1070 20cm Shaft......\$499<sup>95</sup>



CERAMIX
Tischler, Medium

**REF 1065** 20cm Shaft...........\$499<sup>95</sup>



CERAMIX Apex

Ceramic Coated

GYNEX


Original!

**REF 1075** 20cm Shaft.......**\$499**<sup>95</sup>

## Bariatric Tissue Forceps, 1x2 teeth

Hold and manipulate various tissue. Extended reach in two long lengths.

bariatric





# **ROTATING BIOPSY PUNCHES**





ROTO Tip™ rotating biopsy punches offer the added convenience of making a guick change in the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provide you a cost savings option to add angled tips. These tips easily rotate allowing you to gain better positioning for a biopsy sample.

#### **Features**

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches
- Working length 21cm



**ROTO TIP**<sup>™</sup> Extra Handle





Tischler - Standard, Tip-**Straight** 

REF	1200-10	
Con	nplete Punch	\$ <b>449</b> 95



#### Mini-Tischler, Tip -Straight

REF	1200-05	
Con	nplete Punch	\$44995



Working length 21cm

Tischler, Standard-Straight Mini-Tischler, Straight

REF 1210 REF 1205 Extra Tip......\$26995

Extra Tip......**\$269**95

See our full list of tips on the next page.

# ROTO TIP

Stainless Steel

# Tischler, Standard

Actual Bite Size: 7mm x 3mm



#### Tischler, Standard Up

REF 1200-30 Complete Punch ......**\$449**95



#### **Tischler, Standard Down**

REF 1200-20

Complete Punch .....**\$449**95



#### **Oval Tip**

REF 1200-35

Complete Punch ......**\$449**95

## Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



#### Mini-Tischler, Up

REF 1200-25

Complete Punch ......**\$449**95



#### Mini-Tischler, Down

REF 1200-15

Complete Punch ......**\$449**95



Actual Bite Size: 9mm x 3mm



#### **Kevorkian Tip**

REF 1200-40


Complete Punch ......\$44995

# **Extra Tips**

Working length 21cm



Tischler, Standard Up	REF 1230	Extra Tip	\$26995
Tischler, Standard Down	REF 1220	Extra Tip	\$26995
Mini-Tischler, Up	REF 1225	Extra Tip	\$26995
Mini-Tischler, Down	REF 1215	Extra Tip	\$26995
Oval Tip	REF 1235	Extra Tip	\$26995
Kevorkian Tip	REF 1240	Extra Tip	<b>\$269</b> 95



#### **Hooks**



#### **Angle Hook**

**REF** 3225 26cm Length ...... \$4995



#### 2-Prong Hook

**REF** 3227 26cm Length.........\$5995



#### Iris Hook

REF 3210 26cm Length ...... \$4995



#### **3-Prong Hook**

**REF** 3229 26cm Length...... \$5995



#### **Emmett Tenaculum**

REF 3220 26cm Length.........\$4995



# **ENDOMETRIAL CURETTES**

### **Novak Curette**

- » Length 25cm
- » Luer lock suction attachment
- 2mm Shaft/Tip

REF 3302 .....\$51<sup>95</sup>

3mm Shaft/Tip

REF 3303 ......\$51<sup>95</sup>

4mm Shaft/Tip

REF 3304 ......\$5195



### **Randall Curette**

- » Length 25cm
- » Luer lock suction attachment
- 2mm Shaft/Tip

REF 3310 ......\$5195

3mm Shaft/Tip

REF 3312 ......\$5195

4mm Shaft/Tip

REF 3314 ......**\$51**95




# **ENDOCERVICAL CURETTES**

# **Spiral Curette**

This unique endocervical spiral dual purpose curette was developed bt Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto.

- Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample.
- Acts as a cervical dilator allowing cervical or endometrial sampling.



This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the os, advancing and rotating at the same time.

# **Endocervical Curettes - Six Tip Design**



The basket on this curette helps hold the sample during the curettage procedure.

Kevorkian Curette no Basket Square Tip

Basket size 12mm x 2mm

The curette is designed with no basket which allows for easier removal of sample after the curettage procedure.

**REF 3010** 32cm Length ......**\$76**<sup>95</sup>

# 



# Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

Basket size: 7mm x 1.3mm

#### Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

**REF 3020** 32cm Length ......**\$76**<sup>95</sup>

# EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

### **Titanium Curettes**



Basket size: 10.5mm x 2mm




Titanium Rainbow Kevorkian Curette with Basket Square Tip

Basket size 12mm x 2mm



Titanium Rainbow Kevorkian Curette no Basket Square Tip



## **Curette Sharpening File**

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900 \$3195



### **Kevorkian Curette**

Kevorkian Curette eliminate cross-contamination concerns with the Single-Use ®. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage

during curettage.

305

STERILE EO Single-Use 

Not made with natural rubber latex.

Total Length: 31cm

**OD**: 4mm

Inner Basket OD: 3mm

Working Length: 16cm

GYNEX

**REF** 3030 Bo


Box of 25.....**\$73**95

# **Endocervical Speculum**

#### **Standard Ratchet**

**REF 2130** 3mm Tip......**\$186**<sup>95</sup>

#### **No-Lock Handle**





# **Skene Tenaculum** Slight Curve

REF 3534 Length 24cm.......\$5295

#### Teale Tenaculum

Slight Curve

**REF 3536** Length 23cm.........**\$52**<sup>95</sup>



#### Angled


#### Straight

Straight or Angled Handle and LiteTouch™ or Standard Tip









LiteTouch™ Tip

Standard Tip

**LiteTouch™ Tip** 

Standard Tip

#### **Braun Tenaculum**

#### **LiteTouch™, Straight Handle**

**REF T2230** Length 25cm.......<sup>\$</sup>**52**<sup>95</sup>

When closed, LiteTouch tips overlap 1-2 mm ±1mm

#### Standard, Straight Handle

**REF 3502** Length 25cm........ \$5295

**REF B230** Length 30cm........\$5995

When closed, Standard tips overlap 4-6 mm ±1mm

#### Standard, Angled Handle

REF 3532 Length 25cm.......\$6295

#### Schroeder Tenaculum

#### LiteTouch™, Straight Handle

**REF T2222** Length 25cm.......\$5295

When closed, LiteTouch tips overlap 1-2 mm ±1mm

#### Standard, Straight Handle

REF 3500 Length 25cm.......\$5295

**REF B130** Length 30cm........ \$59<sup>95</sup>

When closed, Standard tips overlap 4-6 mm +1mm

#### Standard, Angled Handle

REF 3530 Length 25cm....... \$6295



#### Schroeder Tenaculum

#### **Double Tooth, Straight Handle**

**REF 3501** Length 25cm.......<sup>\$5295</sup>



# **Foerster Forcep**

#### **Straight Handle**

REF 3540 Length 24cm ....... \$52<sup>95</sup> Length 30cm ...... \$59<sup>95</sup>

#### **Angled Handle**

REF 3542 Length 24cm ....... \$6295

# **BUILD YOUR OWN COLPOSCOPY SET**

# SET OF 5 INSTRUMENTS for **ONLY \$6750**

## To order, choose one item from each section

Each **GYNEX Colposcopy Set** consists of five instruments essential for colposcopy procedures:

- Biopsy Punch
- Endocervical Speculum
  - Vaginal Speculum
  - Endocervical Curette
    - Tissue Hook

Priced at \$675, the GYNEX Five Instrument Colposcopy Set saves you a bundle!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a **GYNEX Colposcopy Set**.



**GYNEX®** Colposcopy Set

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.

This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...


<b>Biopsy Punches</b>	REF
☐ Tischler, Straight	1010
☐ Mini-Tischler, Straight	1005
☐ Medium-Tischler	1008
☐ Tischler-Kevorkian	1015
☐ Tischler, Straight, RotoTip	1200-10
☐ Mini-Tischler, Straight, RotoTip	1200-05
☐ Eppendorfer	1017
☐ Wittner, Straight	1026
☐ Wittner, Angled	1027

Endocervical S	Specula	REF
☐ Standard Ratchet	3mm	2130
□ No-Lock Handle	3mm	2030
☐ Standard Ratchet	4mm	2140
□ No-Lock Handle	4mm	2040

Tissue Hooks	REF
☐ Iris Hook	3210
☐ Emmett Tenaculum	3220
☐ Angle Hook	3225

<b>Endocervical Curettes</b>	REF
☐ Square Tip, with Basket	3005
☐ Square Tip, no Basket	3010
☐ Round Tip, with Basket	3015
☐ Townsend Curette with Basket	3020

Vaginal Sp	ecula	REF
□ WideView™	Pederson Medium	2500
■ WideView <sup>™</sup>	Pederson Large	2525
■ WideView <sup>™</sup>	Short Blade	2530
■ WideView <sup>™</sup>	Graves Medium	2540
■ WideView <sup>™</sup>	Graves Large	2545
□ FullView <sup>™</sup>	Pederson Medium	2600
□ FullView <sup>™</sup>	Pederson Large	2625
□ FullView <sup>™</sup>	Graves Medium	2650
□ FullView <sup>™</sup>	Graves Large	2655
□ Standard	Pederson Medium	2457
☐ Standard	Pederson Large	2459
□ Standard	Graves Medium	2452
☐ Standard	Graves Large	2454





# Select one Hook

For more information, see page 15

## Select one Curette

For more information, see page 16





# Touch-Guard®

# INFRARED THERMOMETER

#### **Features**

- Easy to use, just point and shoot
- · Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature
- Weight: 1.8 oz.
- Dimension: 15 x 3.7 x 1.6

REF TG-2000 ......\$5999















Get reliable results within seconds with Touch-Guard Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.

### **Keyes Punch Set**


The Keyes Punch Set contains a Keyes Vulvar Punch Handle with six sizes of interchangeable screw on tips, and is enclosed in a storage case with numerically designated holding pins for each tip.

- Sizes: 2mm through 7mm
- Convenient storage case

REF	1310	 <b>226</b> 9!
	TOTO	 



Complete Set with Interchangeable Tips







# **Keyes Punch Accessories Kit**

We have designed the perfect accessory kit for the Keyes Punch. The kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. We thoughtfully included a diamond coated sharpening stone to keep your punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315 .....\$88<sup>95</sup>

# **OVUM FORCEPS**



No Ratchet Handle

Ratchet Handle

#### **Sopher Original**

#### Length 25.5cm (10") Curved Jaw 11mm

REF 3544	Ratchet Handle	<sup>\$</sup> 104 <sup>95</sup>
REF 3546	No Ratchet	\$9995

#### **Sopher Standard**

#### Length 25.5cm (10") Curved Jaw 12mm

REF 3548	Ratchet Handle	<sup>\$</sup> 104 <sup>95</sup>
REF 3550	No Ratchet	\$9995

#### Length 25.5cm (10") Curved Jaw 14mm

REF 3552	Ratchet Handle	<sup>\$</sup> 109 <sup>95</sup>
REF 3554	No Ratchet	\$104 <sup>95</sup>

#### **Sopher Standard**

#### Length 28cm (11") Curved Jaw 12mm

REF 3556	Ratchet Handle	\$104 <sup>95</sup>
REF 3558	No Ratchet	\$9995

## Length 28cm (11") Curved Jaw 14mm

U	• •		
REF 3560	Ratchet Handle	\$1	0995
REF 3562	No Ratchet	\$1	0495

### Sopher Standard

#### Length 33cm (13") Curved Jaw 12mm

REF 3564	Ratchet Handle	<sup>\$</sup> 114 <sup>95</sup>
REF 3566	No Ratchet	\$10995

#### Length 33cm (13") Curved Jaw 14mm

REF 3568	Ratchet Handle	\$119 <sup>95</sup>
PEE 2570	No Batchet	\$ <b>11Д</b> 95



Actual Size Sopher

Jaw Size **11mm** 



Sopher Original "lips" protect surrounding tissue



Sopher Original
Jaw Open

Actual Size Sopher

Jaw Size 12mm



Sopher Standard
Jaw Closed



Sopher Standard
Jaw Open

Actual Size Sopher Jaw Size 14mm



#### Bierer

DIGIGI	
Length 28cm (11") Straight Jaw 16mm	
REF 3572 Ratchet Handle\$10	<b>4</b> <sup>95</sup>
REF 3574 No Ratchet\$9	995
Length 28cm (11") Straight Jaw 19mm	
REF 3576 Ratchet Handle\$10	995
REF 3578 No Ratchet \$10	<b>4</b> 95
Length 33cm (13") Straight Jaw 16mm	
REF 3580 Ratchet Handle	995
<b>REF 3582</b> No Ratchet	<b>4</b> 95
Length 33cm (13") Straight Jaw 19mm	
REF 3584 Ratchet Handle\$11	<b>4</b> 95
REF 3586 No Ratchet \$10	995



Jacobson, Jaw Open

#### Jacobson

Length 2	28cm (11") Si	traight Jaw 2	0mm
REF 3588	No Ratchet		\$10495

#### Length 33cm (13") Straight Jaw 20mm

REF	3590	No Ratchet	<sup>\$</sup> 104 <sup>95</sup>
-----	------	------------	---------------------------------

Blumenthal



Blumenthal "lips" protect surrounding tissue

#### **Blumenthal**

Length 28cm (11") \$	Straight Jaw 20mm
REF 3592 No Ratchet	<sup>\$</sup> 104 <sup>95</sup>
Length 33cm (13")	Straight Jaw 20mm




Saenger Inner diameter teeth within oval jaws

#### Saenger

Length 26.5cm (10.5") Straight Ja	aw 16mm	
REF 3596 Ratchet Handle	<b>\$144</b> 95	
REF 3598 No Ratchet	\$139 <sup>95</sup>	
Length 26.5cm (10.5") Curved Jaw 16mm		
REF 3600 Ratchet Handle	\$144 <sup>95</sup>	
REF 3602 No Ratchet	\$139 <sup>95</sup>	
Length 29cm (11.5") Straight Jaw 16mm  REF 3604 Ratchet Handle\$14995		
REF 3606 No Ratchet	<b>\$144</b> 95	
Length 29cm (11.5") Curved Jaw 16mm  REF 3608 Ratchet Handle		
REF 3610 No Ratchet	\$144 <sup>95</sup>	


# **IUD SPECIALTY SECTION**

see the following pages 26-29



# **Serpentine Grasper IUD Remover**

The Serpentine Grasper has a flexible shaft that can be shaped into the most convenient, comfortable and advantageous position for entering the uterine cavity. The shaft can be bent greater than 360° without the loss of function, it will remain in any desired angle until reshaped as needed. The small tip allows easy entry into the endocervical canal while the grasping teeth provide a secure grip, especially useful for grasping IUD's.




GYNEX is your key source for all your IUD instruments

# **ASCONA**<sup>™</sup> IUD String Snare


## Allows gentle removal of IUD

The rotating handle provides a way to snag the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona<sup>™</sup> allows the user to gently pull out and remove the IUD. The Ascona<sup>™</sup> is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.

REF 29-350 ......\$78<sup>95</sup>













# **GYNEX® IUD Insertion Kit**

Gynex® IUD Insertion Kit has everything you need to perform an IUD insertion quickly and safely. Decreases The Risk Of Transmission Of Infectious Agents. Eliminates Costly Instrument Sterilization.

#### **IUD Insertion Kit Tray Contains:**

- (1) Tenaculum Forcep
- (1) IUD String Scissor
- (2) Rayon Swabs
- (1) ACCU-SOUND® Uterine Sound
- (1) Folded Drape

**REF** 29-500 Box of 12......**\$184**<sup>95</sup>

#### **IUD Remover, Crochet Style**

Rounded tip for easy insertion

- Dual grasping slots
- Angled
- Working length 26.5cm

REF 29-200

Box of 12.....**\$49**95







Rounded tip for easy insertion

- Multiple grasping slots
- Working length 27c
- High quality malleable plastic

REF 29-300 Box of 12......\$4995





# **IUD Remover, Crochet Style**

Rounded tip for easy insertion

- Dual grasping slots
- Angled
- Working length 26cm
- High quality Stainless steel

REF 29-020 .....\$7495





Rounded tip for easy insertion

- Dual grasping slots
- Angled
- Working length 26cm
- High quality malleable metal

......\$84<sup>95</sup> REF 29-025








There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When the ACCU-SOUND® Uterine Sound is inserted into the uterus, a ring comes to rest against the outside of the Os. The ring stays in place on the ACCU-SOUND® when the device is withdrawn from the uterus and vagina, clearly indicating the uterine measurement. There has never been a uterine sound more accurate and easy to use.

# An accurate measurement as easy as 1,2,3 !






#### **Ergonomic Handle**



# The ACCU-SOUND® Uterine Sound is useful for both surgical and non-surgical procedures:

- Dilatation and Curettage
- Tubal patency studies
- Laparoscopic tubal occlusion
- Diagnosis of uterine position (anteflexed, retroflexed, mid-position)
- IUD insertion

ACCU-SOUND® Uterine Sound		
REF 4950	Box of 25	\$66 <sup>95</sup>





# **UTERINE DILATORS**

# **Mini Dilator**

#### Set of 5 inter-changeable probes and 1 Handle




# **Extra Mini Dilator Tips**

(Fits **REF** 4005 Handle)

• Sizes 4mm and 5mm Available only from GYNEX


**REF** 4005.4 4mm.. \$39<sup>95</sup>

**REF** 4005.5 5mm.. \$3995









Dots show actual diameter in mm



### Hegar Dilator Set of 8 probes

- Dual sizes on each dilator
- Stainless Steel
- Length 21cm

**REF DHU3800** Set..........\$18495



### **Soft Dilators** - STERILE / Single-Use ®

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come Sterile and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

### **Soft Dilator, Os Locator**

Used for locating the external Os by gently pushing the tip against the cervix

• Tapered tip length is 23mm, Overall length is 21.5cm

REF 4211	Box of 12	. <b>\$49</b> 95
REF 4221	Box of 24	. <b>\$90</b> 95

### **Soft Dilator, Canal Finder**

Used for indicating the cervical canal

• Tapered tip length is 45mm, Overall length is 21.5cm

REF 4212	Box of 12	. \$4995
REF 4222	Box of 24	. \$9095

### Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os

• Tapered tip length is 85mm, Overall length is 21.5cm

REF 4213	Box of 12	\$ <b>49</b> <sup>95</sup>
REF 4223	Box of 24	\$9095

#### **Procedure Blister Tray**

- Keeps dilators secure & safe
- Every dilator comes sterile
- · Easy to open cover
- Standard packaging for all soft dilators





Not made with natural rubber latex.

### **Soft Teflon Dilators**

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be resterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

### **Soft Teflon Dilator, Os Locator**

Tapered tip length is 23mm , Overall length is 21.5cm  $\,$ 

REF 4201 ..... \$4295

Sterile / Reusable OK to Autoclave

### **Soft Teflon Dilator, Canal Finder**

Tapered tip length is 45mm, Overall length is 21.5cm

REF 4202 ..... \$42<sup>95</sup>

### **Soft Teflon Dilator, Fundus Finder**

Tapered tip length is 85 mm , Overall length is 21.5 cm


REF 4203 ...... \$4295

# **Great Value!**Save on a Set of 3 Dilators

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3.....\$9695

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.







### **Dennis Dilators**® - STERILE / Single-Use ®

Four colors for different soft dilators sizes

- Dual sizes on each dilator
- Number on handle for easy identification
- Sterilized / Single-Use
- Ergonomic handle
- Soft plastic
- Overall length 27cm

5-6mm	Dilator,	Pink
-------	----------	------

**REF** 4240

Box of 12......**\$45**95

### 7-8mm Dilator, Yellow

**REF** 4245

Box of 12......**\$45**9!

### 9-10mm Dilator, Green

**REF** 4250

Box of 12......**\$45**95


### 11-12mm Dilator, Blue

**REF** 4255

Box of 12.....**\$45**95

### **Procedure Blister Tray**

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators



Dots show actual diameter in mm

7mm



## **Dennis Dilators® Set** - 5mm to 14mm STERILE / Reusable

Set of 5 dilators and each different band color

- Dual sizes on each dilator
- Soft plastic
- Overall length 28cm
- Sterilized and sealed in procedure blister trays
- Reusable resterilize after use (fully autoclavable)

# **Great Value!**Save on a Set of 5 Dilators

**REF** 4230 Set of 5......\$9495



### **UTERINE CURETTES**

### Sims Uterine Curette - Sharp & Rigid



REF CSU3900-9		REF CSU3900-3	
Size 00, 10.5 x 4.0 mm, Sharp, Rigid	. <b>\$67</b> <sup>95</sup>	Size 3, 16 x 7 mm, Sharp, Rigid	\$ <b>67</b> <sup>95</sup>
REF CSU3900-0		REF CSU3900-4	
Size 0, 10.5 x 4.5 mm, Sharp, Rigid	. <b>\$67</b> <sup>95</sup>	Size 4, 20 x 9 mm, Sharp, Rigid	\$ <b>67</b> <sup>95</sup>
REF CSU3900-1		REF CSU3900-5	
Size 1, 13 x 5 mm, Sharp, Rigid	. <b>\$67</b> <sup>95</sup>	Size 5, 22 x 9 mm, Sharp, Rigid	\$ <b>67</b> 95
REF CSU3900-2		REF CSU3900-6	
Size 2, 16 x 6 mm, Sharp, Rigid	. <b>\$67</b> <sup>95</sup>	Size 6, 26 x 11 mm, Sharp, Rigid	\$ <b>67</b> <sup>95</sup>





### Century UMI™

### **Uterine Manipulator/Injector**

The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, disposable convenience. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

### **Specifications**

- Cannula length 33 cm
- OD 4.5 mm
- Luer Lock Syringe 10 cc

### **Features**

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

Now including a 10cc luer lock syringe for your convenience!

### PASSING SAVINGS TO YOU!

### **NEW LOW PRICE!**

Low unit price, \$17.99 each

Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.




## suresample · Select 1

### **Endometrial Curette**



Tapered tip for easier insertion. Randall - Style sharp cutting edge.

### **CANNULA**





#### **DEPTH MARKER**


Set the desired curette marker depth after sounding the uterus. This depth acts as a visual aid to protect against perforation.

### **CANNULA AND CAP HOLDER**



#### WHITE SYRINGE CAP

Allows for transportation of sample collected in the syringe.





### WHITE CANNULA STYLET

Optional White Cannula Stylet for additional rigidity when needed, useful in stenotic patients.

### suresample · Select 1



### **Endometrial Curette**

SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

### **Specifications**

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- Cannula length 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex
- Luer Lock fitting with winged flanges
- Sterile, Single-Use ®



#### **Features**

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- Twist-and-Lock plunger on syringe makes it easier to dispense collected specimen
- White Syringe Cap allows transportation of sample collected in the syringe

# AND ELEVATING EFFECTIVENESS

### Special Introductory Price!

**SURESAMPLE® Endometrial Curette** 

REF 3130 Box of 5.....\$2995 (\$5.99 each)

Limit one-time order per office

**SURESAMPLE® Endometrial Curette** 


REF 3135 Box of 24...\*119<sup>75</sup> (\$4.99 each)

Low unit price, \$4.99 each

# <u>sure</u>sample<sup>®</sup>

### **Endometrial Sampler**

An easy to use endometrial sampler-for less. Less time and less money.



SURESAMPLE Endometrial Sampler is one of the finest endometrial samplers available today!

### Here are just a few reasons why:

- The SURESAMPLE Endometrial Sampler's 3-port sampling system doubles the harvested samples of other sampler devices
- The 3-port sampling system allows easy sample retrieval with reduced cell damage

# <u>sure</u>sample®

### **Endometrial Sampler**





### **Key Features**

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- Two phase action between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- Tensile strength and rigidity allow conformity but also provide enough strength to fit through a smaller canal.
- Small 3mm shaft diameter
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip.



High specimen yield and quality





### GalileO® Colposcope Direct-Access™ 530VCDA

### Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

#### **Features**

- Offset Center Post for Direct Access
  (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

#### **Options**

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

#### **Specifications**


- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

with a 5-wheel Rolling Base: REF 530VCDA-R ......\$6,79500 (for Left Handed REF 530LVCDA-R )

with a 360° rotating Tilt Base: REF 530VCDA-T ......56,79500 (for Left Handed REF 530LVCDA-T )



### GalileO® Colposcope

### **Direct-Access<sup>™</sup> 530VCDA**

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



### **Superb German Optics**

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



### **LED Light Source**

Lasts Longer Cool To The Touch Color Balance



#### 360° Tilt Base

Easy Maneuverability



### GalileO® Colposcope Direct-Access™ 400DA

### Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

#### **Features**

Offset Center Post for Direct Access
 (Eliminates an obscured view and provides a direct visual and easy access)

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

### **Options**

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

### **Specifications**


- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 400DA-R ......\$5,49500 (for Left Handed REF 400LDA-R)

with a 360° rotating Tilt Base: REF 400DA-T ......\$5,49500 (for Left Handed REF 400LDA-T )



### GalileO® Colposcope

### Direct-Access<sup>™</sup> 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



#### **Superb German Optics**

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



### **LED Light Source**

Lasts Longer Cool To The Touch Color Balance



#### 360° Tilt Base

Easy Maneuverability



### GalileO® Colposcope Direct-Access™ 200DA

### Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

#### **Features**

- Offset Center Post for Direct Access (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

### **Options**

- $\bullet$  360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

#### **Specifications**

• Focal Length: ± 300mm

• Magnification: 7.5X

• Field Of View: 39mm

• Depth Of Field: 1.13mm

• Light Intensity: > 30,000 LUX

• Working Height: 975mm to 1135mm

• Power Supply: 100V to 240V


• Warranty: 1 Year - Parts and Labor (excludes shipping charges)



### Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 200DA-R ......\$4,49500 (for Left Handed REF 200LDA-R)

with a 360° rotating Tilt Base: REF 200DA-T ......\$4,49500 (for Left Handed REF 200LDA-T)



### GalileO® Colposcope

### **Direct-Access<sup>™</sup> 200DA**

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



#### **Superb German Optics**

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



### **LED Light Source**

Lasts Longer Cool To The Touch Color Balance



#### 360° Tilt Base

Easy Maneuverability



### **ACCESSORIES**


### GalileO® Colposcope Direct-Access™ 530VCDA



Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer Available as free download with purchase \*Requires Video software

REF VC-Magewell .....\$29900



### Cut the Cord!

Equipped with rechargeable battery.

### **Gynex**® Monitor

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS ......\$1,59500

Monitor Only (whithout base) REF 450M .....\$29000

(Note: Actual monitor shipped may be different than model shown)


### Galileo® Binocular Microscope

- Condenser Numerical Aperture: Na = 1.25
- Stage Movement Range: Longitudinal 50mm, Tranverse 75mm
- Fine Focusing: Minimum Division .002mm
- Interpupillary Distance Adjustment Range: 53-75mm
- Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness
- Protective Cover
- Exceptional Quality And Price
- One Year Parts And Labor Warranty Included
- Extended Warranties Available (Excludes shipping charges)

### **Components and Specifications**

Eyepieces	10X Magnification 25mm Focus Ф 18mm Field		eld		
Semi-Plan Achromatic					
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperature)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38

Clearer images and wider views at a great price!



### CO4100 Colposcope

### Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

#### **Features**

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

### **Specifications**

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

### **Options**

Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light



### **CO4100 Colposcope**



### **LED Light Source**

Lasts Longer Cool To The Touch Color Balance



#### **Universal Teflon Ball Joint**

360° Easy Maneuver



### CO3100 Colposcope

### Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

#### **Features**

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

### **Specifications**

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

#### **Options**


Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO3100-LED ......\$3,99500

1 Year Extended Warranty: REF C03100-1 ......\$30000 2 Year Extended Warranty: REF C03100-2 ......\$45000



### **CO3100 Colposcope**




### **LED Light Source**

- Lasts Longer
- Cool To The Touch
- Color Balance



### **Universal Teflon Ball Joint**

• 360° Easy Maneuver



### **CO1100 Colposcope**

### Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

#### **Features**

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

### **Specifications**

• Focal Length: ± 316mm

• Magnification: 9X

• Field Of View: 22mm

• Depth Of Field: 8mm

• Light Intensity: > 25,000LUX

• Working Height: 838mm to 1194

Power Supply: 90V to 240V

• Warranty: 1 Year - Parts and Labor (excludes shipping charges)

#### **Options**


Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° Rotating Tilt Base: REF C01100-LED..... \$2,89500

1 Year Extended Warranty: REF C01100-1 ................\$45000 2 Year Extended Warranty: REF C01100-2 .......\$45000



### **CO1100 Colposcope**




### **LED Light Source**


- Lasts Longer
- Cool To The Touch
- Color Balance



### **Universal Teflon Ball Joint**

• 360° Easy Maneuver









### **Wall Mount**

The Galileo® Medical Exam Light can be mounted to a wall providing extra floor space when needed.

REF MEL-10 \$6995

### **Table Mount**

The Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.

REF MEL-20	<b>\$84</b> 95
------------	----------------

### GYNEX® Ultrasonic

### **FETAL DOPPLER**

Add this excellent Fetal Doppler yo your practice!

### Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Dimension: 215mm x 200mm x 66mm
- Includes battery charger and earphones

REF D2500 .....\$26595



GYNEX'



### Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01 .....\$29095



### **Doppler Gel**

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250 ml bottle

REF D-GEL Box of 6 ......\$3795

### **HYSTERECTOMY CLAMPS**

### **Titanium Rainbow**<sup>™</sup>

- · Retains their crisp edge up to ten times longer than standard stainless steel clamps
- Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- High level of corrosion resistance for a rust free surface





	The state of the s
Strong Curve	
REF TT590-21	21cm <b>\$278</b> 95
REF TT590-24	24cm <sup>\$</sup> 313 <sup>95</sup>
REF TT590-27	27cm <sup>\$</sup> 348 <sup>95</sup>
REF TT590-30	30cm <b>\$368</b> 95
REF TT590-36	36cm <sup>\$</sup> 388 <sup>95</sup>
Anglad	- Constitution of the Cons
Angled	21cm <b>\$278</b> 95
REF TT595-21	24cm\$313 <sup>95</sup>
REF TT595-24	24cm
REF TT595-27	
REF TTEOF 36	30cm\$368 <sup>95</sup> 36cm\$388 <sup>95</sup>
REF TT595-36	300III <b>*300</b> 33

### **ZEPHYR**™

The original  $\mathbf{ZEPHYR}^{\mathsf{TM}}$  stainless steel hysterectomy clamps set our high standard

- Available in four angles: Straight, Slight Curve, Strong Curve, Angled
- Available in four different lengths: 21cm, 24cm, 27cm, and 30cm
- Stainless steel





# REF 3580-21 21cm \$27895 REF 3580-24 24cm \$31395

REF 3580-27 27cm.....\$34895

REF 3580-30 30cm ...... \$368<sup>95</sup>



### **Slight Curve**

REF 3585-30

REF 3585-21	21cm <b>32/8</b> 99
REF 3585-24	24cm <sup>\$31395</sup>
REF 3585-27	27cm <b>\$348</b> 95

30cm ..... \$36895



### **Strong Curve**

REF 3590-21	21cm\$278 <sup>95</sup>
REF 3590-24	24cm\$313 <sup>95</sup>
REF 3590-27	27cm <sup>\$</sup> 348 <sup>95</sup>
REF 3590-30	30cm <b>\$368</b> 95



### **Angled**

REF 3595-21	21cm	\$ <b>278</b> 95
REF 3595-24	24cm	\$313 <sup>95</sup>
REF 3595-27	27cm	\$ <b>348</b> 95
REF 3595-30	30cm	\$368 <sup>95</sup>



### **HYSTERECTOMY SCISSORS**

### Titanium Rainbow™

- Retain their sharp edge up to ten times longer than standard stainless steel scissors
- Exclusive Titanium Rainbow<sup>™</sup> TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- Very high level of corrosion resistance for a rust free surface
- Smoother cutting action








**GYNEX** 

Original!





- Tungsten carbide cutting edge
- Designed to cut cleanly, every time
- Available in four angles: Curve, Slight Curve, Full Curve, Angled
- Available in two lengths: 20cm and 23cm













### Webster Smooth Needle Holder

**REF NHW3400** 13cm Length....**\$32**95



# Serrated Jaw

### Mayo-Hegar Needle Holder

REF NHMH3410-14 14cm Length......\$2895

REF NHMH3410-16 16cm Length......\$30<sup>95</sup> REF NHMH3410-18 18cm Length......\$33<sup>95</sup>

REF NHMH3410-20 20cm Length......\$3795

### Crile-Wood Needle Holder

**REF NHCW3420-15** 15cm Length......\$3095

**REF NHCW3420-18** 18cm Length......**\$34**95


REF NHCW3420-20 20cm Length......\$3895

REF NHCW3420-23 23cm Length......\$4595


Reference chart for actual instrument length in cm. Length measured around curve.

### **GYNEX LLETZ ELECTRODES ALL SIZES**


# Box of 5 **ONLY \$59**95



### **GYNEX LLETZ Electrode Features**



### Radius Loop Electrodes Our Most Popular Style




### **GYNEX LLETZ ELECTRODES ALL SIZES**


# Box of 5 **ONLY** \$5995




### **H-Series Loop Electrodes**

Precision Depth and Width Control







### **Ball Electrodes**

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

REF 2-3-2 3mm Diameter, 13.5cm shaft

GYNEX

Box of 5.....**\$59**95

### **Needle Electrode**

For electro fulguration using coagulation power outputs

**REF 15-0001** 26mm Long Needle
Box of 5......**\$59**<sup>95</sup>

### **Electrode Extender**

Effectively Doubles the Shaft Length of Your Electrode

**REF 12-0000** 13cm Length Box of 5 ......\$3995




### **ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES**



### **Electrode Handpiece, Hand Activated** with VL Plug

For use with standard removable electrodes

- Single-Use ®
- Sterile
- 10 foot cable




Box of 12......**\$104**95

### **Electrode Handpiece, Foot Activated**

For use with standard removable electrodes

- Single-Use <sup>®</sup>
- Sterile
- 10 foot cable



### Patient Dispersive Pads For LLETZ Procedures, Non-Sterile

- Adult size
- Individually sealed pouches
- Not made with natural rubber latex
- Fits most standard electrosurgical units

#### All connectors shown at ACTUAL SIZE.

Please reference the images below to confirm ordering the correct product.







Compare your connector to confirm size

REF 6010

Box of 12 ..... \$9495



### **Patient Dispersive Pad**





Compare your connector to confirm size

Box of 12..... \$8195 REF 21-809



Manufacturers
Pad REF #:
ESU-405

### **Patient Dispersive Pad, Split (REM)**



Compare your connector to confirm size

REF 33-714

Box of 12......<sup>\$</sup>81<sup>95</sup>




Generators Compatibility:	Manufacturers Pad REF #:
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II°	ESU-420

# 

**Extended Needle Adapters, Reusable** 

REF 5122	10.16cm	(4")	. <b>\$26</b> <sup>95</sup>
REF 5124	12.7cm	(5")	. \$26 <sup>95</sup>



# Cartridge Syringe - Threaded Tip, Reusable

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210 ......\$8395



### Lidocaine Cartridges, Single-Use ®

- With Epinephrine 1:100,000
- 1.7ml Cartridges

This product contains latex

NOTE: A pharmacy or physicians license is required when ordering this product.



### Prefilter, Reducer, and Filter For Smoke Evacuation Systems

### Sterile Vacuum Tubing Sets, Single-Use ®

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

**REF** 8200

12 Sets.....**\$195**95

### Prefilter Reducer, Single-Use 2 Non-Sterile

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

**REF** 8230

Oty 10 ...... \$5195

### Prefilter, Single-Use Non-Sterile

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

**REF** 8210

Oty 10 ......**\$188**95

### **ULPA Filter.** Non-Sterile

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

**REF** 8215

......\$164<sup>95 each</sup>





**ULPA Filter** 



### **Tubing and Connectors for LLETZ Procedures**

### A. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue<sup>™</sup> to

Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Connects With

Box of 12......\$2195

### B. Flexible-S Tubing, Non-Sterile

Not made with natural rubber latex.
Connects to DSE Tubing.
Convenient 6-Pack.
1/4" ID.3/8" OD x 2'

\_\_\_\_

**REF** 8024 Box of 6 ...... \$42<sup>95</sup>

More in a Box.

Same Price Per Piece.



Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

**REF** 8009

Box of 50 ...........\$8895

Inserts into smoke evacuation tube clip in speculum

## D. Clear-Flue<sup>™</sup> Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Oty 24......**\$70**95

### E. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue<sup>™</sup> to Sterile


Vacuum Tubing. 3/8" to 7/8"

**REF** 8103

Box of 12...... \$2195



**Connects With** 





### Sterile Vacuum Tubing Sets, Single-Use 2

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 "OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

**REF** 8200

12 Sets ...... \$19595



### **TOPICAL ANESTHETIC**



### HurriCaine Snap-n-Go<sup>™</sup> Swabs

- 72 Single-Use ® swabs per box
- Fast onset 20 seconds
- Dose .15ml

REF 0569 ......\$519





### **HurriCaine Spray Kit**

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF 0183		\$6995
----------	--	--------

# STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270**°. Gynex LLETZ coating must be autoclaved at **250**°. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

### Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10-6.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

# Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

# **LLETZ INSTRUMENTS**

### **LLETZ-Coated Teneculum**

Extremely gentle tissue pickup • Coated Stainless Steel • Length 25cm

### **Braun LiteTouch™ Tenaculum**

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250 .....\$14595

### **Braun Standard Tenaculum**

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$14595

### **LLETZ-Coated Hooks**

Length 26cm on all hooks • Coated Stainless Steel

### **Iris Hook**

REF 3230 ......\$8595

### **Emmett Tenaculum**

REF 3240 ......\$8595

### **Angle Hook**

REF 3245 ......\$859

## **LLETZ-Coated Tissue Forceps**

- Coated Stainless Steel
- Length 21.5cm

REF 3205 .....\$959

**Autoclave** 

Read Notice on Page 74

### **LLETZ-Coated Rulers**

### **Depth Ruler**

- Coated Stainless Steel
- Length 24cm
- Millimeter markings, center at 5mm

REF 3250 \$10295



### Width Ruler

- Coated Stainless Steel
- Length 22cm
- Millimeter markings

**REF** 3255

.....\$102<sup>95</sup>

# 4-Way Expander Vaginal Speculum for LLETZ procedures!

The 4-Way Expander Vaginal Speculum is designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

### **Features**

- Built-in smoke evacuation tube holder
- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Autoclavable & Sterilizable



LLETZ Coated

OK to Autoclave


Read Notice on Page 74 Before Ordering

> Side Blades Lock In Place

 DSE Tubbing Holder for Smoke Evacuation LLETZ Coated

# Lateral Vaginal Retractor for LLETZ Procedures!

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.



Blade Reference Chart: Shown Actual Size. Scale 1:1


# **Open-Sided Speculum**

Left and Right Opening

0 mm

LLETZ Coated

Blade Reference Chart: Shown Actual Size, Scale 1:1



Don't Forget to Order Your DSE Smoke Evacuation Tubing for Your LLETZ Specula

(see pages 72-73)



OK to Autoclave Read Notice on Page 74 Before Ordering


# Sullivan Vaginal Speculum for LLETZ Procedures!


### **Features**

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- · Locks firmly into place

### ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1





Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula

OK to Autoclave Read Notice on Page 74 Before Ordering





# Pederson & Graves for LLETZ Procedures!




OK to Autoclave Read Notice on Page 74 Before Ordering WideView

Opening Shown Actual Size,
Scale 1:1

GYN€X

Graves


Blade Reference Chart: Shown Actual Size, Scale 1:1









# Pederson & Graves Stainless Steel Vaginal Speculum













### **Features**

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place




### ideal for bariatric patients

Blada Bafananaa Chanti Chairin Aatiral Ciaa Caala 1.1








C-Arm is designed to parallel the contour of the patient's leg



No side obstruction like most specula




### **Lateral Vaginal Retractor**

Control side wall collapse and get more cervical access with a GYNEX Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX Wide-View<sup>™</sup> and FullView<sup>™</sup> Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix







## **Auvard Weighted Speculum**

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

- Fixed Weight: 1.4 kg
- 105mm long
- 38mm wide

REF SA2200 ......\$297<sup>95</sup>



# **Guttman Stainless Steel Speculum** with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina

• Available in two sizes (Medium And Large)

### Medium

Large



## **Greenberg Hysteroscopy Speculum**

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.

REF 2801 .....\$**51**<sup>95</sup>




"The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used."

James Greenberg, MD, Boston, MA



Blade Reference Chart: Shown Actual Size, Scale 1:1





# Titanium Rainbow™ Speculum



# Vaginal pH Test

# pHEM-ALERT®

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!

**REF pH-99** Box of 12 ......\$**64.95** 



Buy 2 boxes for the price of 1 box. ORDER TODAY! Special Offer is valid through 6/30/21



The pHEM-ALERT® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant odor, Unusual discharge.


This test may help decide if these symptoms are caused by an infection that may require follow-up by your healthcare provider. This test is only intended for women who have normal menstrual periods (periodic vaginal bleeding) or who may currently be pregnant.

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set
- CPT codes: 83986 and 83986QW

### Color Change Could be Associated with the Following Conditions

Sunflower Yellow	Dark Yellow	Olive Yellow	Olive Green	Olive Blue	Navy Blue	Midnight Blue
Normal pH	<ul> <li>Low grade bacterial</li> </ul>	<ul> <li>Bacterial vaginitis</li> </ul>	<ul> <li>Bacterial vaginitis</li> </ul>	<ul> <li>Bacterial vaginitis</li> </ul>	<ul> <li>Low to no serum</li> </ul>	Low to no serum
Predominant lactobacilli	vaginitis • Borderline serum	Low serum estradiol	Low serum estradiol	<ul> <li>Very low serum estradiol</li> </ul>	estradiol	estradiol
Possible yeast overgrowth	estradiol				STERILE	EO Single-Use ®
Normal serum estradiol					Not made	with natural rubber latex.

# pHEM-ALERT® is the key to vaginal health!





### Instrument Lubricant and Rust Inhibitor

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

Prevents Rust, Spots, Stains and Corrosion Restores Articulation to Sticky Box-Locks and Joints Withstands High Temperatures of Autoclaving Steam Penetrable, Sterilizable and ETO Sterilizable

Non-Oily, Non-Sticky, Non-Toxic and Silicone Free



To preserve and extend the life of your instrument!

**CLEAN • LUBRICATE • STERILIZE** 

# INSTRUMENTS CARE AND CLEANING

### **GYNEX® Hot Beads**

Plunge metal instruments into hot glass beads for instant sterilization. These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX Hot Beads come in simple pre-measured containers.

- Glass bead bath maintains constant 233°C
- No messy chemicals or open flames in the laboratory



6-Month Supply 1-year Supply REF 7106

### Stain-Ex™

### For Your LLETZ-Coated Instruments

Stain-Ex<sup>™</sup> is a specially denatured alcohol solution that removes tough stains. Effective stain remover for all of your LLETZ-coated instruments (see pages 75-81 for Gynex LLETZ-coated instruments). A variety of stains including blood and Monsel's can be removed when soaked in Stain-Ex<sup>™</sup>. No hard scrubbing that can damage the coating. Follow the instructions and you can keep your instruments looking as good as new.



- Biodegradation
- Phosphate free
- · Removes blood stains
- Removes Monsel's stains

REF SS10

1 Gallon ......**\$85**95

# GYNEX® SHARPENS AND REPAIRS MOST INSTRUMENTS

Toll Free: (888) 486-4644 (8:00am-4:30pm CDT)

### Pricing is as follows:

Gynex brand biopsy punch	\$65.00
Other brands biopsy punch	\$75.00
Gynex brand curette	\$40.00
Other brand curette	\$50.00

# All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

### **Selling Notice:**

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

#### Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

### **Return Policy:**

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

# The following items may be

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment\*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
- \*Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

# The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

#### Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

#### **Disclaimer:**

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

#### **Trademark Notices:**

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue. C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. DennisDilators and Target • Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas, ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon is a registered trademark of DuPont. Speculume is a registered trademark of Cvalume.

### Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

### **Official Notice**

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

#### **Latex Notice**

**ONLY** the following product in this catalog *may* contain latex:

REF 1150 Lidocaine Cartridges (cartridge stoppers)

# **INDEX**

Acetic Acid	3	ENDOCERVICAL		SCISSORS	
Alligator Grapser, Gynex	29	Specula	18, 21	IUD String	29
Ascona® IUD String Snare	27	ENDOMETRIAL SAMPLER		Titanium Rainbow	64
Accu-Sound®		Endometrial Curette	42-43	Zephyr Stainless	
BARIATRIC INSTRUMENTS		Endometrial Sampler	44-45	Iris Stainless	
Biopsy Punches	7-11	FORCEPS		Littaur Stitch Scissors	
Tissue Forceps	11	Foerster, Stainless	19	SMOKE EVACUATION	
Specula, LLETZ Coated		Laminaria Insertion Forceps		Prefilter, Single-Use @	72
Specula, Stainless Steel		Sponge Forceps, Single-Use	74	Prefilter Reducer	
BIOPSY PUNCHES		Ovum Forceps		ULPA Filter	
Ceramix®	11	GRASPER		Tubing	
Cobalt Blue	10	Alligator Grapser, Gynex	29	SPECULA	
i-Series Titanium Rainbow®	9	Serpentine Grasper		LLETZ Coated	
Stainless	4-8, 21	HOOKS		4-Way Expander	76
Apex	8	LLETZ Coated	75	Graves	
Eppendorfer	14, 21	Stainless Steel	15, 21	Open-Sided (left/right opening)	
Kevorkian	-	IUD INSTRUMENTS	,	Pedersons	
Medium-Tischler		Ascona® IUD String Snare	27	Sullivan	
Mini-Tischler	6-13, 21	Alligator Grasper		Single-Use	
RotoTip Biopsy Punches		Crochet Type IUD Removers		SpecuLume® EZ	4-5
Sullivan		IUD Insertion Kit		Stainless Steel	
Tischler		Serpentine Grasper		Auvard	86
Wittner		String Scissors		Graves	
CARE AND CLEANING		Willows® IUD String Snare		Greenberg	
Beads, Hot Glass Sterilizer	93	LATERAL VAGINAL RETRACTORS		Guttman	
Instrument Lubrication		LLETZ	77	Open-Sided (left/right opening)	
Instrument Repair and Sharpenin		Stainless		Pederson	
Spectra-Clave	•	Lidocaine		Sullivan	
Stain-Ex		Light, Medical Exam		Titanium Rainbow®	
Clamps		LLETZ COATED INSTRUMENTS		Graves	89
COLPOSCOPES		All Items	75-81	Pederson	
Galileo®	46-51	Hooks		STERILIZATION	
CO Series		LVR		Beads, Hot Glass Sterilizer	93
Colposcopy Sets		Speculum		Sterilization Notice	
Curettes		Sponge Forceps, Single-Use ®		SURESAMPLE® Select1	
DILATORS	13 17, 40,42 43	Medical Exam Light, Galileo®		Syringe, Cartridge®	
All Uterine Dilators	32-30	Microscope		Table of Contents	
Dennis Dilators, Single-Use ®		Monsel's		TENACULA	
Dennis Dilators, Reusable		Needle Adapter		Braun	10
Hank Dilators, Uterine		NEEDLE HOLDERS		Schroeder	
Hegar Dilators, Uterine		Webster	65	Skene	
Mini Dilators, Uterine		Mayo-Hegar		Teale	
Mini Dilators Tips, 4mm and 5mm		Crile-Wood		Thermometer - Touch Guard™	
Pratt Dilators, Uterine		OVUM FORCEPS	03	Topical Anesthetic - HurriCaine®	JZ
Small Dilators, Uterine		Bierer	25	Spray Kit	7/
Soft Dilators, Single-Use @		Blumenthal		Swabs	
Soft Dilators, Reusable		Jacobson		Transit Map	
Doppler, Ultrasonic		Saenger		Uterine Manipulator / Injector	
ELECTRODES	01	Sopher Original			41
	£0			UTERINE SOUNDS  Accu-Sound®	20.21
Ball Electrode		Patient Dispersive Pads	/U		
Electrode Extender		PUNCHES	20	Sim Sound Vaginal pH Testing - pHEM-ALERT®	
Electrode Handpieces		Keyes		vaginal pri resung - priewi-Alek I	90
H-Series Loop Electrodes		Keyes Acessories			
Needle Electrode		Vulvar			
Radius Loop Electrodes		REPAIRS & SHARPENING SERVICE	93		
Square Loop Electrodes	68				



Toll Free: (888) 486-4644

(8:00AM-4:30PM CDT

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com





Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

#### Note:

Pre-paid shipping charges of \$14.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, and international orders. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders.

A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 95 of this catalog.



### Mail Orders To

GYNEX P.O. Box 822369

Make a copy of this order form, fill it out and mail or fax it to GYNEX at (425) 895-0115

P.O. Box 822369 North Richland Hills, Texas 76182

GYNC:	X		7///	Order Fo	orm			
Billing Address:  Name  Address  CityState Zip  Email  Phone ( )					Ship To:         Name			
REF	Qty.			Description	n	Price Each	Total	
	1	1						
Make checks payable to: GYNEX Corp.  Credit Card Charge: Wasterar WISA  Credit Card Security Code  Exp. Date			Pre-Paid Ground Shipping and Handling CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII.					
		AMERICAN DOTRESS S			\$14.50			
			(Shipping charges apply for orders to Alaska and Hawaii)					
Credit Card Num	nber				Sales Tax Apply for Resident			
Signature						Total		



6631 Browning Drive, North Richland Hills, TX 76180

**Tel**: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX

