GYNEX®

Fall 2021

Your Monsel's Resource

page 2



Trevor says . . .



Gynex Corporation has moved its headquarters to Texas. This relocation was an opportunity to upgrade our facility and better serve our customers. We look forward to quickly processing your orders and improving our transit time.

Our Monsel's Paste is featured on the front cover. It is pre-thickened and packaged into single-procedure vials for your convenience. The thickened formulation makes application of the popular hemostatic agent easy. The paste can be applied directly to the surgical site following excision of tissue.

Gynex president and CEO, Stephen J. Sullivan, has been a trusted provider of women's health care instruments since 1976. In 1978 Steve invented and developed the first Tischler-style biopsy punch, which went on to become the industry standard. Today, we offer a wide variety of styles and lengths which can be found on pages 7-14. If you're not sure which is the right one for you, just give us a call and our team will assist you.

We have been in operation for almost a quarter century, but our vision remains steadfast. Gynex's mission of providing you with quality and value remains unchanged. Whether you are a single office or a large hospital, we continue to make our pricing transparent.

As always, thank you for making Gynex your OBGYN instrument resource.

Thank you,

Trevor Kurz

Trevor Kurz

Chief Operating Officer, GYNEX® Corporation



Stephen SullivanPresident and CEO, GYNEX® Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.

ONTHE COVER Monsel's Paste page 2

BACK COVER Instrument Repair and Sharpening page 93

GYNEX Products Fall 2021

Table of Contents

COVER: Monsel's Ferric Subsulfate Paste2		
BACK COVER: Instrument Repair and Sharpening93		
Monsel's Ferric Subsulfate Paste	2	
Acetic Acid®	3	
Speculum - SpecuLume® EZ, Single-Use ®	. 4-5	
TISCHLER BIOPSY PUNCHES	7-10	
Biopsy Punch - Ceramix®	11	
Bariatric Tissue Forceps, 1x2 teeth	11	
ROTATING PUNCHES -ROTOTip™1	2-13	
Ring Handle Punches		
Eppendorfer and Whittner Punch	14	
HOOKS	15	
ENDOMETRIAL CURETTES	15	
ENDOCERVICAL CURETTES1	6-17	
Curette Sharpening File	17	
Endocervical Speculum	18	
TENACULUM	8-19	
Foerster Forceps	19	
COLPOSCOPY SET2	0-21	
Thermometer -Touch-Guard™	22	
KEYES PUNCHES	23	
OVUM FORCERS		
OVUM FORCEPS 2	4-25	
	4-25	
IUD SECTION		
IUD SECTION Serpentine Grasper	. 26	
IUD SECTION Serpentine Grasper Ascona® IUD Snare	. 26 27	
IUD SECTION Serpentine Grasper Ascona® IUD Snare	. 26 27 27	
IUD SECTION Serpentine Grasper Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single Use ® IUD Removers	. 26 27 27 28	
IUD SECTION Serpentine Grasper Ascona® IUD Snare	. 26 27 27 28 29	
IUD SECTION Serpentine Grasper	. 26 27 27 28 29	
IUD SECTION Serpentine Grasper	. 26 27 27 28 29 29	
IUD SECTION Serpentine Grasper	. 26 27 27 28 29 29	
IUD SECTION Serpentine Grasper	. 26 27 27 28 29 29 0-32 2-39 40	
IUD SECTION Serpentine Grasper	. 26 27 28 29 29 0-32 2-39 40 41	
IUD SECTION Serpentine Grasper	. 26 27 28 29 29 0-32 2-39 40 41	
IUD SECTION Serpentine Grasper	. 26 27 27 28 29 29 0-32 2-39 40 41 2-43	
IUD SECTION Serpentine Grasper	. 26 27 28 29 29 29 40 41 2-43 4-45 6-51	
Serpentine Grasper	. 26 27 28 29 29 40 41 2-43 4-45 6-51 52	
IUD SECTION Serpentine Grasper	. 26 27 28 29 29 40 41 2-43 4-45 6-51 52 53	
Serpentine Grasper	. 26 27 28 29 29 40 41 2-43 4-45 6-51 52 53 4-59	
Serpentine Grasper	. 26 27 27 29 29 0-32 2-39 40 41 2-43 4-45 6-51 52 53 4-59	
Serpentine Grasper	. 26 27 27 29 29 0-32 2-39 40 41 2-43 4-45 6-51 52 53 4-59	

HYSTERECTOMY CLAMPS - Titanium Rainbow™/ Zephyr™	
HYSTERECTOMY SCISSORS - Titanium Rainbow™/Zephyr™	
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	
LLETZ ELECTRODES	
Electrode Extender / Electrode Handpieces	
${\bf Electrosurgery\ Patient\ Dispersive\ Pads\ for\ LLETZ\ Procedure\ }.$	
Extended Needle Adapter and Accesories	
Lidocaine Cartridges, Single-Use ®	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	
Sponge Forceps, Single-Use ®	
Topical Anesthetic - HurriCaine®	74
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenacumlum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	.78-79
Pederson & Graves Vaginal Speculum	.80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	.82-83
Sullivan Speculum	
Lateral Vaginal Retractors	
Auvard Weighted Speculum	
Guttman Speculum	
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Laminaria Insertion Forceps	
Titanium Rainbow™ Speculum	
Vaginal pH Test - pHEM ALERT® INSTRUMENT CARE AND CLEANING	90
Hot Glass Beads Sterilizer- GYNEX®	
Low Suds Detergent Concentrate - Touch-Guard™	
Stain Ex™ Stain Remover - Touch-Guard™	
Instrument Lubricant - Touch-Guard™	
Instrument Repair and Sharpening	93
INDEX	95
ORDER INFORMATION	
ORDER FORM	97

Monsel's Ferric Subsulfate Paste 20-22%

Helps control bleeding during biopsy, LLETZ and laser procedures.

Monsel's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

REF 5055 Box of 12...... \$183⁹⁵

NOTE: A pharmacy or a physician's license is required when ordering this product.







Acetic Acid 5%

Helps enhance the appearance of abnormal areas.

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

REF AA312 Box of 12...... \$84⁹⁵

NOTE: A pharmacy or a physician's license is required when ordering this product.

Specu**Lume® EZ**

Single-Use

Vaginal Speculum with Illumination Insert

Finally, a single-use vaginal speculum that provides true intravaginal lighting, greater clinician visibility, and increased patient comfort. The functionality of the sturdy, classic metal speculum combined with the benefits of modern designs make it silent to operate, disposable, and affordable to any budget.

Slides up and open just like a <u>Graves</u> speculum! "No Clicking"



Illumination Insert



DESIGNED FOR IMPROVED PATIENT AND CLINICIAN INTERACTION

Elevates silently; holds securely; releases easily

IMPROVES CLINICAL PERFORMANCE

Provides diffused illumination positioned where needed most

COST-EFFECTIVE AND ENVIRONMENTALLY FRIENDLY

No batteries or electricity needed; no costly cleaning or sterilization chemicals

EASY-TO-USE, STURDY DESIGN

Operates like traditional metal, Graves speculum; disposable like plastic

With Specu**Lume® EZ**

MADE IN THE USA

- Unique light source generates no heat.
- Light insert ready in a "snap" without requiring electricity or batteries.
- After use, discard the entire product as clinical waste; nothing to disassemble, because there is no battery.
- Single middle bolt design allows for simple operation and securely locks in place.
- Completely recyclable and more environmentally friendly than battery-powered devices.
- Chemiluminescent insert produces optimal distributed lighting for 15 minutes, eliminating harsh illumination.

ILLUMINATED VAGINAL SPECULUM

Single-Use

Vaginal Speculum with Illumination Insert

"Finally a disposable speculum that makes sense"

LARGER OPENING

Large user opening Provides greater visual access, 42mm x 65mm

SILENT ADJUSTMENT

Single middle bolt silently elevates and securely locks upper blade Eliminates annoying racketing noise for improved patient experience

CHEMILUMINESCENCE

Light insert can be placed on either upper or lower blade Allows flexibility for optimal bright illumination

PINCH GUARDS

"Pinch Guards" block the gap between the proximal ends of upper and lower blades

Safeguards the patient when the upper blade is lowered

ANGLED HANDLE

Handles are angled away from patient Provides more space between clinician's hands and patient

Low unit price,

\$2.40 each

Speculume® EZ , Small

REF 28-100^{\$}59⁹⁵ Box of 25

Speculume® EZ, Medium

REF 28-200 \$59⁹⁵ Box of 25

Speculume® EZ, Large

REF 28-300\$59⁹⁵


Box of 25



Tischler

BIOPSY PUNCHES

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide



BIOPSY PUNCHES SECTION

see pages 7-14

Not sure which biopsy punch you need?

Call GYNEX today at 1(888) 486-4644 and one of our sales associates will gladly assist you.

TISCHLER BIOPSY PUNCHES

The Best Selling Design in The World

Stainless Steel



Tischler, Straight Standard

Actual Bite Size: 7mm x 3mm

20cm Shaft......\$39995 25cm Shaft......\$40995

REF 1035 bariatric

REF 1010



Tischler, Up Standard

Actual Bite Size: 7mm x 3mm


REF 1012

20cm Shaft......\$39995



Tischler, Down Standard

Actual Bite Size: 7mm x 3mm



REF 1014

Tischler, Left Standard

Actual Bite Size: 7mm x 3mm

REF 1020





Tischler, Right Standard

Actual Bite Size: 7mm x 3mm

20cm Shaft.....\$39995 REF 1019



GYNEX Original!

Mini-Tischler, Straight Standard

Actual Bite Size: 4.2mm x 2.3mm

20cm Shaft.....\$39995 REF 1005 REF 1030 25cm Shaft......\$40995

bariatric



Mini-Tischler, Up Standard

Actual Bite Size: 4.2mm x 2.3mm

20cm Shaft......\$39995 REF 1006



Mini-Tischler, Down Standard

Actual Bite Size: 4.2mm x 2.3mm

20cm Shaft.....\$39995 **REF** 1007



Mini-Tischler, Left Standard


Actual Bite Size: 4.2mm x 2.3mm

20cm Shaft.....\$39995 REF 1022




Mini-Tischler, Right Standard


Actual Bite Size: 4.2mm x 2.3mm



REF 1021

20cm Shaft.....\$39995





I-SERIES TITANIUM BIOPSY PUNCHES





Titanium Rainbow™ TiO Coating

Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. The cutting edges will stay sharp longer.

- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Tischler - Standard, Titanium Rainbow™



Actual Bite Size: 7mm x 3mm



Tischler, Straight



REF TT035

25cm Shaft, Extra-Long \$40995



Tischler, Up

REF TT011 20cm Shaft \$39995

REF TT036

25cm Shaft, Extra-Long \$409⁹⁵



Tischler, Down


REF TT012 20cm Shaft \$399⁹⁵

REF TT037

25cm Shaft, Extra-Long \$409⁹⁵ bariatric

Mini-Tischler, Titanium Rainbow™





Mini-Tischler, Straight

REF TT005 20cm Shaft \$39995

REF TT030

25cm Shaft, Extra-Long \$409⁹⁵



Mini-Tischler, Up

REF TT006 20cm Shaft \$399⁹⁵

REF TT031

25cm Shaft, Extra-Long \$40995




Mini-Tischler, Down

REF TT007 20cm Shaft \$399⁹⁵


REF TT032

25cm Shaft, Extra-Long \$409⁹⁵

TITANIUM COATED BIOPSY PUNCHES



Designed for excellence • Manufactured for durability



REF PINK010

20cm Shaft........\$39995

REF PINKO05

20cm Shaft......**\$399**95

CERAMIX COATED BIOPSY PUNCHES

Our sharpest, longest lasting biopsy punch



GYNEX **Original!**

CERAMIX™ Biopsy Punches

Proprietary Ceramix coating will stays sharp up to 10 times longer than ordinary stainless steel.

- Incomparable cutting-edge hardness (see Hardness Comparison Chart below)
- Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- · Low friction coefficient
- Tip Locking Tab **Length:** 20cm

Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.



CERAMIX Mini-Tischler, Straight

REF 1060 20cm Shaft \$49995



CERAMIX
Tischler, Straight

REF 1070 20cm Shaft......\$499⁹⁵



CERAMIX
Tischler, Medium

REF 106520cm Shaft..........\$49995




CERAMIX Apex[™]

REF 1075 20cm Shaft......**\$499**⁹⁵


Bariatric Tissue Forceps, 1x2 teeth

Hold and manipulate various tissue. Extended reach available in two long lengths.

bariatric




ROTATING BIOPSY PUNCHES



ROTO TIP™ Biopsy Punches

ROTO Tip™ rotating biopsy punches offer the added convenience of making a quick change in the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provide you a cost savings option to add angled tips. These tips easily rotate allowing you to gain better positioning for a biopsy sample.



Tischler, Standard



Tischler - Standard, Tip-Straight

REF 1200-10

Complete Punch\$44995

Mini-Tischler



Mini-Tischler, Tip-Straight

Extra Handle



ROTO Tip™ Extra Handle

REF 1200
Handle only\$18900

Extra Tips

Tischler, Standard-Straight REF
Mini-Tischler, Straight REF

REF 1210 REF 1205 See our full list of tips on the next page.

Tischler, Standard

Actual Bite Size: 7mm x 3mm



Tischler, Standard Up

REF 1200-30 Complete Punch\$44995



Tischler, Standard Down

REF 1200-20

Complete Punch**\$449**95



Oval Tip

Oval Tip

REF 1200-35

Complete Punch**\$449**95

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Up

REF 1200-25

Complete Punch\$44995



Mini-Tischler, Down

REF 1200-15

Complete Punch**\$449**95

Kevorkian Tip

Actual Bite Size: 9mm x 3mm



Kevorkian Tip

REF 1200-40

Complete Punch \$44995



Length: 21cm



Extra Tips

Tischler, Standard Up	REF 1230	Extra Tip	\$26995
Tischler, Standard Down	REF 1220	Extra Tip	\$26995
Mini-Tischler, Up	REF 1225	Extra Tip	\$26995
Mini-Tischler, Down	REF 1215	Extra Tip	\$26995
Oval Tip	REF 1235	Extra Tip	\$26995
Kevorkian Tip	REF 1240	Extra Tip	\$ 269 95

RING BIOPSY PUNCHES



HOOKS



Angle Hook

REF 3225 26cm Length \$49⁹⁵



2-Prong Hook

REF 3227 26cm Length..........**\$59**⁹⁵



Iris Hook

REF 3210 26cm Length \$4995



3-Prong Hook

REF 3229 26cm Length...... \$59⁹⁵



Emmett Tenaculum



ENDOMETRIAL CURETTES

Novak Curette

Length: 25cm

- » Luer lock suction attachment
- 2mm Shaft/Tip

REF 3302\$5195

3mm Shaft/Tip

REF 3303\$5195

4mm Shaft/Tip



Randall Curette

Length: 25cm

- » Luer lock suction attachment
- 2mm Shaft/Tip

REF 3310\$5195

3mm Shaft/Tip

REF 3312\$5195

4mm Shaft/Tip

REF 3314\$5195



ENDOCERVICAL CURETTES

Spiral Curette

This unique endocervical spiral dual purpose curette was developed bt Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto.

- Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample.
- Acts as a cervical dilator allowing cervical or endometrial sampling.



Titanium Cobalt Lickrish Spiral Curette

Titanium Rainbow Lickrish Spiral Curette

Stainless Lickrish Spiral Curette

This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the os, advancing and rotating at the same time.

Endocervical Curettes - Six Tip Design



Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

REF 3005

Basket size: 12mm x 2mm

32cm Length \$7695

Basket size: 11.5mm x 2mm



Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

REF 3015

32cm Length**\$76**95

Kevorkian Curette no Basket Square Tip

The curette is designed with no basket which allows for easier removal of sample after the curettage procedure.

REF 3010

Townsend Curette Small Tip

Basket size: 7mm x 1.3mm

This curette has the benefit of a small pointed tip that allows easier

penetration of the os.

REF 3020

32cm Length \$7695

Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue.

REF 3025

30cm Length......\$7695

EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

32cm Length......**\$79**95 REF 3050

Titanium Curettes



Basket size: 10.5mm x 2mm



Titanium Rainbow Kevorkian Curette with Basket Square Tip

Basket size: 12mm x 2mm



Titanium Rainbow Kevorkian Curette no Basket Square Tip

REF TC3010 32cm Length......**\$76**95





Curette Sharpening File

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900\$3195



Kevorkian Curette

Kevorkian Curette Single-Use eliminates crosscontamination concerns. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

REF 3030 Box of 25......**\$73**95



Standard Ratchet

REF 2130

No-Lock Handle





Skene TenaculumSlight Curve

REF 3534 24cm Length........**\$52**⁹⁵



Slight Curve

REF 3536 23cm Length........ ***52**95

Braun Tenaculum

LiteTouch[™], Straight Handle

REF T2230 25cm Length..........**\$52**⁹⁵

When closed, LiteTouch tips overlap 1-2 mm ±1mm



Standard, Straight Handle

REF 3502 25cm Length.......\$5295

REF B230 30cm Length........\$5995

When closed, Standard tips overlap 4-6 mm ±1mm



REF 3532 25cm Length.......\$6295

Foerster Forcep

Straight Handle

REF 3540 24cm Length \$5295 REF B330 30cm Length \$5995

Angled Handle

REF 3542 24cm Length \$6295



Schroeder Tenaculum

LiteTouch , Straight Handle

When closed, LiteTouch tips overlap 1-2 mm ±1mm

Standard, Straight Handle

REF 3500 25cm Length.......**\$52**⁹⁵

REF B130 30cm Length........**\$59**⁹⁵

When closed, Standard tips overlap 4-6 mm ±1mm

Standard, Angled Handle

REF 3530 25cm Length.......\$6295

Schroeder Tenaculum

Double Tooth, Straight Handle

REF 3501 25cm Length........ \$5295



Angled

Straight or Angled Handle and LiteTouch™ or Standard Tip



BUILD YOUR OWN COLPOSCOPY SET

SET OF 5 INSTRUMENTS for **ONLY** \$67500

Each **GYNEX Colposcopy Set** consists of five (5) instruments essential for colposcopy procedures

To order, choose one item from each section:

- Biopsy Punch
- Endocervical Speculum
 - Vaginal Speculum
 - Endocervical Curette
 - Tissue Hook

Priced at \$675, the GYNEX Five Instrument Colposcopy Set saves you a bundle!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a **GYNEX Colposcopy Set**.



GYNEX® Colposcopy Set

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.

This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...


Biopsy Punches	REF
☐ Tischler, Straight	1010
☐ Mini-Tischler, Straight	1005
☐ Medium-Tischler	1008
☐ Tischler-Kevorkian	1015
☐ Tischler, Straight, RotoTip	1200-10
☐ Mini-Tischler, Straight, RotoTip	1200-05
☐ Eppendorfer	1017
☐ Wittner, Straight	1026
☐ Wittner, Angled	1027

Endocervical	Specula	REF
☐ Standard Ratchet	3mm	2130
□ No-Lock Handle	3mm	2030
☐ Standard Ratchet	4mm	2140
■ No-Lock Handle	4mm	2040

Tissue Hooks	REF
☐ Iris Hook	3210
☐ Emmett Tenaculum	3220
☐ Angle Hook	3225

Endocervical Curettes	REF
☐ Square Tip, with Basket	3005
☐ Square Tip, no Basket	3010
☐ Round Tip, with Basket	3015
☐ Townsend Curette with Basket	3020

Vaginal Sp	pecula	REF
□ WideView [™]	Pederson Medium	2500
□ WideView [™]	Pederson Large	2525
□ WideView [™]	Short Blade	2530
□ WideView [™]	Graves Medium	2540
□ WideView [™]	Graves Large	2545
□ FullView [™]	Pederson Medium	2600
□ FullView [™]	Pederson Large	2625
□ FullView [™]	Graves Medium	2650
□ FullView [™]	Graves Large	2655
☐ Standard	Pederson Medium	2457
☐ Standard	Pederson Large	2459
☐ Standard	Graves Medium	2452
☐ Standard	Graves Large	2454



Select one Endocervical Speculum



Select one Hook

For more information, see page 15

Select one Curette

For more information, see page 16





Touch-Guard INFRARED THERMOMETER

Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature

Weight: 1.8 oz

Dimension: 15 x 3.7 x 1.6

REF TG-2000.....\$5999



LED Display












Get reliable results within seconds with Touch-Guard® Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.

Keyes Vulvar Punch

These very strong and durable punches are especially useful for skin biopsy of the vulva.

Sizes: 2mm through 7mm



Keyes Punch Set

The Keyes Punch Set contains a Keyes Vulvar Punch Handle with six sizes of interchangeable screw on tips, and is enclosed in a storage case with numerically designated holding pins for each tip.

Sizes: 2mm through 7mm

REF 1310 \$226⁹⁵



Keyes Vulvar Punch

These amazing punches are especially useful for skin biopsy of the vulva. STERILE, Single-Use ®, Seamless tips.

Sizes: 2mm through 8mm



Keyes Punch Accessories Kit

We have designed the perfect accessory kit for the Keyes Punch. The kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. We thoughtfully included a diamond coated sharpening stone to keep your punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone




OVUM FORCEPS



Sopher Jaw Actual Size: 11mm



Actual Size: 12mm



Actual Size: 14mm

Sopher Original

 REF
 3544
 Ratchet Handle
 \$10495

 REF
 3546
 No Ratchet
 \$9995

Sopher Standard

Length: 25.5cm (10") Curved Jaw 12mm

REF 3548 Ratchet Handle \$10495

REF 3550 No Ratchet \$9995

Length: 25.5cm (10") Curved Jaw 14mm

 REF
 3552
 Ratchet Handle
 \$109⁹⁵

 REF
 3554
 No Ratchet
 \$104⁹⁵

Sopher Standard

Length 28cm (11") Curved Jaw 14mm

 REF
 3560
 Ratchet Handle
 \$10995

 REF
 3562
 No Ratchet
 \$10495

Sopher Standard

 REF
 3564
 Ratchet Handle
 \$11495

 REF
 3566
 No Ratchet
 \$10995

Length: 33cm (13") Curved Jaw 14mm

 REF
 3568
 Ratchet Handle
 \$11995

 REF
 3570
 No Ratchet
 \$11495



No Ratchet Handle





Sopher Original Jaw Open



Sopher Standard Jaw Closed



Sopher Standard Jaw Open



Bierer, Jaw Open

Dicici			
Length: 28cm (11") Straight Jaw 16mm			
REF 3572	Ratchet Handle	^{\$} 104 ⁹⁵	
REF 3574	No Ratchet	\$9995	
Length:	28cm (11") Strai	ght Jaw 19mm	
REF 3576	Ratchet Handle	\$10995	
REF 3578	No Ratchet	\$104 ⁹⁵	
Length: 33cm (13") Straight Jaw 16mm			
REF 3580	Ratchet Handle .	^{\$} 109 ⁹⁵	
REF 3582	No Ratchet	\$104 ⁹⁵	
Length: 33cm (13") Straight Jaw 19mm			
REF 3584	Ratchet Handle .	^{\$} 114 ⁹⁵	
REF 3586	No Ratchet	\$109 ⁹⁵	



Jacobson, Jaw Open

Jacobson

Length: 28cm (11") Straight Jaw 20mm			
REF 3588	No Ratchet		\$104 ⁹⁵

Blumenthal



Blumenthal "lips" protect surrounding tissue

Blumenthal

Length: 28cm (11") Straight Jaw 20mm				
REF 3592 No Ratchet	^{\$} 104 ⁹⁵			
Length: 33cm (13") Straight Jaw 20mm				
REF 3594 No Ratchet	^{\$} 109 ⁹⁵			



Saenger Inner diameter teeth within oval jaws

Saenger				
Length: 26.5cm (10.5") Straight Jaw 1	6mm			
REF 3596 Ratchet Handle \$1	44 ⁹⁵			
REF 3598 No Ratchet	39 ⁹⁵			
Length: 26.5cm (10.5") Curved Jaw 16mm				
REF 3600 Ratchet Handle\$1	44 ⁹⁵			
REF 3602 No Ratchet	39 ⁹⁵			
Length: 29cm (11.5") Straight Jaw 16ı	nm			
REF 3604 Ratchet Handle\$14	19 ⁹⁵			
REF 3606 No Ratchet	14 ⁹⁵			
Length: 29cm (11.5") Curved Jaw 16mm				
REF 3608 Ratchet Handle\$14	49 ⁹⁵			
REF 3610 No Ratchet\$14	44 95			




IUD SPECIALTY SECTION

see the following pages 26-29

Serpentine Grasper IUD Remover

The Serpentine Grasper has a flexible shaft that can be shaped into the most convenient, comfortable and advantageous position for entering the uterine cavity. The shaft can be bent greater than 360° without the loss of function, it will remain in any desired angle until reshaped as needed. The small tip allows easy entry into the endocervical canal while the grasping teeth provide a secure grip, especially useful for grasping IUD's.




GYNEX is your key source for all your IUD instruments

ASCONA[™] IUD String Snare


Allows gentle removal of IUD

The rotating handle provides a way to snag the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona^{$^{\text{M}}$} allows the user to gently pull out and remove the IUD. The Ascona^{$^{\text{M}}$} is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.













Gynex® IUD Insertion Kit

Gynex® IUD Insertion Kit has everything you need to perform an IUD insertion quickly and safely.

- Decreases the risk of transmission to infectious agents.
- Eliminates costly instrument sterilization.



Each Gynex® IUD Insertion Kit Tray Contains:

- (1) Tenaculum Forcep
- (1) IUD String Scissor
- (2) Rayon Swabs
- (1) ACCU-SOUND® Uterine Sound
- (1) Folded Drape

REF 29-500 Box of 12.....**\$184**⁹⁵

IUD Remover, Crochet Style

Rounded tip for easy insertion

· Dual grasping slots

Angled

Length: 26.5cm

REF 29-200

Box of 12.....**\$49**95







Rounded tip for easy insertion

• Multiple grasping slots

• High quality malleable plastic

Length: 27cm

REF 29-300

Box of 12.....**\$49**95



STERILE EO



(Single-Use (2)

Not made with natural rubber latex.

IUD Remover, Crochet Style

Rounded tip for easy insertion

- Dual grasping slots
- Angled
- · High quality Stainless Steel

Length: 26.cm

REF 29-020 \$**74**⁹⁵





Rounded tip for easy insertion

- · Dual grasping slots
- Angled
- · High quality malleable metal

Length: 26cm

REF 29-025^{\$}84⁹








ACCU-SOUND® Uterine Sound

There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When the ACCU-SOUND® Uterine Sound is inserted into the uterus, a ring comes to rest against the outside of the Os. The ring stays in place on the ACCU-SOUND® when the device is withdrawn from the uterus and vagina, clearly indicating the uterine measurement. There has never been a uterine sound more accurate and easy to use.

An accurate measurement as easy as 1,2,3 !



Accurate Measurement

An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound

Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus

NO MORE GUESSWORK!

measurement.

Ergonomic Handle





ACCU-SOUND® Uterine Sound is useful for surgical and non-surgical procedures:

- Diagnosis of uterine position (anteflexed, retroflexed, mid-position)
- Laparoscopic tubal occlusion
- Dilatation and Curettage
- Tubal patency studies
- · IUD insertion



More Sound Choices from Gynex





UTERINE DILATORS


Mini Dilator SET OF 5 inter-changeable Probes and 1 Handle











Dots show actual diameter in mm



Hegar Dilator SET of 8 Probes

- Dual sizes on each dilator
- Stainless Steel

Length: 21cm

REF DHU3800 Set........\$18495

Soft Dilators - STERILE / Single-Use ®

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come STERILE and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix

Tapered tip length: is 23mm, Overall length: 21.5cm

Soft Dilator, Canal Finder

Used for indicating the cervical canal

Tapered tip length: 45mm, Overall length: 21.5cm

REF 4212 Box of 12\$4995


Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os

Tapered tip length: 85mm, Overall length: 21.5cm

REF 4223 Box of 24 \$9095







Soft Teflon Dilators - Reusable

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be resterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered tip length: 23 mm, Overall length: 21.5 cm

 \checkmark

REF 4201 \$4295

STERILE / Reusable OK to Autoclave

Soft Teflon Dilator, Canal Finder

Tapered tip length: 45mm, Overall length: 21.5cm

REF 4202 \$4295

Soft Teflon Dilator, Fundus Finder

Tapered tip length: 85mm, Overall length: 21.5cm

REF 4203 \$4295

Great Value!SAVE on a SET of 3 Dilators

Soft Teflon Dilators - *Reusable* **STERILE**

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3......**96**95

Soft Teflon Dilators - *Reusable*

NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3.....\$8995

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.



Dennis Dilators®- Single-Use

Four colors for different soft dilators sizes

- Dual sizes on each dilator
- Number on handle for easy identification
- STERILE / Single-Use
- Ergonomic handle
- Soft plastic

Overall length: 27cm

/-8mm	Dilator,	Yellow	
	_		

9-10mm Dilator, Green


REF 4250 Box of 12......\$4595

11-12mm Dilator, Blue

REF 4255 Box of 12......**\$45**⁹⁵

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover







Set of 5 dilators and each different band color

- Dual sizes on each dilator
- Soft plastic
- STERILE Sealed in procedure blister trays
- Reusable Resterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!SAVE on a SET of 5 Dilators

REF 4230 Set of 5**\$94**⁹⁵



UTERINE CURETTES

Sims Uterine Curette - Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



REF CSU3900-9

Size 00: 10.5 x 4.0mm, Sharp, Rigid............ \$6795

REF CSU3900-0

REF CSU3900-1

REF CSU3900-2

REF CSU3900-3

REF CSU3900-4

Size 4: 20 x 9mm, Sharp, Rigid.......**\$67**⁹⁵

REF CSU3900-5

REF CSU3900-6



Bumm Uterine Curette - Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size



REF CBU3920-1 Size 1: 48 x 25mm\$67⁹⁵



REF CBU3920-2 Size 2: 52 x 30mm \$6795



REF CBU3920-3

Size 3: 62 x 35mm **\$67**95

Century UMI™

Uterine Manipulator/Injector





The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, disposable convenience. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

• Cannula length: 33cm

• OD 4.5mm

• Luer Lock Syringe 10cc

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

Now including a 10cc luer lock syringe for your convenience!


PASSING **SAVINGS** TO YOU!

NEW LOW PRICE!

REF 10-160

Box of 12**\$215**95

Low unit price, \$17.99 each



Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.




suresample • Select 1

Endometrial Curette



Tapered tip for easier insertion. Randall - Style sharp cutting edge.

CANNULA





DEPTH MARKER


Set the desired curette marker depth after sounding the uterus. This depth acts as a visual aid to protect against perforation.

CANNULA AND CAP HOLDER



WHITE SYRINGE CAP

Allows for transportation of sample collected in the syringe.





WHITE CANNULA STYLET

Optional White Cannula Stylet for additional rigidity when needed, useful in stenotic patients.



Endometrial Curette



SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

Specifications

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- **Cannula length:** 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex
- Luer Lock fitting with winged flanges
- STERILE, Single-Use ®



Features

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- Twist-and-Lock plunger on syringe makes it easier to dispense collected specimen
- White Syringe Cap allows transportation of sample collected in the syringe

AND ELEVATING EFFECTIVENESS

Special Introductory Price!

SURESAMPLE® Endometrial Curette

REF 3130 Box of 5..... \$29⁹⁵ (\$5.99 each)

SURESAMPLE® Endometrial Curette

REF 3135 Box of 24...*119⁷⁵ (\$4.99 each)

Low unit price, \$4.99 each




SURESAMPLE Endometrial Sampler is one of the finest endometrial samplers available today!

Here are just a few reasons why:

- The SURESAMPLE Endometrial Sampler's 3-port sampling system doubles the harvested samples of other sampler devices
- The 3-port sampling system allows easy sample retrieval with reduced cell damage



BETTER PERFORMANCE THAN OTHER BRANDS



SURESAMPLE Endometrial Sampler retrieves more than TWICE the harvest of its competition!

SUPSAMPLE® Endometrial Sampler



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- Two phase action between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.


Specifications

- STERILE, Single-Use
- 3mm shaft diameter
- 24cm shaft lenght
- Not made with natural rubber latex

SURESAMPLE® Endometrial Sampler

REF 3115

Box of 25......**\$114**95



GalileO® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

Eye-Shields LED Bulb Cover (Removable) **Diopter Knobs** Rheostat Knob Green Filter Knob **Head Inclination** Three-Step Adjusting Knob Magnification Knob Direct-Access™ Feature Fine Focus Handle **Left Handed Models Available** Fine Height Adjustment Handle **HDMI Video Connection Gross Height** Adjustment Knob ROLLING BASE, with 5 locking wheels, is a highly portable industry standard On/Off Switch and with a clean, sleek design. Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability



GalileO® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
 (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 360° rotating Tilt Base: REF 400DA-Ts5,49500 (for Left Handed REF 400LDA-T)

1 Year Extended Warranty: REF 400DA T/R-1\$35000 2 Year Extended Warranty: REF 400DA T/R-2\$50000



GalileO® Colposcope Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability



GalileO® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

Offset Center Post for Direct Access
 (Eliminates an obscured view and provides a direct visual and easy access)

 Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)

 Enclosed Power Source (Hidden in stand base for a clean and clutter free look)

 Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)

 LED Illumination System (More accurate color balance, cool to the touch and long bulb life)

- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

• Focal Length: ± 300mm

Magnification: 7.5X

• Field Of View: 39mm

• Depth Of Field: 1.13mm

• Light Intensity: > 30,000 LUX

• Working Height: 975mm to 1135mm

Power Supply: 100V to 240V

• Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 200DA-R\$4,495° (for Left Handed REF 200LDA-R)

with a 360° rotating Tilt Base: REF 200DA-T\$4,49500 (for Left Handed REF 200LDA-T)

1 Year Extended Warranty: REF 200DA T/R-1\$35000 2 Year Extended Warranty: REF 200DA T/R-2\$50000

LED Bulb Cover Green Filter Diopter Knobs Optical Measurement Reference Chart Rheostat Knob Eye-Shields (Removable) **Head Inclination** Adjusting Knob Direct-Access™ Feature Fine Focus Handle Fine Height Adjustment Handle Left Handed Models Available **Gross Height** Adjustment Knob ROLLING BASE, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design. On/Off Switch and Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability



ACCESSORIES


GalileO® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer Available as free download with purchase *Requires Video software

REF VC-Magewell\$29900





Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS\$1,59500

Monitor Only (without base) REF 450M\$29000

(Note: Actual monitor shipped may be different than model shown)




Galileo® Binocular Microscope

- Condenser Numerical Aperture: Na = 1.25
- **Stage Movement Range:** Longitudinal 50mm, Transverse 75mm
- Fine Focusing: Minimum Division .002mm
- Interpupillary Distance Adjustment Range: 53-75mm
- Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness
- Protective Cover
- Exceptional Quality And Price
- One Year Parts And Labor Warranty Included
- Extended Warranties Available (Excludes shipping charges)

Components and Specifications

Eyepieces	10X Magnification	25mm Focus		Φ 18mm Fi	eld
	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38

Clearer images and wider views at a great price!



CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)


Options

Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

1 Year Extended Warranty: REF CO4100-1\$30000 2 Year Extended Warranty: REF CO4100-2\$45000



CO4100 Colposcope



LED Light Source

Lasts Longer Cool To The Touch Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver



CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)


Options

Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO3100-LED\$3,99500



CO3100 Colposcope



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver



CO1100 Colposcope

Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUXWorking Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)


Options

Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO1100-LED\$2,89500



CO1100 Colposcope



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver



Galileo® Medical Exam Light



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500	>\$ 265 9	



Thermasonic Gel Warmer

- Maintains constant temperature
- · Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$29095



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6\$3795



HYSTERECTOMY CLAMPS

Titanium Rainbow[™]


GYNEX **Original!**

Titanium Rainbow Coating Hysterectomy Clamps

- Retains their crisp edge up to ten times longer than standard stainless steel clamps
- Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action







Slight Curve	
REF TT585-21	21cm\$278 ⁹⁵
REF TT585-24	24cm ^{\$} 313 ⁹⁵
REF TT585-27	27cm\$ 348 95
REF TT585-30	30cm \$368 95
REF TT585-36	36cm\$388 ⁹⁵

Strong Curve	
REF TT590-21	21cm\$278 ⁹⁵
REF TT590-24	24cm\$313 ⁹⁵
REF TT590-27	27cm \$348 95
REF TT590-30	30cm \$368 95
REF TT590-36	36cm\$388 ⁹⁵
and the same of th	
AND S	
Angled	
REF TT595-21	21cm ^{\$} 278 ⁹⁵
REF TT595-24	24cm ^{\$} 313 ⁹⁵
REF TT595-27	27cm \$348 95
REF TT595-30	30cm\$36895

REF TT595-36

36cm \$38895

The original Zephyr™


Stainless Steel Hysterectomy Clamps

Available in four angles:

Straight, Slight Curve, Strong Curve, Angled

Available in four lengths:

21cm, 24cm, 27cm and 30cm



Slight Curve

REF 3585-21	21cm \$278 95	
REF 3585-24	24cm ^{\$} 313 ⁹⁵	
REF 3585-27	27cm \$348 95	
REF 3585-30	30cm ^{\$} 368 ⁹⁵	







Strong Curve

REF 3590-21	21cm\$278 ⁹⁵		
REF 3590-24	24cm\$313 ⁹⁵		
REF 3590-27	27cm\$348 ⁹⁵		
REF 3590-30	30cm		



Angled

REF 3595-21	21cm\$ 278 95
REF 3595-24	24cm ^{\$} 313 ⁹⁵
REF 3595-27	27cm ^{\$} 348 ⁹⁵
REF 3595-30	30cm \$368 ⁹⁵



HYSTERECTOMY SCISSORS


Titanium Rainbow™

Titanium Rainbow Coating Hysterectomy Scissors

- Exclusive Titanium Rainbow[™] TiO coating is harder than ordinary stainless steel
- Retain their sharp edge up to ten times longer than standard stainless steel scissors
- Low coefficient of friction for smoother mechanical action
- Very high level of corrosion resistance for a rust free surface
- Smoother cutting action



21	
Slight Curve Sc	issors
20cm	\$204 95
23cm	\$285 ⁹⁵







The original Zephyr™

Stainless Steel Hysterectomy Scissors

- Tungsten carbide cutting edge
- Designed to cut cleanly, every time

Available in four angles:

Slight Curve, Curve, Full Curve, Angled


Available in two lengths:

20cm and 23cm















Reference chart for actual instrument length in cm. Length measured around curve.

Length: 20cm (7.875")

23cm (9.0")

Box of 5 **ONLY** \$5995

GYNEX LLETZ Electrodes - STERILE / Single-Use ® We believe that our LLETZ Electrodes are the

best on the market!

Here are just a few reasons why:

- Our molded handles provide security.
- Our loop wires are 0.20 mm thick to help reduce backward drag.
- Our HexLoc[™] anti-rotation system at the bottom of the shaft keeps the handle from rotating.
- We package each electrode in a molded blister tray which keeps the tip true to shape and protects it from breakage.


Procedure Blister Trays

- Keeps tips true to shape
- Every electrode is sterilized
- · Easy to open cover
- · Procedure ready






GYNEX LLETZ Electrode Features



Radius Loop Electrodes Our Most Popular Style



Not made with natural rubber latex.



GYNEX LLETZ ELECTRODES ALL SIZES


Box of 5 **ONLY** \$5995

STERILE EO


Not made with natural rubber latex.

H-Series Loop Electrodes

Precision Depth and Width Control







Ball Electrodes

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

Needle Electrode

For electro fulguration using coagulation power outputs

REF 15-0001 26mm Long Needle

Box of 5......\$5995

Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode

REF 12-0000 13cm Length
Box of 5\$3995



ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES



Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes

- Single-Use ®
- STERILE
- 10 foot cable


REF 755VL Box of 12......**\$104**95



Electrode Handpiece, Foot Activated

For use with standard removable electrodes

- Single-Use ®
- STERILE
- 10 foot cable




ELECTROSURGICAL PATIENT DISPERSIVE PADS




For LLETZ Procedures









Cartridge Syringe - Threaded Tip, *Reusable*

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210 \$8399



Lidocaine Cartridges, Single-Use ®

- With Epinephrine 1:100,000
- 1.7ml Cartridges

This product contains latex

NOTE: A pharmacy or physicians license is required when ordering this product.



Prefilter, Reducer, and Filter For Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, Single-Use ®

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets......**\$195**95



Prefilter Reducer, Single-Use ® Non-Sterile

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

Oty 10**\$51**95



Prefilter, Single-Use Non-Sterile

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

ULPA Filter, Non-Sterile

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215

......\$16495 each



CONNECTS WITH

CONNECTS WITH

Tubing and Connectors for LLETZ Procedures

A. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue[™] to

Flexible-S Tubing. 1/4" to 7/8"

REF 8100

CONNECTS

Box of 12......\$2195



Not made with natural rubber latex.
Connects to DSE Tubing.
Convenient 6-Pack.

1/4" ID,3/8" OD x 2'

REF 8024 Box of 6 \$42⁹⁵

More in a Box. Same Price Per Piece.

C. DSE Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible,

No PVC. 1/4" OD x 9"

REF 8009

Box of 50**\$88**95

Inserts into smoke evacuation tube clip in speculum

D. Clear-Flue™ Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Otv 24......**\$70**95


E. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue[™] to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103

Box of 12...... \$2195



CONNECTS WITH



GYNEX coated specula for LLETZ

procedures.

Sterile Vacuum Tubing Sets, Single-Use ®

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets \$19595



Topical Anesthetic

HurriCaine Snap-n-Go™ Swabs

- 72 Single-Use swabs per box
- Fast onset 20 seconds
- Dose .15ml







HurriCaine Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF 0183		.\$ 69 9
----------	--	-----------------



Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270**°. Gynex LLETZ coating must be autoclaved at **250**°. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10⁻⁶.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ INSTRUMENTS

LLETZ-Coated Teneculum

Extremely gentle tissue pickup • Coated Stainless Steel • Length: 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250\$14595



Tips overlap 4-6 mm. ±1 mm

REF 3249\$14595



Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230\$8595

Emmett Tenaculum

REF 3240\$8595

Angle Hook

REF 3245 \$859

LLETZ-Coated Tissue Forceps

• Coated Stainless Steel

Length: 21.5cm

REF 3205\$9595

LLETZ-Coated Rulers

Depth Ruler

- Coated Stainless Steel
- Millimeter markings, center at 5mm

Length: 24cm



Width Ruler

• Coated Stainless Steel

OK to Autoclave

Read Notice on Page 74

Millimeter markings

Length: 22cm

REF 3255\$102⁹⁵



4-Way Expander Vaginal Speculum for LLETZ procedures!

The 4-Way Expander Vaginal Speculum is designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

Features

• Built-in smoke evacuation tube holder

• Built-in lateral retractor blades

• Side blades lock firmly into place

• Pederson size blades

• Autoclavable & Sterilizable

MEDIUM

REF L4MEX 115mm \$23995

LARGE

REF L4LEX 125mm\$24995



CLOSED

 DSE Tubbing Holder for Smoke Evacuation

Autoclave
Read Notice on Page 74
Before Ordering


Side Blades

Lock In Place

LLETZ Coated

Lateral Vaginal Retractor for LLETZ Procedures!

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.




Blade Reference Chart: Shown Actual Size, Scale 1:1

Open-Sided Speculum

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1



Don't Forget to Order Your DSE Smoke Evacuation Tubing for Your LLETZ Specula (see pages 72-73)

LLETZ Coated



OK to Autoclave Read Notice on Page 74 Before Ordering


Sullivan Vaginal Speculum for LLETZ Procedures!

Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1





LLETZ Coated

Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula

OK to Autoclave Read Notice on Page 74 Before Ordering






Pederson & Graves for LLETZ Procedures!



OK to Autoclave Read Notice on Page 74 Before Ordering

Blade Reference Chart: Shown Actual Size, Scale 1:1












Pederson & Graves Stainless Steel Vaginal Speculum













- Unique C-Arm maximizes your view
- Easy one handed open and release feature


Stainless Steel


• Locks firmly into place


Blade Reference Chart: Shown Actual Size, Scale 1:1















No side obstruction like most specula





Lateral Vaginal Retractor

Control side wall collapse and get more cervical access with a GYNEX Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX Wide-View[™] and FullView[™] Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix







Blade Reference Chart: Shown Actual Size, Scale 1:1

Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

- 105mm long
- 38mm wide

REF SA2200 \$297⁹⁵



Guttman Stainless Steel Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina

Available in two sizes (Medium And Large)

Medium

Large





Greenberg Hysteroscopy Speculum

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.

REF 2801\$**51**⁹⁵




"The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used."

James Greenberg, MD, Boston, MA



Blade Reference Chart: Shown Actual Size, Scale 1:1





Titanium Rainbow™ Speculum




0mm

Vaginal pH Test

pHEM-ALERT®



The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!



The pHEM-ALERT® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning,

Unpleasant Odor, Unusual Discharge

This test may help decide if these symptoms are caused by an infection that may require follow-up by your healthcare provider. This test is only intended for women who have normal menstrual periods (periodic vaginal bleeding) or who may currently be pregnant.

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set
- CPT codes: 83986 and 83986QW

REF pH-99 Box of 12**\$64**⁹⁵

Color Change Could be Associated with the Following Conditions


Sunflower Yellow	Dark Yellow	Olive Yellow	Olive Green	Olive Blue	Navy Blue	Midnight Blue
Normal pH Predominant lactobacilli Possible yeast overgrowth Normal serum estradiol	Low grade bacterial vaginitis Borderline serum estradiol	Bacterial vaginitis Low serum estradiol	Bacterial vaginitis Low serum estradiol	Bacterial vaginitis Very low serum estradiol	Low to no serum estradiol	Low to no serum estradiol

INSTRUMENTS CARE AND CLEANING

GYNEX® Hot Beads

Sterilization Beads

GYNEX Hot Beads provide a safe, effective and convenient method for sterilizing your surgical instruments. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants. Simply plunge metal instruments into hot glass beads for instant sterilization. These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX Hot Beads come in simple pre-measured containers.



REF 7106

6-Pack (6-month supply) \$130⁹⁵

Stain-Ex™

Biological & Chemical Stain Remover

Stain-Ex™ is a fast and effective biological and chemical stain remover that removes lodine-based stains, Lugol's stain and most medical and histological stains from hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment and hospital linen.

Works great on all your LLETZ-coated instruments! It is easy to apply-simply apply Stain-Ex[™] and the stain is removed in a matter of seconds.



Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safety cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use on automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- · Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- · Exceptional cleaning in hard, soft, cold or hot water
- · Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- · Safe for ophthalmic cleaning

REF TG-200 1 Gallon\$3295







Make Your Instruments Feel Like New!

Touch-Guard® Instrument Lubricant and Rust Inhibitor
Protects and extends the life of all your surgical instruments.
When used daily as a rinse after cleaning, it will keep your instruments
moving parts operating smoothly and remain
effective even after autoclaving, without any oily residue.

Prevents Rust, Spots, Stains and Corrosion Restores Articulation to Sticky Box-Locks and Joints Withstands
High
Temperatures
of Autoclaving

Steam Penetrable, Sterilizable and ETO Sterilizable

Non-Oily, Non-Sticky, Non-Toxic and Silicone Free

FREE SAMPLE

To redeem your free sample, contact us (888) 486-4644



ONLY \$1495

REF TG-100 16.9 fl. oz (500 ml)

To preserve and extend the life of your instrument!

CLEAN • LUBRICATE • STERILIZE

INSTRUMENTRepair and Sharpening

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment to improve financial savings. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex® sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Toll Free: (888) 486-4644 (8:00am-4:30pm CDT)


Pricing is as follows:

Gynex brand biopsy punch\$6500

Other brands biopsy punch\$7500

Gynex brand curette\$4000

Other brand curette\$5000



Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and re-

turn shipped to the customer.

The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
- *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. DennisDilators and Target Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. Shur-Lock and CooperSurgical, Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP. Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon is a registered trademark of DuPont. Speculume is a registered trademark of Cyalume.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

Latex Notice

ONLY the following product in this catalog *may* contain latex:

REF 1150 Lidocaine Cartridges (cartridge stoppers)

INDEX

A
Acetic Acid
Alligator Grapser, Gynex
Ascona® IUD String Snare
Accu-Sound®30-31
BARIATRIC INSTRUMENTS
Biopsy Punches7-11
Tissue Forceps11
Specula, LLETZ Coated80-81
Specula, Stainless Steel82-83
BIOPSY PUNCHES
Ceramix®11
Cobalt Blue
i-Series Titanium Rainbow®9
Stainless4-8, 21
Apex8
Eppendorfer 14, 21
Kevorkian 14, 21
Medium-Tischler 8
Mini-Tischler 6-13, 21
ROTOTip™ Biopsy Punches12-13
Sullivan 14
Tischler7-13
Wittner14, 21
CARE AND CLEANING
Hot Glass Beads Sterilizer - GYNEX®91
Instrument Lubrication - Touch-Guard™92
Instrument Repair and Sharpening93
Low Suds Detergent - Touch-Guard™91
Stain-Ex [™] Stain Remover - Touch-Guard [™] 91
Clamps62-64
COLPOSCOPES
Galileo®46-51
CO Series54-59
Colposcopy Sets20-21
Curettes
DILATORS
All Uterine Dilators32-39
Dennis Dilators, Single-Use @
Dennis Dilators, Reusable39
Hank Dilators, Uterine
Hegar Dilators, Uterine
Mini Dilators, Uterine32
Mini Dilators Tips, 4mm and 5mm32
Pratt Dilators, Uterine34
Small Dilators, Uterine33
Soft Dilators, Single-Use @36
Soft Teflon Dilators, Reusable37
Doppler Gel61
ELECTRODES
Ball Electrode
Electrode Extender
Electrode Handpieces
H-Series Loop Electrodes68
Needle Electrode
Radius Loop Electrodes
Square Loop Electrodes

Electrosurgical Patient Dispersive Pads70)
ENDOCERVICAL	
Specula 18, 21	
ENDOMETRIAL SAMPLER	
Endometrial Curette42-43	
Endometrial Sampler44-45	5
FORCEPS	
Foerster Forceps, Stainless Steel19	
Laminaria Insertion Forceps88	
Sponge Forceps, Single-Use74	
Ovum Forceps24-25	
Fetal Doppler - GYNEX®61	l
GRASPER	
Alligator Grapser - GYNEX®	
Serpentine Grasper26)
HOOKS	_
LLETZ Coated	
Stainless Steel15, 21	l
IUD INSTRUMENTS	,
Ascona® IUD String Snare	
Crochet Type IUD Removers	
IUD Insertion Kit	
Serpentine Grasper	
String Scissors 29	
Willows® IUD String Snare	
LATERAL VAGINAL RETRACTORS	,
LLETZ77	7
Stainless Steel	
Lidocaine71	
Light, Medical Exam Light60	
LLETZ COATED INSTRUMENTS	•
All Items75-81	1
Hooks75	
LVR	
Speculum77-81	1
Sponge Forceps, Single-Use ®74	
Medical Exam Light - Galileo®60	
Microscope - Galileo®53	
Monsel's Paste2	
Needle Adapter71	ı
NEEDLE HOLDERS	
Webster65	5
Mayo-Hegar65	5
Crile-Wood65	5
OVUM FORCEPS	
Bierer25	5
Blumenthal25	5
Jacobson25	
Saenger25	5
Sopher Original24	5
Sopher Original24 PUNCHES	5 1
Sopher Original24	5 1

Vulvar......23

REPAIRS & SHARPENING SERVICE	00
SCISSORS	93
IUD String	20
Titanium Rainbow	
Zephyr™ Stainless Steel Iris Stainless Steel	
Littaur Stitch Scissors	ხხ
SMOKE EVACUATION	70
Prefilter, Single-Use ®	
Prefilter Reducer	
ULPA Filter	
Tubing	73
SPECULA	
LLETZ Coated	
4-Way Expander	76
Graves	30-81
Open-Sided (left/right opening)	
Pedersons	80
Sullivan	78-79
Single-Use	
SpecuLume® EZ	4-5
Stainless Steel	
Auvard	86
Graves	32-83
Greenberg	
Guttman	
Open-Sided (left/right opening)	
Pederson	
Sullivan	
Titanium Rainbow®	J- 00
Graves	89
Pederson	
STERILIZATION	03
Hot Glass Beads Sterilizer	Q1
Sterilization Notice	
SURESAMPLE® Select14	
Syringe, Cartridge [®] 4	
Table of Contents	I
TENACULA	
Braun	
Schroeder	
Skene	
Teale	
Thermasonic - Gel Warmer	
Thermometer - Touch Guard™	92
Topical Anesthetic - HurriCaine®	
Spray Kit	
Swabs	74
Transit Map	96
Uterine Manipulator / Injector	41
UTERINE SOUNDS	
Accu-Sound®	30-31
Sim Sound	
Vaginal pH Testing - pHEM-ALERT®	



Toll Free: (888) 486-4644

(8:00AM-4:30PM CDT

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com





Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note:

Pre-paid shipping charges of \$14.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, and international orders.

An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders.

A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

GYNEX®

MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

MAIL TO: GYNEX P.O. BOX 822369 N. RICHLAND HILLS, TX 76182

FAX TO: (425) 895-0115

SHIP TO
Name
Address
City State Zip
Fax
Contact Person

REF	Qty.	DESCRIPTION	Price Each	TOTAL

Make checks payable to: GYN	EX Corp.		Total Amount Ordered	
Credit Card Charge: MasterCard	VISA	AMERICAN	5% Discount for Pre-Paid Orders ONLY	
Credit Card Security Code	Exp. Date	_	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)	\$14.50
Credit Card Number			Sales Tax	
Signature			Total	



6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX

GYNEX OFFERS

Instrument Repair and Sharpening

details on page 93

