

GYNEX[®]

Winter 2022

SEE the Difference
with **Galileo[®]**



pages 46-52



page 53



page 60

Trevor says . . .



With 2021 in the rearview mirror, we at Gynex would like to wish you a Happy New Year! May 2022 bring happiness, health, and prosperity to all of you.

Gynex has renewed its focus on products that extend and preserve the life of your instruments. We are working to bring you cost effective ways to keep your instruments in great condition and keep you focused on the things that matter.

We have improved upon our Touch-Guard line of instrument care and cleaning.

Instruments are the life-blood of our company and we truly are passionate about them. Our Touch-Guard Lubricant keeps your instruments feeling like new by preventing rust and keeping moving parts operating smoothly. Touch-Guard Low Suds Instrument detergent can be used for both manual cleaning or in automatic washers. Low Suds is powerful but safe on instruments and allows for better visibility when cleaning and helps to avoid accidental injury from sharp objects.

Protect your investment with Touch-Guard products.

With the success of our Galileo Medical Exam Light, we realized something was missing. You will find in this catalog that we have added single-use, disposable sheaths to help transition from patient to patient, and reduce the risk of contamination. For more information on these new products, look to pages 2-3 and 60.

Thank you for your continued trust in Gynex. I hope we can continue to earn your business and if you have any questions, thoughts, or ideas please let us know so we may accommodate you.

Thank you,

A handwritten signature in cursive script that reads "Trevor Kurz".

Trevor Kurz

Chief Operating Officer, GYNEX® Corporation



Stephen Sullivan

President and CEO, GYNEX® Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.

GYNEX Products Winter 2022

Table of Contents

INSTRUMENT CARE AND CLEANING

Hot Glass Beads Sterilizer- GYNEX®	2
Low Suds Detergent Concentrate - Touch-Guard™	2
Stain Ex™ Stain Remover - Touch-Guard™	2
Instrument Lubricant - Touch-Guard™	3

Monsel's Ferric Subsulfate Paste	4
Acetic Acid®	5
TISCHLER BIOPSY PUNCHES	7-10
Biopsy Punch - Ceramix®	11
Bariatric Tissue Forceps, 1x2 teeth	11
ROTATING PUNCHES - ROTOTip™	12-13
Ring Handle Punches	14
Eppendorfer and Whittner Punch	14

HOOKS

ENDOMETRIAL CURETTES

ENDOCERVICAL CURETTES

Curette Sharpening File

Endocervical Speculum

TENACULUM

Foerster Forceps

COLPOSCOPY SET

KEYES PUNCHES

OVUM FORCEPS

IUD SECTION

CERAMIX® Coated IUD String Scissors	26
IUD Scissors	26
IUD String Scissors, Single-Use	27
Alligator Grasper by GYNEX®	27
Serpentine Grasper	27
IUD Removers	28
Ascona® IUD Snare	29
IUD Insertion Kit - GYNEX®, Single-Use ☒	29

UTERINE SOUNDS - Accu-Sound® / Sims

UTERINE DILATORS - Stainless Steel, Soft and Dennis

UTERINE CURETTE - Sims / Bumm

Uterine Manipulator / Injector - Century UMI™

Endometrial Curette - SURESAMPLE® Select1

Endometrial Sampler - SURESAMPLE®

COLPOSCOPES - Galileo®

Accessories for Galileo®

Galileo® Binocular Microscope

COLPOSCOPES - CO Series

Galileo® Medical Exam Light

Accessories for Galileo® Medical Exam Light

Touch-Guard® Disposable Protective Sheath

Fetal Doppler - GYNEX®

Doppler Gel / Gel Thermasonic Gel Warmer

HYSTERECTOMY CLAMPS - Titanium Rainbow™ / Zephyr™

HYSTERECTOMY SCISSORS - Titanium Rainbow™ / Zephyr™

NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood

LLETZ ELECTRODES

Electrode Extender / Electrode Handpieces

Electrosurgery Patient Dispersive Pads for LLETZ Procedure

Extended Needle Adapter and Accessories

Lidocaine Cartridges, Single-Use ☒

Smoke Evacuation Systems (Pre-filter, Reducer, and Filter)

Tubing and Connectors for LLETZ Procedure

Sponge Forceps, Single-Use ☒

Topical Anesthetic - HurriCaine®

STERILIZATION NOTICE for LLETZ Coated Instruments

LLETZ COATED INSTRUMENTS

Tenaculum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum	80-81

SPECULUM, STAINLESS STEEL

Pederson & Graves Speculum	82-83
Sullivan Speculum	84-85
Lateral Vaginal Retractors	86
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88

Laminaria Insertion Forceps

Titanium Rainbow™ Speculum

Speculum - SpecuLume® EZ, Single-Use ☒

Vaginal pH Test - pHEM ALERT®

Thermometer - Touch-Guard®

Instrument Repair and Sharpening

INDEX

ORDER INFORMATION

ORDER FORM

Instruments Care and Cleaning

GYNEX® Hot Beads

Sterilization Beads

GYNEX® Hot Beads provide a safe, effective and convenient method for sterilizing your surgical instruments. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants. Simply plunge metal instruments into hot glass beads for instant sterilization. These specially cast “no-lead” glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX® Hot Beads come in simple pre-measured containers.



REF 7106	6-Pack (6-month supply)	\$130 ⁹⁵
REF 7112	12-Pack (1-year supply)	\$240 ⁹⁵

Touch-Guard® Stain-Ex™

Biological & Chemical Stain Remover

Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover that removes Iodine-based stains, Lugol's stain and most medical and histological stains from hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment and hospital linen. Works great on all your LLETZ-coated instruments!

It is easy to apply
Touch-Guard® Stain-Ex™
and the stain is removed
in a matter of seconds.



REF SS10	1 Gallon	\$85 ⁹⁵
----------	----------------	--------------------


Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use on automatic washers, ultrasonics, washer-sterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue - no pyrogens; leaves a surgically clean surface
- Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning

REF TG-200	1 Gallon	\$32 ⁹⁵
------------	----------------	--------------------



Touch-Guard®

Make Your Instruments Feel Like New!

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

Prevents Rust,
Spots, Stains
and
Corrosion

Restores Articulation to Sticky Box-Locks and Joints

Withstands
High
Temperatures
of Autoclaving

Steam
Penetrable,
Sterilizable and
ETO Sterilizable

Non-Oily,
Non-Sticky,
Non-Toxic and
Silicone Free

FREE SAMPLE

To redeem your free sample,
contact us
(888) 486-4644

**ONLY \$14⁹⁵**

REF TG-100 16.9 fl. oz (500 ml)

To preserve and extend the life of your instrument!

CLEAN • LUBRICATE • STERILIZE

5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Monse^l's

Ferric Subsulfate Paste 20-22%

Helps control bleeding during biopsy, LLETZ and laser procedures.

Monse^l's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual - 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

REF 5055 Box of 12..... **\$190⁹⁵**

NOTE: A pharmacy or a physician's license is required when ordering this product.





Acetic Acid 5%

Helps enhance the appearance of abnormal areas.

- Box of 12 Individual - 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ⓘ

REF AA312

Box of 12..... **\$86⁹⁵**


Tischler

BIOPSY PUNCHES

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide

**The Tischler and Mini-Tischler
are available in two working lengths:**

Standard 20cm
Extra-Long 25cm



Mini - Tischler, Standard

Tischler, Standard

Biopsy Punches Section
see pages 7-14

Not sure which biopsy punch you need?

Call GYNEX today at **1(888) 486-4644** and one of our sales associates will gladly assist you.

Tischler Biopsy Punches

The Best Selling Design in The World



Tischler, Straight Standard

Actual Bite Size: 7mm x 3mm

REF 1010 20cm Shaft..... \$399⁹⁵

REF 1035 25cm Shaft..... \$409⁹⁵

bariatric



Tischler, Up Standard

Actual Bite Size: 7mm x 3mm

REF 1012 20cm Shaft..... \$399⁹⁵



Tischler, Down Standard

Actual Bite Size: 7mm x 3mm

REF 1014 20cm Shaft..... \$399⁹⁵



Tischler, Left Standard

Actual Bite Size: 7mm x 3mm

REF 1020 20cm Shaft..... \$399⁹⁵



Tischler, Right Standard

Actual Bite Size: 7mm x 3mm

REF 1019 20cm Shaft..... \$399⁹⁵



Stainless Steel

GYNEX
Original!

Mini-Tischler, Straight Standard

Actual Bite Size: 4.2mm x 2.3mm

REF 1005 20cm Shaft..... \$399⁹⁵

REF 1030 25cm Shaft..... \$409⁹⁵

bariatric



Mini-Tischler, Up Standard

Actual Bite Size: 4.2mm x 2.3mm

REF 1006 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Down Standard

Actual Bite Size: 4.2mm x 2.3mm

REF 1007 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Left Standard

Actual Bite Size: 4.2mm x 2.3mm

REF 1022 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Right Standard

Actual Bite Size: 4.2mm x 2.3mm

REF 1021 20cm Shaft..... \$399⁹⁵




Medium Tischler

Available: Standard 20cm L • Extra-Long 25cm L

- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

 **Actual Bite Size:** 5mm x 3mm



Tischler, Medium Standard REF 1008 20cm Shaft..... **\$399⁹⁵**

Tischler, Medium Extra-Long REF 1033 25cm Shaft..... **\$409⁹⁵**
bariatric



Tischler-Kevorkian

Available: Standard 20cm L • Extra-Long 25cm L


- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

 **Actual Bite Size:** 9mm x 3mm



Tischler-Kevorkian, Standard REF 1015 20cm Shaft..... **\$399⁹⁵**

Tischler-Kevorkian, Extra-Long REF 1037 25cm Shaft..... **\$409⁹⁵**
bariatric



Apex™

Available: Standard 20cm L • Extra-Long 25cm L

- V-shaped anchoring jaw on the top and bottom
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab


 **Actual Bite Size:** 7mm x 3mm



Apex, Standard REF 1025 20cm Shaft..... **\$399⁹⁵**

Apex, Extra-Long REF 1039 25cm Shaft..... **\$409⁹⁵**
bariatric

I-Series Titanium Biopsy Punches




Titanium Rainbow™ TiO Coating

Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. The cutting edges will stay sharp longer.

- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Tischler - Standard, Titanium Rainbow™ Actual Bite Size: 7mm x 3mm




Tischler, Straight

REF TT010 20cm Shaft **\$399⁹⁵**

REF TT035

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric




Tischler, Up

REF TT011 20cm Shaft **\$399⁹⁵**

REF TT036

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric



Tischler, Down

REF TT012 20cm Shaft **\$399⁹⁵**

REF TT037

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric

Mini-Tischler, Titanium Rainbow™ Actual Bite Size: 4.2mm x 2.3mm




Mini-Tischler, Straight

REF TT005 20cm Shaft **\$399⁹⁵**

REF TT030

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric




Mini-Tischler, Up

REF TT006 20cm Shaft **\$399⁹⁵**

REF TT031

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric



Mini-Tischler, Down

REF TT007 20cm Shaft **\$399⁹⁵**

REF TT032

25cm Shaft, Extra-Long **\$409⁹⁵**
bariatric

Titanium Coated Biopsy Punches

Designed for excellence • Manufactured for durability

Tischler, Cobalt Titanium

Titanium Coated



GYNEX
Original!




Actual Bite Size:
7mm x 3mm

Tischler, Cobalt Straight

REF TB010

20cm Shaft \$399⁹⁵



Actual Bite Size:
4.2mm x 2.3mm

Tischler, Cobalt Mini

REF TB005

20cm Shaft..... \$399⁹⁵

Tischler, Pink Titanium

- Single-spring, slightly wider handle to accommodate differences in grip sizes
- Exclusive titanium coating is harder than ordinary stainless steel
- Cutting edges will stay sharp longer




Actual Bite Size:
7mm x 3mm

Tischler, Pink Straight

REF PINK010

20cm Shaft..... \$399⁹⁵



Actual Bite Size:
4.2mm x 2.3mm

Tischler, Pink Mini

REF PINK005

20cm Shaft..... \$399⁹⁵

Ceramix Coated Biopsy Punches

Our sharpest, longest lasting biopsy punch

CERAMIX™ Biopsy Punches

Ceramix coating stays sharp up to 10 times longer than ordinary stainless steel.


- Incomparable cutting-edge hardness (see Hardness Comparison Chart below)
- Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab

Length: 20cm

Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.



**CERAMIX
Mini-Tischler, Straight**

REF 1060

20cm Shaft **\$499⁹⁵**



**CERAMIX
Tischler, Straight**

REF 1070

20cm Shaft **\$499⁹⁵**



**CERAMIX
Tischler, Medium**

REF 1065

20cm Shaft **\$499⁹⁵**



**CERAMIX
Apex™**

REF 1075

20cm Shaft **\$499⁹⁵**



**GYNEX
Original!**




Bariatric Tissue Forceps, 1x2 teeth

Hold and manipulate various tissue. Extended reach available in two long lengths.

REF BTF25 25cm Length **\$55⁹⁵**

REF BTF30 30cm Length **\$55⁹⁵**


bariatric



Rotating Biopsy Punches

ROTO TIP™ Biopsy Punches

ROTO Tip™ rotating biopsy punches offer the added convenience of making a quick change in the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provide you a cost savings option to add angled tips. These tips easily rotate allowing you to gain better positioning for a biopsy sample.



Features

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches

Length: 21cm

Tischler, Standard



Actual Bite Size:
7mm x 3mm

Tischler - Standard, Tip-Straight

REF 1200-10

Complete Punch **\$460⁹⁵**

Mini-Tischler



Actual Bite Size:
4.2mm x 2.3mm

Mini-Tischler, Tip-Straight

REF 1200-05

Complete Punch **\$460⁹⁵**

Extra Handle



ROTO Tip™ Extra Handle

REF 1200

Handle only **\$195⁹⁵**

Extra Tips

Tischler, Standard-Straight

REF 1210

Extra Tip **\$275⁹⁵**

Mini-Tischler, Straight


REF 1205

Extra Tip **\$275⁹⁵**

See our full list of tips on the next page.

Tischler, Standard


Actual Bite Size: 7mm x 3mm



Tischler, Standard Up

REF 1200-30

Complete Punch\$460⁹⁵



Tischler, Standard Down

REF 1200-20

Complete Punch\$460⁹⁵

Oval Tip

Actual Bite Size: 5mm x 3mm



Oval Tip

REF 1200-35

Complete Punch\$460⁹⁵

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Up

REF 1200-25

Complete Punch\$460⁹⁵



Mini-Tischler, Down

REF 1200-15

Complete Punch\$460⁹⁵

Kevorkian Tip


Actual Bite Size: 9mm x 3mm



Kevorkian Tip

REF 1200-40

Complete Punch\$460⁹⁵



Length: 21cm

Extra Tips

Tischler, Standard Up

REF 1230

Extra Tip\$275⁹⁵

Tischler, Standard Down

REF 1220

Extra Tip\$275⁹⁵

Mini-Tischler, Up

REF 1225

Extra Tip\$275⁹⁵

Mini-Tischler, Down

REF 1215

Extra Tip\$275⁹⁵

Oval Tip

REF 1235

Extra Tip\$275⁹⁵

Kevorkian Tip

REF 1240

Extra Tip\$275⁹⁵

Ring Biopsy Punches

Stainless Steel



Sullivan Ring Handle Punch

- Excellent for stenotic cervix
- Small handle
- Mini tip

Actual Bite Size:
4mm x 2mm




REF 1050 24cm Shaft\$399⁹⁵



Kevorkian Ring Handle Punch

- Traditional Kevorkian bite
- Four teeth on bottom jaw

Actual Bite Size:
9mm x 3mm




REF 1053 25cm Shaft\$364⁹⁵



Kevorkian, Standard Punch

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

Actual Bite Size:
9mm x 3mm



REF 1029 20cm Shaft\$399⁹⁵



Actual Bite Size:
7.4mm x 3.9mm

Eppendorfer, Standard



Actual Bite Size:
7.4mm x 3.9mm

Wittner Straight, Standard

Eppendorfer and Wittner

- Same handle design as shown above
- Tip Locking Tab

Eppendorfer, Standard

REF 1017

20cm Shaft\$399⁹⁵

Wittner, Straight

REF 1026

20cm Shaft\$399⁹⁵

Wittner, Angled

REF 1027


20cm Shaft\$399⁹⁵

Hooks



Angle Hook

REF 3225 26cm Length \$49⁹⁵



2-Prong Hook

REF 3227 26cm Length..... \$59⁹⁵



Iris Hook

REF 3210 26cm Length \$49⁹⁵



Emmett Tenaculum

REF 3220 26cm Length..... \$49⁹⁵



Endometrial Curettes

Novak Curette

Length: 25cm

» Luer lock suction attachment

- 2mm Shaft/Tip

REF 3302 \$51⁹⁵

- 3mm Shaft/Tip

REF 3303 \$51⁹⁵

- 4mm Shaft/Tip

REF 3304 \$51⁹⁵



Randall Curette

Length: 25cm

» Luer lock suction attachment

- 2mm Shaft/Tip

REF 3310 \$51⁹⁵

- 3mm Shaft/Tip

REF 3312 \$51⁹⁵

- 4mm Shaft/Tip

REF 3314 \$51⁹⁵



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Endocervical Curettes

Spiral Curette

This unique endocervical spiral dual purpose curette was developed by Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto.

- Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample.
- Acts as a cervical dilator allowing cervical or endometrial sampling.

Titanium Cobalt Lickrish Spiral Curette

REF TB3040 21cm Length..... \$79⁹⁵

Titanium Rainbow Lickrish Spiral Curette

REF TC3040 21cm Length..... \$79⁹⁵

Stainless Lickrish Spiral Curette

REF 3040 21cm Length..... \$79⁹⁵



This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the Os, advancing and rotating at the same time.

Endocervical Curettes - Six Tip Design



Basket size: 10.5mm x 2mm



Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

REF 3005 32cm Length..... \$76⁹⁵

Basket size: 11.5mm x 2mm



Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

REF 3015 32cm Length..... \$76⁹⁵

Basket size: 12mm x 2mm



Kevorkian Curette no Basket Square Tip

The curette is designed with no basket which allows for easier removal of sample after the curettage procedure.

REF 3010 32cm Length..... \$76⁹⁵

Basket size: 7mm x 1.3mm



Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

REF 3020 32cm Length..... \$76⁹⁵

Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue.

REF 3025 30cm Length..... \$76⁹⁵



EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

REF 3050 32cm Length..... \$79⁹⁵



Titanium Curettes



Basket size: 10.5mm x 2mm



Titanium Rainbow Kevorkian Curette with Basket Square Tip

REF TC3005 32cm Length..... **\$76⁹⁵**


Basket size: 11.5mm x 2mm



Titanium Rainbow Kevorkian Curette with Basket Round Tip

REF TC3015 32cm Length **\$76⁹⁵**

Basket size: 12mm x 2mm



Titanium Rainbow Kevorkian Curette no Basket Square Tip

REF TC3010 32cm Length..... **\$76⁹⁵**

Basket size: 12mm x 2mm



Titanium Rainbow Townsend Curette

REF TC3020 32cm Length..... **\$76⁹⁵**



Titanium Rainbow Dublin Curette Round Tip

REF TC3025 30cm Length..... **\$76⁹⁵**

Curette Sharpening File

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900 **\$31⁹⁵**



Kevorkian Curette

Kevorkian Curette Single-Use eliminates cross-contamination concerns. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

STERILE **EO** **Single-Use**


Not made with natural rubber latex.

Total Length: 31cm

Inner Basket OD: 3mm

Working Length: 16cm

OD: 4mm



REF 3030 Box of 25..... **\$73⁹⁵**



Endocervical Speculum

Standard Ratchet

REF 2130	3mm Tip	\$186 ⁹⁵
REF 2140	4mm Tip	\$186 ⁹⁵

No-Lock Handle

REF 2030	3mm Tip	\$175 ⁹⁵
REF 2040	4mm Tip	\$175 ⁹⁵

Endocervical Speculum Length: 27cm



Tenaculums

Skene Tenaculum

Slight Curve

REF 3534	24cm Length.....	\$52 ⁹⁵
----------	------------------	--------------------


Teale Tenaculum

Slight Curve

REF 3536	23cm Length.....	\$52 ⁹⁵
----------	------------------	--------------------



Braun Tenaculum



LiteTouch™, Straight Handle

REF T2230 Length 25cm.....\$52⁹⁵

LiteTouch tips overlap 1-2 mm ±1mm
(when closed)

Standard, Straight Handle

REF 3502 Length 25cm.....\$52⁹⁵

REF B230 Length 30cm.....\$59⁹⁵

Standard tips overlap 4-6 mm ±1mm
(when closed)

Standard, Angled Handle

REF 3532 Length 25cm.....\$62⁹⁵

Foerster Forcep

Straight Handle

REF 3540 Length 24cm\$52⁹⁵


REF B330 Length 30cm\$59⁹⁵

Angled Handle

REF 3542 Length 24cm\$62⁹⁵



Schroeder Tenaculum



LiteTouch™, Straight Handle

REF T2222 Length 25cm.....\$52⁹⁵

LiteTouch tips overlap 1-2 mm ±1mm
(when closed)

Standard, Straight Handle

REF 3500 Length 25cm.....\$52⁹⁵

REF B130 Length 30cm.....\$59⁹⁵

Standard tips overlap 4-6 mm ±1mm
(when closed)

Standard, Angled Handle

REF 3530 Length 25cm.....\$62⁹⁵

Double Tooth, Straight Handle

REF 3501 Length 25cm.....\$52⁹⁵



Straight or Angled Handle and
LiteTouch™ or Standard tip

BUILD YOUR OWN COLPOSCOPY SET

SET OF 5 INSTRUMENTS for **ONLY \$675⁰⁰**

Each **GYNEX Colposcopy Set** consists of five (5) instruments essential for colposcopy procedures

To order, choose one item from each section:

- Biopsy Punch
- Endocervical Speculum
- Vaginal Speculum
- Endocervical Curette
- Tissue Hook

Priced at \$675, the GYNEX Five Instrument Colposcopy Set saves you a bundle!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a **GYNEX Colposcopy Set**.




GYNEX® Colposcopy Set

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.
This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...

Biopsy Punches

REF

- ☐ Tischler, Straight.....1010
- ☐ Mini-Tischler, Straight.....1005
- ☐ Medium-Tischler1008
- ☐ Tischler-Kevorkian1015
- ☐ Tischler, Straight, RotoTip.....1200-10
- ☐ Mini-Tischler, Straight, RotoTip.....1200-05
- ☐ Eppendorfer.....1017
- ☐ Wittner, Straight1026
- ☐ Wittner, Angled.....1027



Select one Biopsy Punch

For more information, see pages 7-14

Endocervical Specula

REF

- ☐ Standard Ratchet 3mm2130
- ☐ No-Lock Handle 3mm2030
- ☐ Standard Ratchet 4mm2140
- ☐ No-Lock Handle 4mm2040



Select one Endocervical Speculum

For more information, see page 18

Tissue Hooks

REF

- ☐ Iris Hook3210
- ☐ Emmett Tenaculum3220
- ☐ Angle Hook.....3225

Select one Hook

For more information, see page 15

Endocervical Curettes

REF

- ☐ Square Tip, with Basket.....3005
- ☐ Square Tip, no Basket3010
- ☐ Round Tip, with Basket.....3015
- ☐ Townsend Curette with Basket.....3020



Select one Curette

For more information, see page 16

Vaginal Specula

REF

- ☐ WideView™ Pederson Medium2500
- ☐ WideView™ Pederson Large2525
- ☐ WideView™ Short Blade2530
- ☐ WideView™ Graves Medium2540
- ☐ WideView™ Graves Large.....2545
- ☐ FullView™ Pederson Medium2600
- ☐ FullView™ Pederson Large2625
- ☐ FullView™ Graves Medium2650
- ☐ FullView™ Graves Large2655
- ☐ Standard Pederson Medium2457
- ☐ Standard Pederson Large.....2459
- ☐ Standard Graves Medium2452
- ☐ Standard Graves Large.....2454


Select one Speculum

For more information, see pages 82-83



SHOP ONLINE

SCAN QR-CODE TO VISIT WEBSITE



www.gynex.com

Keyes Vulvar Punch

These very strong and durable punches are especially useful for skin biopsy of the vulva.

Sizes: 2mm through 7mm




- | | |
|---|---|
| <p>● 2mm Tip</p> <p>REF 1302\$41⁹⁵</p> | <p>● 3mm Tip</p> <p>REF 1303\$41⁹⁵</p> |
| <p>● 4mm Tip</p> <p>REF 1304\$41⁹⁵</p> | <p>● 5mm Tip</p> <p>REF 1305\$41⁹⁵</p> |
| <p>● 6mm Tip</p> <p>REF 1306\$41⁹⁵</p> | <p>● 7mm Tip</p> <p>REF 1307\$41⁹⁵</p> |

Keyes Vulvar Punch

These amazing punches are especially useful for skin biopsy of the vulva. STERILE, Single-Use®, Seamless tips.

STERILE EO Single-Use®
Not made with natural rubber latex.



Box of 25

- | | |
|---|---|
| <p>● 2mm Tip <i>Orange</i></p> <p>REF 1322\$44⁹⁵</p> | <p>● 3mm Tip <i>Red</i></p> <p>REF 1323\$44⁹⁵</p> |
| <p>● 4mm Tip <i>Green</i></p> <p>REF 1324\$44⁹⁵</p> | <p>● 5mm Tip <i>Blue</i></p> <p>REF 1325\$44⁹⁵</p> |
| <p>● 6mm Tip <i>Pink</i></p> <p>REF 1326\$44⁹⁵</p> | |

Keyes Punch Set

Keyes Punch Set contains a Keyes Vulvar Punch Handle with six sizes of interchangeable screw on tips, and is enclosed in a storage case with numerically designated holding pins for each tip.

Sizes: 2mm through 7mm

REF 1310\$226⁹⁵



Keyes Punch Accessories Kit

We have designed the perfect accessory kit for the Keyes Punch. The kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. We thoughtfully included a diamond-coated sharpening stone to keep your punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315\$88⁹⁵



Ovum Forceps



Sopher Jaw
Actual Size: 11mm



Sopher Jaw
Actual Size: 12mm



Sopher Jaw
Actual Size: 14mm



No Ratchet Handle

Sopher Original

Length: 25.5cm (10") Curved Jaw 11mm

- REF 3544 Ratchet Handle \$104⁹⁵
- REF 3546 No Ratchet \$99⁹⁵



Ratchet Handle

Sopher Standard

Length: 25.5cm (10") Curved Jaw 12mm

- REF 3548 Ratchet Handle \$104⁹⁵
- REF 3550 No Ratchet \$99⁹⁵

Length: 25.5cm (10") Curved Jaw 14mm

- REF 3552 Ratchet Handle \$109⁹⁵
- REF 3554 No Ratchet \$104⁹⁵



Sopher Original "lips" protect surrounding tissue

Sopher Standard

Length: 28cm (11") Curved Jaw 12mm

- REF 3556 Ratchet Handle \$104⁹⁵
- REF 3558 No Ratchet \$99⁹⁵

Length 28cm (11") Curved Jaw 14mm

- REF 3560 Ratchet Handle \$109⁹⁵
- REF 3562 No Ratchet \$104⁹⁵



Sopher Original Jaw Open



Sopher Standard Jaw Closed

Sopher Standard

Length: 33cm (13") Curved Jaw 12mm

- REF 3564 Ratchet Handle \$114⁹⁵
- REF 3566 No Ratchet \$109⁹⁵

Length: 33cm (13") Curved Jaw 14mm

- REF 3568 Ratchet Handle \$119⁹⁵
- REF 3570 No Ratchet \$114⁹⁵



Sopher Standard Jaw Open



Bierer, Jaw Open

Bierer

Length: 28cm (11") Straight Jaw 16mm

REF 3572 Ratchet Handle \$104⁹⁵

REF 3574 No Ratchet \$99⁹⁵

Length: 28cm (11") Straight Jaw 19mm

REF 3576 Ratchet Handle \$109⁹⁵

REF 3578 No Ratchet \$104⁹⁵

Length: 33cm (13") Straight Jaw 16mm

REF 3580 Ratchet Handle \$109⁹⁵

REF 3582 No Ratchet \$104⁹⁵

Length: 33cm (13") Straight Jaw 19mm

REF 3584 Ratchet Handle \$114⁹⁵

REF 3586 No Ratchet \$109⁹⁵



Jacobson, Jaw Open

Jacobson

Length: 28cm (11") Straight Jaw 20mm

REF 3588 No Ratchet \$104⁹⁵

Length: 33cm (13") Straight Jaw 20mm

REF 3590 No Ratchet \$104⁹⁵



*Blumenthal
"lips" protect surrounding tissue*

Blumenthal

Length: 28cm (11") Straight Jaw 20mm

REF 3592 No Ratchet \$104⁹⁵

Length: 33cm (13") Straight Jaw 20mm

REF 3594 No Ratchet \$109⁹⁵



Saenger Inner diameter teeth within oval jaws

Saenger

Length: 26.5cm (10.5") Straight Jaw 16mm

REF 3596 Ratchet Handle \$144⁹⁵

REF 3598 No Ratchet \$139⁹⁵

Length: 26.5cm (10.5") Curved Jaw 16mm

REF 3600 Ratchet Handle \$144⁹⁵

REF 3602 No Ratchet \$139⁹⁵

Length: 29cm (11.5") Straight Jaw 16mm


REF 3604 Ratchet Handle \$149⁹⁵

REF 3606 No Ratchet \$144⁹⁵

Length: 29cm (11.5") Curved Jaw 16mm

REF 3608 Ratchet Handle \$149⁹⁵

REF 3610 No Ratchet \$144⁹⁵



Blumenthal

CERAMIX™ Coated IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

Perfect for cutting IUD strings

Length: 25cm


KEY ADVANTAGES

- Ceramix coating stays sharp up to 10 times longer
- Incomparable cutting-edge hardness
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

REF 29-040 \$99⁹⁵



Our popular **IUD String Scissors**
is now **MORE DURABLE** and
SHARPER than ever




IUD String Scissors - Stainless Steel

Blunt Tip, Slight Curve, Fine Serration

Perfect for cutting IUD strings

Length: 25cm

REF 29-030 \$74⁹⁵



IUD String Scissors, Single-Use


Metal Tip / Plastic Handle


- Handle features guide to reduce splaying

Perfect for cutting IUD strings

Length: 26.5 cm

REF 29-065 Box of 12..... **\$43⁹⁵**

STERILE EO **Single-Use** 
Not made with natural rubber latex.



Gynex® Alligator Grasper - Stainless Steel

Blunt tip, Fine Serrated Teeth

Perfect for grasping IUD strings



Length: 23 cm

Available in Two Jaw Size

REF 29-100 Jaw Size: 21mm **\$89⁹⁵**

REF 29-550 Jaw Size: 10mm **\$89⁹⁵**

Finely serrated teeth in the jaw help secure the IUD string



Serpentine Grasper IUD Remover - Stainless Steel

Flexible Shaft, Small Tip, Grasping Teeth

Length: 20cm

Tip in closed position: 4.5mm

KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

REF 29-010 **\$299⁹⁵**



IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

Length: 26.5cm

REF 29-200 Box of 12..... \$49⁹⁵

STERILE EO Single-Use ®

Not made with natural rubber latex.



Willows™ IUD String Snare

Rounded Tip, Multiple Grasping Slots

- High quality malleable plastic

Length: 27cm

REF 29-300 Box of 12..... \$49⁹⁵

STERILE EO Single-Use ®

Not made with natural rubber latex.



IUD Remover, Crochet Style - Stainless Steel

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$74⁹⁵



IUD Remover, Crochet Style - Malleable Metal

Rounded Tip, Angled, Dual Grasping Slots

- High quality malleable metal

Length: 26cm

REF 29-025 \$84⁹⁵




ASCONA™ IUD String Snare

Allows gentle removal of IUD

The rotating handle provides a way to snag the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona™ allows the user to gently pull out and remove the IUD. The Ascona™ is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.

REF 29-350\$78⁹⁵



STERILE EO Single-Use ®
Not made with natural rubber latex.

Gynex® IUD Insertion Kit

Gynex® IUD Insertion Kit has everything you need to perform an IUD insertion quickly and safely.

- Decreases the risk of transmission to infectious agents.
- Eliminates costly instrument sterilization.

Each Gynex® IUD Insertion Kit Tray Contains:

- (1) Tenaculum Forcep
- (1) IUD String Scissor
- (2) Rayon Swabs
- (1) ACCU-SOUND® Uterine Sound
- (1) Folded Drape

REF 29-500 Box of 12.....\$184⁹⁵

Dilating Tip



24cm Shaft Length

ACCU-SOUND® Uterine Sound


There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When the ACCU-SOUND® Uterine Sound is inserted into the uterus, a ring comes to rest against the outside of the Os. The ring stays in place on the ACCU-SOUND® when the device is withdrawn from the uterus and vagina, clearly indicating the uterine measurement. There has never been a uterine sound more accurate and easy to use.

An accurate measurement as easy as 1,2,3 !



1.

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



2.

Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.




3.

Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



Accurate Measurement

An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound
NO MORE GUESSWORK!



ACCU-SOUND® Uterine Sound is useful for surgical and non-surgical procedures:

- Diagnosis of uterine position (anteflexed, retroflexed, mid-position)
- Laparoscopic tubal occlusion
- Dilatation and Curettage
- Tubal patency studies
- IUD insertion

ACCU-SOUND® Uterine Sound

REF 4950 Box of 25 **\$66⁹⁵**

More Sound Choices from Gynex

Sims Sound Plus+


STERILE / Single-Use ⓧ

- Malleable plastic
- OD 4mm

Length: 24cm

STERILE EO **Single-Use** ⓧ

Not made with natural rubber latex.




Sim Sound

STERILE / Single-Use ⓧ

- Malleable plastic
- OD 4mm


Length: 16.6cm



Sims Sound - Reusable

- Autoclavable
- OD 4mm

Length: 32cm



REF 4332 Chrome-Plated, Malleable..... \$39⁹⁵

REF 4334 Stainless Steel, Non-Malleable..... \$39⁹⁵

Uterine Dilators

Mini Dilator

SET OF 5 inter-changeable Probes and 1 Handle

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm (Stainless Steel)

REF 4005 Set \$164⁹⁵



*Especially useful
for nulliparous
patients*

Extra Mini Dilator Tips


(Fits REF 4005 Handle)

Sizes: 4mm and 5mm


Available only from GYNEX

REF 4005.4 4mm.. \$39⁹⁵

REF 4005.5 5mm.. \$39⁹⁵



Dots show actual diameter in mm



Dots show actual diameter in mm

Small Dilator SET of 6 Probes

- Each probe is one size
- Stainless Steel

Length: 19.2cm

REF 4008 Set.....\$164⁹⁵

Sold individually \$39⁹⁵





Hank Dilator SET of 6 Probes

- Dual size on each dilator
- Stainless Steel

Length: 26.9cm

REF 4010 Set.....\$164⁹⁵

Sold individually \$39⁹⁵




Pratt Dilator SET of 8 Probes

- Dual sizes on each dilator
- Stainless Steel


Length: 29.5cm

REF DPU3850 Set..... **\$194⁹⁵**





Dots show actual diameter in mm



Hegar Dilator SET of 8 Probes

- Dual sizes on each dilator
- Stainless Steel

Length: 21cm

REF DHU3800 Set.....**\$184⁹⁵**

Soft Dilators - STERILE / Single-Use ②

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come STERILE and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix

Tapered tip length: is 23mm • **Overall length:** 21.5cm

REF 4211 Box of 12 \$49⁹⁵

REF 4221 Box of 24 \$90⁹⁵

Soft Dilator, Canal Finder

Used for indicating the cervical canal

Tapered tip length: 45mm • **Overall length:** 21.5cm

REF 4212 Box of 12 \$49⁹⁵

REF 4222 Box of 24 \$90⁹⁵


Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os

Tapered tip length: 85mm • **Overall length:** 21.5cm

REF 4213 Box of 12 \$49⁹⁵

REF 4223 Box of 24 \$90⁹⁵





Soft Teflon Dilators - *Reusable*

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be resterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered tip length: 23mm • **Overall length:** 21.5cm

REF 4201 \$42⁹⁵

Soft Teflon Dilator, Canal Finder

Tapered tip length: 45mm • **Overall length:** 21.5cm

REF 4202 \$42⁹⁵

Soft Teflon Dilator, Fundus Finder

Tapered tip length: 85mm • **Overall length:** 21.5cm

REF 4203 \$42⁹⁵



STERILE / Reusable
OK to Autoclave

Great Value! **SAVE on a SET of 3 Dilators**

Soft Teflon Dilators - *Reusable*

STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.


REF 4200 Set of 3..... \$97⁹⁵


Soft Teflon Dilators - *Reusable*

NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3..... \$92⁹⁵



Note: Multi-Colored Single-Use  and the White Reusable Soft Dilators are the same shape and are intended for identical use.

Dennis Dilators®, Single-Use

5mm to 12mm

- Different color for each soft dilators size
- Dual sizes on each dilator
- Number on handle for easy identification
- STERILE / Single-Use
- Ergonomic handle
- Soft plastic

Overall length: 27cm

STERILE EO Single-Use

Not made with natural rubber latex.

5-6mm Dilator, Pink

REF 4240 Box of 12 \$45⁹⁵

7-8mm Dilator, Yellow

REF 4245 Box of 12 \$45⁹⁵

9-10mm Dilator, Green

REF 4250 Box of 12 \$45⁹⁵

11-12mm Dilator, Blue

REF 4255 Box of 12 \$45⁹⁵

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators



Dots show actual diameter in mm



Dots show actual diameter in mm



Dennis Dilators® Set -Reusable

5mm to 14mm

Different band color on each dilator

- Dual sizes on each dilator
- Soft plastic
- STERILE - Sealed in procedure blister trays
- Reusable - Resterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5 **\$94⁹⁵**

Uterine Curettes

Sims Uterine Curette - Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



Size 00	Size 0	Size 1	Size 2	Size 3	Size 4	Size 5	Size 6
---------	--------	--------	--------	--------	--------	--------	--------

- REF CSU3900-9
Size 00: 10.5 x 4.0mm, Sharp, Rigid.....\$67⁹⁵
- REF CSU3900-0
Size 0: 10.5 x 4.5mm, Sharp, Rigid.....\$67⁹⁵
- REF CSU3900-1
Size 1: 13 x 5mm, Sharp, Rigid\$67⁹⁵
- REF CSU3900-2
Size 2: 16 x 6mm, Sharp, Rigid\$67⁹⁵

- REF CSU3900-3
Size 3: 16 x 7mm, Sharp, Rigid\$67⁹⁵
- REF CSU3900-4
Size 4: 20 x 9mm, Sharp, Rigid\$67⁹⁵
- REF CSU3900-5
Size 5: 22 x 9mm, Sharp, Rigid\$67⁹⁵
- REF CSU3900-6
Size 6: 26 x 11mm, Sharp, Rigid\$67⁹⁵



Bumm Uterine Curette - Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size



Size 1	Size 2	Size 3
--------	--------	--------

- REF CBU3920-1
Size 1: 48 x 25mm\$67⁹⁵
- REF CBU3920-2
Size 2: 52 x 30mm\$67⁹⁵
- REF CBU3920-3
Size 3: 62 x 35mm\$67⁹⁵

Century UMI™

Uterine Manipulator/Injector



STERILE EO Single-Use®
Not made with natural rubber latex.

The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, and conveniently disposable. Optimized to support broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

- **Cannula length:** 33cm
- OD 4.5mm
- Luer Lock Syringe 10cc

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os


Now including a 10cc
luer lock syringe for
your convenience!

PASSING SAVINGS TO YOU!

NEW LOW PRICE!

REF 10-160 Box of 12 \$215⁹⁵

Low unit price, \$17.99 each




Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.



sure@sample® • Select 1

Endometrial Curette



sure@sample® • Select1


Endometrial Curette

STERILE EO Single-Use Ⓢ
Not made with natural rubber latex.

SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

Specifications

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- **Cannula length:** 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex
- Luer Lock fitting with winged flanges
- STERILE, Single-Use Ⓢ



Features

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- Twist-and-Lock plunger on syringe makes it easier to dispense collected specimen
- White Syringe Cap allows transportation of sample collected in the syringe

**CUTTING COST
AND
ELEVATING
EFFECTIVENESS**

Special Price!

SURESAMPLE® Endometrial Curette

REF 3130 Box of 5 **\$29⁹⁵** (\$5.99 each)
Limit one-time order per office

SURESAMPLE® Endometrial Curette

REF 3135 Box of 24 ... **\$119⁷⁵** (\$4.99 each)

Low unit price, \$4.99 each


suresample®

Endometrial Sampler

SURESAMPLE Endometrial Sampler *is one of the finest endometrial samplers available today!*

Here are just a few reasons why:

- The SURESAMPLE Endometrial Sampler's **3-port sampling system doubles the harvested samples of other sampler devices**
- The 3-port sampling system allows **easy sample retrieval with reduced cell damage**



BETTER PERFORMANCE THAN OTHER BRANDS



SURESAMPLE Endometrial Sampler retrieves more than TWICE the harvest of its competition!

sure@sample®

Endometrial Sampler

STERILE EO Single-Use ®
Not made with natural rubber latex.

Features and Benefits

- **3-Port Sampling System** - one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- **Two phase action** between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- **No cutting or splitting of tip** (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** - simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.

Specifications

- STERILE, Single-Use
- 3mm shaft diameter
- 24cm shaft length
- Not made with natural rubber latex

SURESAMPLE® Endometrial Sampler

REF 3115

Box of 25.....\$114⁹⁵



Galileo® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

with a 5-wheel Rolling Base: **REF 530VCDA-R**\$6,795⁰⁰ (for Left Handed **REF 530VCLDA-R**)

with a 360° rotating Tilt Base: **REF 530VCDA-T**\$6,795⁰⁰ (for Left Handed **REF 530LVCDLA-T**)

1 Year Extended Warranty: **REF 530VCDA T/R-1** \$350⁰⁰ 2 Year Extended Warranty: **REF 530VCDA T/R-2** \$500⁰⁰

Galileo® Colposcope Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

- Apochromatic Lens
- High Resolution
- Large Depth of Field
- Wide Field of View
- Great Contrast
- 3-D Image Reproduction



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



360° Tilt Base

- Easy Maneuverability



Eye-Shields
(Removable)

LED Bulb Cover

Diopter Knobs

Rheostat Knob

Green Filter Knob

Head Inclination
Adjusting Knob

Three-Step
Magnification Knob

Direct-Access™
Feature

Fine Focus Handle

Left Handed Models Available

Fine Height
Adjustment Handle

HDMI Video Connection



ROLLING BASE, with 5 locking wheels, is
a highly portable industry standard
with a clean, sleek design.

Gross Height
Adjustment Knob

On/Off Switch and
Power Indicator Light

TILT BASE (shown)
provides a stable platform
and 360° rotation. Wheels
make it easily portable.

Galileo® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: **REF 400DA-R**\$5,495⁰⁰ (for Left Handed **REF 400LDA-R**)

with a 360° rotating Tilt Base: **REF 400DA-T**\$5,495⁰⁰ (for Left Handed **REF 400LDA-T**)

1 Year Extended Warranty: **REF 400DA T/R-1**\$350⁰⁰ 2 Year Extended Warranty: **REF 400DA T/R-2**\$500⁰⁰



ROLLING BASE, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design.

Galileo® Colposcope

Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Achromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability



Galileo® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Right-Handed / Left-Handed Models
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: **REF 200DA-R**\$4,495⁰⁰ (for Left Handed **REF 200LDA-R**)

with a 360° rotating Tilt Base: **REF 200DA-T**\$4,495⁰⁰ (for Left Handed **REF 200LDA-T**)

1 Year Extended Warranty: **REF 200DA T/R-1**\$350⁰⁰

2 Year Extended Warranty: **REF 200DA T/R-2**\$500⁰⁰

Galileo® Colposcope

Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability



LED Bulb Cover
Diopter Knobs
Rheostat Knob
Green Filter
Optical Measurement Reference Chart
Eye-Shields (Removable)

Head Inclination
Adjusting Knob

Fine Focus Handle

Direct-Access™
Feature

Fine Height
Adjustment Handle

Left Handed Models Available

Gross Height
Adjustment Knob



ROLLING BASE, with 5 locking wheels, is
a highly portable industry standard
with a clean, sleek design.

On/Off Switch and
Power Indicator Light

TILT BASE (shown)
provides a stable platform
and 360° rotation. Wheels
make it easily portable.

Available Accessories

Galileo® Colposcope Direct-Access™ 530VCDA

Video Capture Device


Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer

Available as free download with purchase

*Requires Video software

REF VC-Magewell\$299⁰⁰



Cut the Cord!
Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS\$1,595⁰⁰

Monitor Only (without base) REF 450M\$290⁰⁰

(Note: Actual monitor shipped may be different than model shown)



Galileo® Binocular Microscope

Specifications

- **Condenser Numerical Aperture:** Na = 1.25
- **Stage Movement Range:** Longitudinal 50mm, Transverse 75mm
- **Fine Focusing:** Minimum Division .002mm
- **Interpupillary Distance Adjustment Range:** 53–75mm
- **Light Source:** 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images
and
wider views
at a great price!

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
Objectives	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope [REF] MI6000\$899⁹⁵

1 Year Extended Warranty: [REF] MI6000 -1\$75⁰⁰ 2 Year Extended Warranty: [REF] MI6000 - 2\$95⁰⁰

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

360° rotating Tilt Base: REF CO4100-LED	\$4,798 ⁰⁰
1 Year Extended Warranty: REF CO4100-1	\$300 ⁰⁰
2 Year Extended Warranty: REF CO4100-2	\$450 ⁰⁰

CO4100 Colposcope




LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver



CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

360° rotating Tilt Base:	REF	CO3100-LED	\$3,995 ⁰⁰
1 Year Extended Warranty:	REF	CO3100-1	\$300 ⁰⁰
2 Year Extended Warranty:	REF	CO3100-2	\$450 ⁰⁰

CO3100 Colposcope




LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

- 360° Easy Maneuver



CO1100 Colposcope

Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO1100-LED	\$2,895 ⁰⁰
1 Year Extended Warranty: REF CO1100-1	\$300 ⁰⁰
2 Year Extended Warranty: REF CO1100-2	\$450 ⁰⁰

CO1100 Colposcope




LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

- 360° Easy Maneuver



Medical Exam Light

Galileo® Medical Exam Light is designed to be easy to use, easy to clean, durable and aesthetically pleasing. We're sure you'll find the convenience of the flexible, adjustable LED light invaluable for your exam needs.

REF MEL-50\$434⁹⁵



Available Accessories

Table Mount

The Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.

REF MEL-20\$84⁹⁵



Wall Mount

Galileo® Medical Exam Light wall mount bracket provides extra floor space & convenience when needed.

REF MEL-10\$69⁹⁵



Touch-Guard® Disposable Protective Sheath

Touch-Guard® disposable sheath protects your medical exam light so you can easily maneuver light during procedures without the risk of contamination.

- Recommended to use with Galileo Medical Exam Light REF: MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter

REF TG-300 Box of 25\$14⁹⁵



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500 \$265⁹⁵



Available Accessories

Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01 \$290⁹⁵



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6 \$37⁹⁵




Hysterectomy Clamps

GYNEX
Original!

Titanium Rainbow™

Titanium Rainbow Coating Hysterectomy Clamps

- Retains their crisp edge better than standard stainless steel clamps
- Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- High level of corrosion resistance for a rust free surface



Straight

REF TT580-21	21cm	\$278 ⁹⁵
REF TT580-24	24cm	\$313 ⁹⁵
REF TT580-27	27cm	\$348 ⁹⁵
REF TT580-30	30cm	\$368 ⁹⁵
REF TT580-36	36cm	\$388 ⁹⁵



Slight Curve

REF TT585-21	21cm	\$278 ⁹⁵
REF TT585-24	24cm	\$313 ⁹⁵
REF TT585-27	27cm	\$348 ⁹⁵
REF TT585-30	30cm	\$368 ⁹⁵
REF TT585-36	36cm	\$388 ⁹⁵



Strong Curve

REF TT590-21	21cm	\$278 ⁹⁵
REF TT590-24	24cm	\$313 ⁹⁵
REF TT590-27	27cm	\$348 ⁹⁵
REF TT590-30	30cm	\$368 ⁹⁵
REF TT590-36	36cm	\$388 ⁹⁵



Angled

REF TT595-21	21cm	\$278 ⁹⁵
REF TT595-24	24cm	\$313 ⁹⁵
REF TT595-27	27cm	\$348 ⁹⁵
REF TT595-30	30cm	\$368 ⁹⁵
REF TT595-36	36cm	\$388 ⁹⁵

The original Zephyr™

Stainless Steel Hysterectomy Clamps

Available in four angles:

Straight, Slight Curve, Strong Curve, Angled

Available in four lengths:

21cm, 24cm, 27cm and 30cm

ZEPHYR™

Channeled Atraumatic
Grasping Jaws



Straight

REF 3580-21	21cm	\$278 ⁹⁵
REF 3580-24	24cm	\$313 ⁹⁵
REF 3580-27	27cm	\$348 ⁹⁵
REF 3580-30	30cm	\$368 ⁹⁵



Slight Curve

REF 3585-21	21cm	\$278 ⁹⁵
REF 3585-24	24cm	\$313 ⁹⁵
REF 3585-27	27cm	\$348 ⁹⁵
REF 3585-30	30cm	\$368 ⁹⁵



Strong Curve

REF 3590-21	21cm	\$278 ⁹⁵
REF 3590-24	24cm	\$313 ⁹⁵
REF 3590-27	27cm	\$348 ⁹⁵
REF 3590-30	30cm	\$368 ⁹⁵



Angled


REF 3595-21	21cm	\$278 ⁹⁵
REF 3595-24	24cm	\$313 ⁹⁵
REF 3595-27	27cm	\$348 ⁹⁵
REF 3595-30	30cm	\$368 ⁹⁵



Hysterectomy Scissors

Titanium Rainbow™

Titanium Rainbow Coating Hysterectomy Scissors



KEY ADVANTAGES


- Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel
- Low coefficient of friction for smoother mechanical action
- Very high level of corrosion resistance for a rust free surface
- Smoother cutting action



Slight Curve Scissors

REF TT680-20
20cm **\$204⁹⁵**


REF TT680-23
23cm **\$285⁹⁵**



Curve Scissors

REF TT685-20
20cm **\$230⁹⁵**

REF TT685-23
23cm **\$295⁹⁵**



Full Curve Scissors

REF TT690-20
20cm **\$245⁹⁵**

REF TT690-23
23cm **\$300⁹⁵**



Angled Scissors

REF TT695-20
20cm **\$245⁹⁵**

REF TT695-23
23cm **\$300⁹⁵**

The original Zephyr™

Stainless Steel Hysterectomy Scissors

- Tungsten carbide cutting edge
- Designed to cut cleanly, every time

Available in four angles:

Slight Curve • Curve • Full Curve • Angled

Available in two lengths:

20cm and 23cm




Slight Curve Scissors

REF 3680-20
20cm **\$204⁹⁵**

REF 3680-23
23cm **\$285⁹⁵**



Curve Scissors

REF 3685-20
20cm **\$230⁹⁵**

REF 3685-23
23cm **\$295⁹⁵**



Full Curve Scissors

REF 3690-20
20cm **\$245⁹⁵**

REF 3690-23
23cm **\$300⁹⁵**



Angled Scissors

REF 3695-20
20cm **\$245⁹⁵**

REF 3695-23
23cm **\$300⁹⁵**

Scissors



Iris Angled Scissors

REF S3812 11cm Length.... \$38⁹⁵



Iris Curved Scissors

REF S3814 11cm Length.... \$33⁹⁵



Iris Straight Scissors

REF S3816 11cm Length.... \$28⁹⁵



Littaur Stitch Scissors

REF S3810 14cm Length.....\$17⁹⁵

Needle Holders



Smooth Jaw

Webster Smooth Needle Holder

REF NHW3400 13cm Length....\$32⁹⁵



Serrated Jaw

Mayo-Hegar Needle Holder

REF NHMH3410-14 14cm Length.....\$28⁹⁵
 REF NHMH3410-16 16cm Length.....\$30⁹⁵
 REF NHMH3410-18 18cm Length.....\$33⁹⁵
 REF NHMH3410-20 20cm Length.....\$37⁹⁵



Serrated Jaw

Crile-Wood Needle Holder

REF NHCW3420-15 15cm Length.....\$30⁹⁵
 REF NHCW3420-18 18cm Length.....\$34⁹⁵
 REF NHCW3420-20 20cm Length.....\$38⁹⁵
 REF NHCW3420-23 23cm Length.....\$45⁹⁵

Reference chart for actual instrument length in cm. Length measured around curve.

Length: 20cm (7.875")	23cm (9.0")
-----------------------	-------------

5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Box of 5 ONLY \$59⁹⁵

GYNEX LLETZ Electrodes - STERILE / Single-Use ®

We believe that our LLETZ Electrodes are the best on the market!

Here are just a few reasons why:

- Our molded handles provide security.
- Our loop wires are 0.20 mm thick to help reduce backward drag.
- Our HexLoc™ anti-rotation system at the bottom of the shaft keeps the handle from rotating.
- We package each electrode in a molded blister tray which keeps the tip true to shape and protects it from breakage.

Procedure Blister Trays


- Keeps tips true to shape
- Every electrode is sterilized
- Easy to open cover
- Procedure ready



STERILE EO Single-Use ®

Not made with natural rubber latex.

GYNEX LLETZ Electrode features



Radius Loop Electrodes Our Most Popular Style

STERILE EO

Not made with natural rubber latex.

All Electrode Tips Shown at Actual Size

REF 12-0505 5mm x 5mm

Box of 5\$59⁹⁵



REF 12-1007 10mm x 7mm

Box of 5\$59⁹⁵



REF 12-1010 10mm x 10mm

Box of 5\$59⁹⁵



REF 12-1505 15mm x 5mm

Box of 5\$59⁹⁵



REF 12-1508 15mm x 8mm

Box of 5\$59⁹⁵



REF 12-1512 15mm x 12mm

Box of 5\$59⁹⁵



REF 12-1515 15mm x 15mm

Box of 5\$59⁹⁵



REF 12-2008 20mm x 8mm

Box of 5\$59⁹⁵

REF 12-2010 20mm x 10mm

Box of 5\$59⁹⁵



REF 12-2013 20mm x 13mm

Box of 5\$59⁹⁵



REF 12-2015 20mm x 15mm

Box of 5\$59⁹⁵



REF 12-2510 25mm x 10mm

Box of 5\$59⁹⁵



REF 12-2515 25mm x 15mm


Box of 5\$59⁹⁵



Electrode Measurements

REF 12-2015
Width Height

WHAT REFERENCE NUMBERS MEAN



Box of 5 ONLY \$59⁹⁵


STERILE EO

Not made with natural rubber latex.


H-Series Loop Electrodes

Precision Depth and Width Control


REF 13-1010 10mm x 10mm
Box of 5.....\$59⁹⁵



REF 13-1505 15mm x 5mm
Box of 5.....\$59⁹⁵




REF 13-2005 20mm x 5mm
Box of 5.....\$59⁹⁵



REF 13-2007 20mm x 7mm
Box of 5.....\$59⁹⁵



REF 13-2010 20mm x 10mm
Box of 5.....\$59⁹⁵



Square Loop Electrodes

REF 19-1004 10mm x 4mm
Box of 5.....\$59⁹⁵




REF 19-1010 10mm x 10mm
Box of 5.....\$59⁹⁵



Ball Electrodes

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

REF 2-3-2 3mm Diameter, 13.5cm Shaft
Box of 5.....\$59⁹⁵




REF 2-5-2 5mm Diameter, 13.5cm Shaft
Box of 5.....\$59⁹⁵



Needle Electrode

For electro fulguration using coagulation power outputs


REF 15-0001 26mm Long Needle
Box of 5.....\$59⁹⁵



Electrode Measurements

REF 12-2015
Width Height

WHAT REFERENCE NUMBERS MEAN



Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode

REF 12-0000 13cm Length
Box of 5 \$39⁹⁵

STERILE EO Single-Use 
Not made with natural rubber latex.




**ACCESS DEEP CAVITIES AND OTHER
HARD-TO-REACH SITES**



Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes


- Single-Use 
- STERILE
- 10 foot cable

REF 755VL Box of 12..... \$104⁹⁵



Electrode Handpiece, Foot Activated

For use with standard removable electrodes

- Single-Use 
- STERILE
- 10 foot cable

REF 950 Box of 12..... \$67⁹⁵



Electrosurgical Patient Dispersive Pads for LLETZ Procedures

STERILE EO **Single-Use**®
Not made with natural rubber latex.

Standard Grounding Pad with Cord, Solid-Style

Generators Compatibility

MANUFACTURES	PAD REF #
BEI® Plus II	395-302
CooperSurgical® LEEP® 1000	6050P
CooperSurgical® LEEP® 6000	6050P



Connector shown at ACTUAL SIZE



REF 6010

Box of 12 \$94⁹⁵

Grounding Pad with Cord, Solid-Style

Generators Compatibility

MANUFACTURES	PAD REF #
Utah Medical Finesse®	ESU-405



Connector shown at ACTUAL SIZE



REF 21-809

Box of 12 \$81⁹⁵

Grounding Pad with Cord, Split (REM)

Generators Compatibility

MANUFACTURES	PAD REF #
ConMed® Sabre® 180	402-2204
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II®	ESU-420



Connector shown at ACTUAL SIZE




REF 33-714

Box of 12 \$81⁹⁵

Extended Needle Adapters - Reusable

Extends the reach of hypodermic needles
Stainless Steel, Available: 3–6 inch lengths

REF 5120	7.62cm (3").....	\$29 ⁹⁵
REF 5122	10.16cm (4").....	\$29 ⁹⁵
REF 5124	12.7cm (5").....	\$29 ⁹⁵
REF 5126	15.24cm (6").....	\$29 ⁹⁵



Cartridge Syringe, Threaded Tip - Reusable

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210	\$83 ⁹⁵
----------	-------	--------------------




Lidocaine Cartridges, Single-Use ②

- With Epinephrine 1:100,000
- 1.7ml Cartridges

REF 1150	Box of 50.....	\$79 ⁹⁵
----------	----------------	--------------------

This product contains latex

NOTE: A pharmacy or physicians license is required when ordering this product.



Prefilter, Reducer, and Filter for Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, Single-Use ②

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets.....\$195⁹⁵



Prefilter Reducer, Single-Use ② Non-Sterile

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230 Qty 10\$51⁹⁵

CONNECTS WITH



Perfect match for the competitor's smoke evacuator at a far more **reasonable price!**

Prefilter, Single-Use ② Non-Sterile

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210 Qty 10\$188⁹⁵

CONNECTS WITH



ULPA Filter, Non-Sterile

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215\$164⁹⁵ each

CONNECTS WITH



Tubing and Connectors for LLETZ Procedures


CONNECTS WITH

A. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue™ to Flexible-S Tubing. 1/4" to 7/8"

REF 8100 Box of 12.....\$21⁹⁵



B. Flexible-S Tubing, Non-Sterile

Not made with natural rubber latex.

Connects to DSE Tubing.

Convenient 6-Pack.

1/4" ID, 3/8" OD x 2'

REF 8024 Box of 6\$42⁹⁵



C. DSE Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50\$88⁹⁵



Inserts into smoke evacuation tube clip in speculum

D. Clear-Flue™ Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072 Qty 24.....\$70⁹⁵




E. Tubing Connector, Non-Sterile


Not made with natural rubber latex.

Connects Clear-Flue™ to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103 Box of 12.....\$21⁹⁵



CONNECTS WITH



GYNEX coated specula for LLETZ procedures.



Sterile Vacuum Tubing Sets, Single-Use ②

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.


REF 8200 12 Sets\$195⁹⁵

Sponge Forceps

Non-PVC, Length: 24cm

STERILE EO Single-Use 
Not made with natural rubber latex.


REF 3207	12-Pack.....	\$36 ⁹⁵
REF 3214	24-Pack	\$68 ⁹⁵



Topical Anesthetic

STERILE EO Single-Use 
Not made with natural rubber latex.

HurriCaine® Snap-n-Go™ Swabs

- 72 Single-Use  swabs per box
- Fast onset - 20 seconds
- Dose .15ml



REF 0569	\$51 ⁹⁵
----------	-------	--------------------



HurriCaine® Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF 0183	\$69 ⁹⁵
----------	-------	--------------------

STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270°**. Gynex LLETZ coating must be autoclaved at **250°**. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is **saturated steam at 250° for 25–30 minutes**. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10⁻⁶.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are **completely dry** when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ Instruments

LLETZ-Coated Teneculum

Extremely gentle tissue pickup • Coated Stainless Steel • **Length:** 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design
Closed position, tips overlap 1-2 mm

REF LT2250\$149⁹⁵

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249\$149⁹⁵



☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering



LLETZ-Coated Hooks

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230\$89⁹⁵

Emmett Tenaculum

REF 3240\$89⁹⁵

Angle Hook

REF 3245\$89⁹⁵




LLETZ-Coated Tissue Forceps

Coated Stainless Steel

Length: 21.5cm

REF 3205\$99⁹⁵




LLETZ-Coated Rulers

Depth Ruler

Coated Stainless Steel
• Millimeter markings, center at 5mm

Length: 24cm

REF 3250\$105⁹⁵



Width Ruler

Coated Stainless Steel
• Millimeter markings

Length: 22cm

REF 3255\$105⁹⁵



4-Way Expander Vaginal Speculum for LLETZ Procedures

The 4-Way Expander Vaginal Speculum is designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

Features

- Built-in smoke evacuation tube holder
- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Autoclavable & Sterilizable

MEDIUM

REF L4MEX 115mm \$254⁹⁵

LARGE

REF L4LEX 125mm \$264⁹⁵

☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering

DSE Tubbing Holder
for Smoke Evacuation

LLETZ Coated

Side Blades
Lock In Place


GYNEX's Exclusive
Autoclavable
Lavender Coating

OPEN

CLOSED

Lateral Vaginal Retractor for LLETZ Procedures

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.




Blade Reference Chart: Shown Actual Size, Scale 1:1

Open-Sided Speculum

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1



Don't Forget to Order Your DSE Smoke Evacuation Tubing for Your LLETZ Specula (see pages 72-73)



OK to Autoclave
Read Notice on Page 74 Before Ordering

5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Sullivan Vaginal Speculum

for LLETZ Procedures

Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


Ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1



Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula


☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering



Pederson & Graves for LLETZ Procedures



☒ **OK to Autoclave**
 Read Notice on Page 74
 Before Ordering





Blade Reference Chart: Shown Actual Size, Scale 1:1

180mm
 175mm
 170mm
 165mm
 160mm
 155mm
 150mm
 145mm
 140mm
 135mm
 130mm
 125mm
 120mm
 115mm
 110mm
 105mm
 100mm
 95mm
 90mm
 85mm
 80mm
 75mm
 70mm
 65mm
 60mm
 55mm
 50mm
 45mm
 40mm
 35mm
 30mm
 25mm
 20mm
 15mm
 10mm
 5mm
 0mm

Pederson


Graves








Pederson & Graves

Stainless Steel Vaginal Speculum



Blade Reference Chart: Shown Actual Size, Scale 1:1





Sullivan Stainless Steel Vaginal Speculum


Stainless Steel


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1






C-Arm is designed to parallel the contour of the patient's leg



No side obstruction like most specula


Graves



Lateral Vaginal Retractor

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size: 105mm long x 38mm wide

REF SA2200 \$297.95



Guttman Stainless Steel Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina

Available in two sizes:

Medium

REF 2310 Top Separator: 82mm.....\$63⁹⁵

Large

REF 2312 Top Separator: 92mm.....\$63⁹⁵



Greenberg Hysteroscopy Speculum


The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.

REF 2801\$52⁹⁵



“The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used.”

James Greenberg, MD,
Boston, MA




Blade Reference Chart: Shown Actual Size, Scale 1:1

Open-Sided Speculum

Left and Right Opening

Stainless Steel

Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.



Laminaria Insertion Forceps


Specifically designed for insertion of laminaria.

REF 1600 \$74⁹⁵




Titanium Rainbow™ Speculum

This exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. Pederson's and Graves' are available in two viewing widths.



Blade Reference Chart: Shown Actual Size, Scale 1:1



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

SpecuLume® EZ

Vaginal Speculum with Illumination Insert

Slides up and open just like a Graves speculum! "No Clicking"

SpecuLume® EZ is a single-use vaginal speculum that provides true intravaginal lighting, greater clinician visibility, and increased patient comfort. The functionality of the sturdy, classic metal speculum combined with the benefits of modern designs make it silent to operate, disposable, and affordable to any budget.

KEY ADVANTAGES

DESIGNED FOR IMPROVED PATIENT AND CLINICIAN INTERACTION

- Elevates silently; single middle bolt design allows for simple operation and securely locks in place. Holds securely; releases easily.

IMPROVES CLINICAL PERFORMANCE

- Provides diffused illumination positioned where needed most. Unique light source generates no heat.

COST-EFFECTIVE AND ENVIRONMENTALLY FRIENDLY

- No batteries or electricity needed; no costly cleaning or sterilization chemicals. Completely recyclable and more environmentally friendly than battery-powered devices.

EASY-TO-USE, STURDY DESIGN

- Operates like traditional metal, Graves speculum; disposable like plastic

LARGER OPENING

- Provides greater visual access (42mm x 65mm)



**Low unit price,
\$2.40 each**

SpecuLume® EZ , Small

REF 28-100 \$59⁹⁵
Box of 25

SpecuLume® EZ , Medium

REF 28-200 \$59⁹⁵
Box of 25

SpecuLume® EZ , Large

REF 28-300 \$59⁹⁵
Box of 25



Powered By
CYALUME®

Vaginal pH Test

pHEM-ALERT®

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!

The *pHEM-ALERT*® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator “key” with attached pH paper
- Easy to read pH chart included with every test set

STERILE EO

Single-Use

Not made with natural rubber latex.

REF

pH-99

Box of 12

\$64⁹⁵



Color Change Could be Associated with the Following Conditions

Sunflower Yellow	Dark Yellow	Olive Yellow	Olive Green	Olive Blue	Navy Blue	Midnight Blue
<ul style="list-style-type: none"> • Normal pH • Predominant lactobacilli • Possible yeast overgrowth • Normal serum estradiol 	<ul style="list-style-type: none"> • Low grade bacterial vaginitis • Borderline serum estradiol 	<ul style="list-style-type: none"> • Bacterial vaginitis • Low serum estradiol 	<ul style="list-style-type: none"> • Bacterial vaginitis • Low serum estradiol 	<ul style="list-style-type: none"> • Bacterial vaginitis • Very low serum estradiol 	<ul style="list-style-type: none"> • Low to no serum estradiol 	<ul style="list-style-type: none"> • Low to no serum estradiol

pHEM-ALERT® is the key to vaginal health!



Touch-Guard®

Infrared Thermometer

Get reliable results within seconds with Touch-Guard® Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.

Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature

Weight: 1.8 oz

Dimension: 15 x 3.7 x 1.6

REF TG-2000.....\$59⁹⁹



LED Display



Non-Contact



1 Sec. Reading



Accuracy +/-0.4°F.



Memory Function



Automatic Shutdown



Battery Operated



Instrument Repair and Sharpening

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment to improve financial savings. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex® sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Toll Free: (888) 486-4644
(8:00AM–4:30PM CDT)

Pricing is as follows:

Gynex brand biopsy punch	\$65⁰⁰
Other brands biopsy punch	\$75⁰⁰
Gynex brand curette	\$40⁰⁰
Other brand curette	\$50⁰⁰

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GYNEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain a Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

The following items may be returned:

- Product with RMA number
 - All returns must be made within 30 days of the item receipt (except for warranty).
 - Product with unbroken seals, with labels intact, in original container and packaging
 - Unused instruments which have not been cleaned or sterilized
 - Single-Use[®] product (sterile) in original, unopened package
 - Product damaged in shipment*
 - Product that has at least 12 months remaining shelf life as determined by the expiration date
 - Instruments damaged, broken or not working properly due to defects in material or workmanship
- *Note: Product returned due to error or damage in shipping must be re-reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.*

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GYNEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Wilows and Zephyr are trademarks of GYNEX Corporation. DennisDilators and TargetPoint are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon

is a registered trademark of DuPont. Speculum is a registered trademark of Cyalume.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not withstanding the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

Latex Notice

ONLY the following product in this catalog may contain latex:

REF 1150 Lidocaine Cartridges (cartridge stoppers)

INDEX

Acetic Acid	5	Square Loop Electrodes	68	Vulvar	23
Alligator Grasper, Gynex®	27	Electrosurgical Patient Dispersive Pads	70	REPAIRS & SHARPENING SERVICE	93
Ascona® IUD String Snare	29	ENDOCERVICAL		SCISSORS	
Accu-Sound®	30-31	Specula	18, 21	IUD String	29
BARIATRIC INSTRUMENTS		ENDOMETRIAL SAMPLER		Titanium Rainbow	64
Biopsy Punches	7-11	Endometrial Curette	42-43	Zephyr™ Stainless Steel	64
Tissue Forceps	11	Endometrial Sampler	44-45	Iris Stainless Steel	65
Specula, LLETZ Coated	80-81	FORCEPS		Littaur Stitch Scissors	65
Specula, Stainless Steel	82-83	Foerster Forceps, Stainless Steel	19	SMOKE EVACUATION	
BIOPSY PUNCHES		Laminaria Insertion Forceps	88	Prefilter, Single-Use ②	72
Ceramix®	11	Sponge Forceps, Single-Use	74	Prefilter Reducer	72
Cobalt Blue	10	Ovum Forceps	24-25	ULPA Filter	72
i-Series Titanium Rainbow®	9	Fetal Doppler - GYNEX®	61	Tubing	73
Stainless	4-8, 21	GRASPER		SPECULA	
Apex	8	Alligator Grasper - GYNEX®	29	LLETZ Coated	
Eppendorfer	14, 21	Serpentine Grasper	26	4-Way Expander	76
Kevorkian	14, 21	HOOCS		Graves	80-81
Medium-Tischler	8	LLETZ Coated	75	Open-Sided (left/right opening)	77
Mini-Tischler	6-13, 21	Stainless Steel	15, 21	Pedersons	80
ROTOTip™ Biopsy Punches	12-13	IUD INSTRUMENTS		Sullivan	78-79
Sullivan	14	Ascona® IUD String Snare	29	Single-Use	
Tischler	7-13	Ceramix® Coated String Scissors	26	SpecuLume® EZ	90
Wittner	14, 21	Crochet Type IUD Removers	28	Stainless Steel	
CARE AND CLEANING		GYNEX® Alligator Grasper	27	Auvard	86
Hot Glass Beads Sterilizer - GYNEX®	2	IUD Insertion Kit	29	Graves	82-83
Instrument Lubrication - Touch-Guard™	3	IUD String Scissors	26	Greenberg	87
Instrument Repair and Sharpening	93	Serpentine Grasper IUD Remover	27	Guttman	87
Low Suds Detergent - Touch-Guard™	2	Willows® IUD String Snare	28	Open-Sided (left/right opening)	88
Stain-Ex™ Stain Remover - Touch-Guard™	2	LATERAL VAGINAL RETRACTORS		Pederson	82
Clamps	62-64	LLETZ	77	Sullivan	84-85
COLPOSCOPES		Stainless Steel	86	Titanium Rainbow®	
Galileo®	46-51	Lidocaine	71	Graves	89
Accessories for Galileo®	52	Light, Medical Exam Light	60	Pederson	89
CO Series	54-59	LLETZ COATED INSTRUMENTS		STERILIZATION	
Colposcopy Sets	20-21	All Items	75-81	Hot Glass Beads Sterilizer	91
Curettes	15-17, 40, 42-43	Hooks	75	Sterilization Notice	74
DILATORS		LVR	77	SURESAMPLE® Select1	42-43
All Uterine Dilators	32-39	Speculum	77-81	Syringe, Cartridge®	74
Dennis Dilators, Single-Use ②	38	Sponge Forceps, Single-Use ②	74	Table of Contents	1
Dennis Dilators, Reusable	39	Medical Exam Light - Galileo®	60	TENACULA	
Hank Dilators, Uterine	33	Medical Exam Light - Accessories	60	Braun	19
Hegar Dilators, Uterine	35	Microscope - Galileo®	53	Schroeder	19
Mini Dilators, Uterine	32	Monse's Paste	4	Skene	18
Mini Dilators Tips, 4mm and 5mm	32	Needle Adapter	71	Teale	18
Pratt Dilators, Uterine	34	NEEDLE HOLDERS		Thermasonic - Gel Warmer	61
Small Dilators, Uterine	33	Webster	65	Thermometer - Touch Guard™	92
Soft Dilators, Single-Use ②	36	Mayo-Hegar	65	Topical Anesthetic - HurriCaine®	
Soft Teflon Dilators, Reusable	37	Crile-Wood	65	Spray Kit	74
Disposable Protective Sheath	60	OVUM FORCEPS		Swabs	74
Doppler Gel	61	Bierer	25	Transit Map	96
ELECTRODES		Blumenthal	25	Uterine Manipulator / Injector	41
Ball Electrode	68	Jacobson	25	UTERINE SOUNDS	
Electrode Extender	69	Saenger	25	Accu-Sound®	30-31
Electrode Handpieces	69	Sopher Original	24	Sim Sound	31
H-Series Loop Electrodes	68	PUNCHES		Vaginal pH Testing - pHEM-ALERT®	91
Needle Electrode	68	Keyes	23		
Radius Loop Electrodes	67	Keyes Accessories	23		

Transit Map



Toll Free: (888) 486-4644
(8:00AM-4:30PM CDT)

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

5% Discount
on Prepaid or Credit Card Orders
(offer excludes microscopes, colposcopes and/or extended warranties).

WE ACCEPT



Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEx Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note:

Pre-paid shipping charges of \$14.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, and international orders. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

GYNEX[®]

MAIL TO: GYNEX

P.O. BOX 822369

N. RICHLAND HILLS, TX 76182

MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

FAX TO: (425) 895-0115

BILLING ADDRESS

Name _____

Address _____

City _____ State _____ Zip _____

Email _____

Phone (_____) _____

SHIP TO

Name _____

Address _____

City _____ State _____ Zip _____

Fax _____

Contact Person _____

REF	Qty.	DESCRIPTION	Price Each	TOTAL

Make checks payable to: GYNEX Corp.

Credit Card Charge:



Credit Card Security Code _____

Exp. Date _____

Credit Card Number _____

Signature _____

Total Amount Ordered

5% Discount for Pre-Paid Orders ONLY

Shipping and Handling for Pre-Paid Orders ONLY

GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)

\$14.50

Sales Tax

Total

GYNEX®

6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • Fax: (425) 895-0115

service@gynex.com • www.gynex.com

PRSRT STD
US POSTAGE
PAID
GYNEX

Touch-Guard®

**PROTECT YOUR INVESTMENT WITH
PROPER CARE AND CLEANING**

