


GYNEX®

Spring 2022

**Now Even
More Options!**



pages 80-81

**See Our New
Cone Electrodes**



pages
65-68

Trevor says . . .



I am happy to introduce the Spring 2022 edition of the Gynex product catalog. As you have seen on the cover, we have expanded upon our line of LEEP procedure electrodes and accessories. We are excited to include the new Triangle and Contoured Cone LLETZ Electrodes. The cone biopsy electrodes allow for smooth rotation facilitating the removal of precise, cone-shaped specimens. These new electrodes come in different shapes and sizes, at the same low cost as our existing loop and ball electrodes. More information can be found on page 68. If you'd like to explore our whole selection LLETZ electrodes, please see pages 65-68.

The Gynex LLETZ Speculum is available in both Pederson and Graves styles with lengths and sizes for most patients. All Gynex LLETZ instruments have an exclusive, durable, lavender coating designed to insulate against transmission of electric current, ensuring the highest level of protection for patients and physicians. Browse our full selection of LLETZ instruments on pages 75-81.

This year we are continuing to focus on bringing you innovative products at great value. As many have noticed, recent events have resulted in shipping delays, supply shortages and price increases in every industry. While this has caused us to increase pricing, our price increases have been strictly reactive to our costs, and we have committed to keeping these increases to an absolute minimum. Gynex has also been able to lower costs associated with certain items and we are passing those savings on to you.

As always, we thank you for your continued support. If you have any questions, suggestions, or thoughts, please let us know so we can accommodate you.

Thank you,

A handwritten signature in cursive script that reads "Trevor Kurz".

Trevor Kurz

Chief Operating Officer, GYNEX® Corporation



Stephen Sullivan

President and CEO, GYNEX® Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.

GYNEX Products Spring 2022

Table of Contents

Vaginal pH Test - pHEM ALERT®	4
Monsef's Ferric Subsulfate Paste	5
Acetic Acid	5
BIOPSY PUNCHES	7-14
Tischler Biopsy Punch	7-8
Titanium Rainbow™ Biopsy Punch	9
Titanium Cobalt and Pink Biopsy Punch	10
Ceramix™ Biopsy Punch	11
Rotating Biopsy Punches - ROTOTip™	12-13
Ring Handle Biopsy Punches	14
Stainless Steel Biopsy Punches	14
HOOKS	15
ENDOMETRIAL CURETTES	15
ENDOCERVICAL CURETTES	16-17
Curette Sharpening File	17
Endocervical Speculum	18
TENACULUMS	18-19
Foerster Forceps	19
Bariatric Tissue Forceps, 1x2 teeth	19
COLPOSCOPY SET	20-21
KEYES PUNCHES	23
OVUM FORCEPS	24-25
IUD SECTION	
CERAMIX™ Coated IUD String Scissors	26
IUD Scissors	26
IUD String Scissors, Single-Use	27
Alligator Grasper by GYNEX®	27
Serpentine Grasper	27
IUD Removers	28
Ascona® IUD Snare	29
IUD Insertion Kit - GYNEX®, Single-Use ②	29
UTERINE SOUNDS - Accu-Sound® / Sims	30-31
UTERINE DILATORS - Stainless Steel, Soft and Dennis	32-39
UTERINE CURETTE - Sims / Bumm	40
Uterine Manipulator / Injector - Century UMI™	41
Endometrial Curette - SURESAMPLE® Select1	42-43
Endometrial Sampler - SURESAMPLE®	44-45
COLPOSCOPES - Galileo®	46-51
Accessories for Galileo®	52
Galileo® Binocular Microscope	53
COLPOSCOPES - CO Series	54-59
Galileo® Medical Exam Light	60
Accessories for Galileo® Medical Exam Light	60
Touch-Guard® Disposable Protective Sheath	60
Fetal Doppler - GYNEX®	61

Doppler Gel / Thermasonic Gel Warmer	61
HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
HYSTERECTOMY SCISSORS - Titanium Rainbow™ / Zephyr™	63
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
LLETZ ELECTRODES	65-68
Electrode Extender / Electrode Handpieces	69
Electrosurgery Patient Dispersive Pads for LLETZ Procedure	70
Extended Needle Adapter and Accessories	71
Lidocaine Cartridges, Single-Use ②	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	73
Sponge Forceps, Single-Use ②	74
Topical Anesthetic - HurriCaine®	74
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenaculum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum	80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	82-83
Sullivan Speculum	84-85
Lateral Vaginal Retractors	86
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Laminaria Insertion Forceps	88
Titanium Rainbow™ Speculum	89
Instrument Care and Cleaning	
Hot Glass Beads Sterilizer- GYNEX®	90
Low Suds Detergent Concentrate - Touch-Guard™	90
Stain Ex™ Stain Remover - Touch-Guard™	90
Instrument Lubricant - Touch-Guard™	91
Thermometer - Touch-Guard®	92
Instrument Repair and Sharpening	93
INDEX	95
ORDER INFORMATION	96-97
ORDER FORM	97

SEE the Difference
with **Galileo®**



Galileo® Colposcopes

Direct-Access™

Combining modern technology with classic aesthetics, the Galileo® Direct-Access™ Colposcopes are designed to facilitate comprehensive cervical examination, with ease and style. The offset center feature provides a direct visual and easy access. Superb German optics, LED light source, and integrated electrical cables are just a few of the features that make Galileo® Colposcopes truly outstanding.

For more details and options see our **Colposcope Section** on **pages 46-59**



GYNEX® LLETZ INSTRUMENTS

All Gynex® LLETZ instruments have an exclusive, durable, lavender coating designed to insulate against transmission of electric current, ensuring the highest level of protection for patients and physicians.



Browse our full selection of **LLETZ Instruments** on **pages 75-81**

pHEM-ALERT®

VAGINAL pH TEST

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!

pHEM-ALERT® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms:

Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator “key” with attached pH paper
- Easy to read pH chart included with every test set

REF pH-99 Box of 12 \$67⁹⁵

STERILE EO Single-Use ®
Not made with natural rubber latex



pH 4.5

- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

pH 5.0

- Low grade bacterial vaginitis
- Borderline serum estradiol

pH 5.5

- Bacterial vaginitis
- Low serum estradiol

pH 6.0

- Bacterial vaginitis
- Low serum estradiol

pH 6.5

- Bacterial vaginitis
- Very low serum estradiol

pH 7.0

- Low to no serum estradiol

pH 7.5

- Low to no serum estradiol

MONSEL'S FERRIC SUBSULFATE PASTE 20-22%

Helps control bleeding during biopsy, LLETZ and laser procedures.

MonseL's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual - 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ⓘ

REF 5055 Box of 12..... **\$192⁹⁵**

NOTE: A pharmacy or a physician's license is required when ordering this product.



ACETIC ACID 5%

Helps enhance the appearance of abnormal areas.

- Box of 12 Individual - 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ⓘ

REF AA312 Box of 12..... **\$86⁹⁵**




Tischler

Biopsy Punches

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide

**The Tischler and Mini-Tischler
are available in two working lengths:**

Standard 20cm
Extra-Long 25cm



BIOPSY PUNCHES SECTION

see pages 7-14

Not sure which biopsy punch you need?

Call GYNEX today at **1(888) 486-4644** and one of our sales associates will gladly assist you.

Tischler Biopsy Punches

The Best Selling Design in The World



GYNEX
Original!

TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm



Tischler, Tip Straight Standard

REF 1010 20cm Shaft..... \$399⁹⁵

REF 1035 25cm Shaft..... \$412⁹⁵
bariatric




Tischler, Tip Up Standard

REF 1012 20cm Shaft..... \$399⁹⁵



Tischler, Tip Down Standard

REF 1014 20cm Shaft..... \$399⁹⁵



Tischler, Tip Left Standard

REF 1020 20cm Shaft..... \$399⁹⁵



Tischler, Tip Right Standard

REF 1019 20cm Shaft..... \$399⁹⁵



MINI-TISCHLER, STANDARD

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Tip Straight Standard

REF 1005 20cm Shaft..... \$399⁹⁵

REF 1030 25cm Shaft..... \$412⁹⁵
bariatric



Mini-Tischler, Tip Up Standard

REF 1006 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Down Standard

REF 1007 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Left Standard

REF 1022 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Right Standard


REF 1021 20cm Shaft..... \$399⁹⁵



MEDIUM TISCHLER

- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab
- High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 5mm x 3mm 

Medium Tischler, *Standard*

REF 1008 20cm Shaft **\$399⁹⁵**

Medium Tischler, *Extra-Long*

REF 1033 25cm Shaft **\$412⁹⁵**

bariatric




GYNEX
Original!

TISCHLER KEVORKIAN

- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab
- High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 9mm x 3mm 

Tischler-Kevorkian, *Standard*

REF 1015 20cm Shaft **\$399⁹⁵**

Tischler-Kevorkian, *Extra-Long*


REF 1037 25cm Shaft **\$412⁹⁵**

bariatric



KEVORKIAN, STANDARD

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

Actual Bite Size: 9mm x 3mm 

REF 1029 20cm Shaft **\$399⁹⁵**



Titanium Rainbow™ Biopsy Punches

Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. The cutting edges will stay sharp longer.


- Slightly wider handle to accommodate differences in grip sizes
- Single-spring handle
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L



GYNEX
Original!


TITANIUM RAINBOW™ TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm 




Tischler, Straight
REF TT010 20cm Shaft **\$399⁹⁵**

REF TT035
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric



Tischler, Tip Up
REF TT011 20cm Shaft **\$399⁹⁵**


REF TT036
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric



Tischler, Tip Down
REF TT012 20cm Shaft **\$399⁹⁵**

REF TT037
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric

TITANIUM RAINBOW™ MINI-TISCHLER

Actual Bite Size: 4.2mm x 2.3mm 



Mini-Tischler, Straight
REF TT005 20cm Shaft **\$399⁹⁵**

REF TT030
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric



Mini-Tischler, Tip Up
REF TT006 20cm Shaft **\$399⁹⁵**

REF TT031
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric



Mini-Tischler, Tip Down
REF TT007 20cm Shaft **\$399⁹⁵**

REF TT032
25cm Shaft, Extra-Long **\$412⁹⁵**
bariatric

Titanium Cobalt Blue Biopsy Punches

Designed for excellence • Manufactured for durability




TITANIUM COBALT BLUE Tischler, Straight


Actual Bite Size: 7mm x 3mm 

REF TB010

20cm Shaft\$399⁹⁵



TITANIUM COBALT BLUE Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm 

REF TB005

20cm Shaft\$399⁹⁵




GYNEX
Original!

Titanium Pink Biopsy Punches

Exclusive titanium coating manufactured for durability



TITANIUM PINK Tischler, Straight


Actual Bite Size: 7mm x 3mm 

REF PINK010

20cm Shaft\$399⁹⁵



TITANIUM PINK Mini- Tischler

Actual Bite Size: 4.2mm x 2.3mm 

REF PINK005

20cm Shaft\$399⁹⁵



GYNEX
Original!

CERAMIX™ Biopsy Punches

GYNEX
Original!

Our sharpest, longest lasting biopsy punch

CERAMIX coating stays sharp up to 10 times longer than ordinary stainless steel. Incomparable cutting-edge hardness (see Hardness Comparison Chart below).

- Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab



CERAMIX™

Mini-Tischler, Straight

Actual Bite Size: 4.2mm x 2.3mm

REF 1060

20cm Shaft **\$499⁹⁵**



CERAMIX™

Tischler, Medium

Actual Bite Size: 5mm x 3mm

REF 1065

20cm Shaft **\$499⁹⁵**



CERAMIX™

Tischler, Straight

Actual Bite Size: 7mm x 3mm

REF 1070

20cm Shaft **\$499⁹⁵**



CERAMIX™

Apex™

Actual Bite Size: 7mm x 3mm

REF 1075

20cm Shaft **\$499⁹⁵**


Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.

Rotating Biopsy Punches

ROTO Tip™ rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



Features

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches

Length: 21cm

ROTO TIP™

ROTO TIP™ TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm

Tischler, Standard Tip-Straight

REF 1200-10
Complete Punch\$460⁹⁵

REF 1210
Extra Tip\$275⁹⁵



Tischler, Standard Tip-Up

REF 1200-30
Complete Punch\$460⁹⁵

REF 1230
Extra Tip\$275⁹⁵




Tischler, Standard Tip-Down

REF 1200-20
Complete Punch\$460⁹⁵

REF 1220
Extra Tip\$275⁹⁵



ROTO TIP™ MINI-TISCHLER

Actual Bite Size: 4.2mm x 2.3mm 

Mini-Tischler, Tip-Straight

REF 1200-05
Complete Punch\$460⁹⁵

REF 1205
Extra Tip\$275⁹⁵



Mini-Tischler, Tip-Down

REF 1200-15
Complete Punch\$460⁹⁵


REF 1215
Extra Tip\$275⁹⁵



Mini-Tischler, Tip-Up

REF 1200-25
Complete Punch\$460⁹⁵

REF 1225
Extra Tip\$275⁹⁵



TISCHLER OVAL

Actual Bite Size: 5mm x 3mm 


Oval Tip

REF 1200-35
Complete Punch\$460⁹⁵

REF 1235
Extra Tip\$275⁹⁵



KEVORKIAN TISCHLER

Actual Bite Size: 9mm x 3mm 

Kevorkian Tip

REF 1200-40
Complete Punch\$460⁹⁵

REF 1240
Extra Tip\$275⁹⁵



ROTO TIP™ EXTRA HANDLE

REF 1200
Handle only\$195⁹⁵

Ring Biopsy Punches

SULLIVAN RING HANDLE PUNCH

- Excellent for stenotic cervix
- Small handle / Mini tip


Actual Bite Size: 4mm x 2mm 

REF 1050 24cm Shaft **\$399⁹⁵**



KEVORKIAN RING HANDLE PUNCH

- Traditional Kevorkian bite
- Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm 

REF 1053 25cm Shaft **\$399⁹⁵**




Stainless Steel Biopsy Punches

APEX™

- V-shaped anchoring jaw on the top and bottom
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 7mm x 3mm 

Apex, Standard

REF 1025 20cm Shaft **\$399⁹⁵**

Apex, Extra-Long

REF 1039 25cm Shaft **\$412⁹⁵**


bariatric



**GYNEX
Original!**

EPPENDORFER AND WITTNER

- Tip Locking Tab

Actual Bite Size: 7.4mm x 3.9mm 

Eppendorfer, Standard

REF 1017 20cm Shaft **\$399⁹⁵**

Wittner, Straight

REF 1026 20cm Shaft **\$399⁹⁵**

Wittner, Angled

REF 1027 20cm Shaft **\$399⁹⁵**



Eppendorfer, Standard



Wittner Straight, Standard

Hooks



ANGLE HOOK

REF 3225 26cm Length **\$49⁹⁵**



2-PRONG HOOK

REF 3227 26cm Length..... **\$59⁹⁵**



IRIS HOOK

REF 3210 26cm Length **\$49⁹⁵**



EMMETT TENACULUM

REF 3220 26cm Length..... **\$49⁹⁵**



Endometrial Curettes

NOVAK CURETTE

- Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm ●

REF 3302 **\$53⁹⁵**

Shaft/Tip Size: 3mm ●

REF 3303 **\$53⁹⁵**

Shaft/Tip Size: 4mm ●

REF 3304 **\$53⁹⁵**



RANDALL CURETTE

- Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm ●

REF 3310 **\$53⁹⁵**

Shaft/Tip Size: 3mm ●

REF 3312 **\$53⁹⁵**

Shaft/Tip Size: 4mm ●

REF 3314 **\$53⁹⁵**



Endocervical Curettes

STAINLESS STEEL CURETTES

Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 10.5mm x 2mm

REF 3005 32cm Length **\$77⁹⁵**



Kevorkian Curette, No Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 12mm x 2mm

REF 3010 32cm Length..... **\$77⁹⁵**



Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue.

REF 3025 30cm Length..... **\$77⁹⁵**




Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

Basket Size: 11.5mm x 2mm

REF 3015 32cm Length..... **\$77⁹⁵**



Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

Basket Size: 7mm x 1.3mm

REF 3020 32cm Length..... **\$77⁹⁵**



EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

REF 3050 32cm Length..... **\$79⁹⁵**



KEVORKIAN CURETTE, SINGLE-USE

The Single-Use Kevorkian Curette eliminates cross-contamination concerns. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

REF 3030 Box of 25..... **\$74⁹⁵**

STERILE EO Single-Use


Not made with natural rubber latex.

Total Length: 31cm

Inner Basket OD: 3mm

Working Length: 16cm

OD: 4mm



TITANIUM CURETTES

Titanium Rainbow Kevorkian Curette with Basket Square Tip

Basket Size: 10.5mm x 2mm

REF TC3005 32cm Length.....\$79⁹⁵



Titanium Rainbow Kevorkian Curette No Basket Square Tip

Basket Size: 12mm x 2mm

REF TC3010 32cm Length.....\$79⁹⁵



Titanium Rainbow Kevorkian Curette with Basket Round Tip

Basket Size: 11.5mm x 2mm

REF TC3015 32cm Length\$79⁹⁵



Titanium Rainbow Townsend Curette

Basket Size: 12mm x 2mm

REF TC3020 32cm Length.....\$79⁹⁵



Titanium Rainbow Dublin Curette Round Tip

REF TC3025 30cm Length.....\$79⁹⁵



CURETTE SHARPENING FILE

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900\$32⁹⁵




SPIRAL CURETTES

This unique endocervical spiral dual purpose curette was developed by Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto.

- Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample
- Acts as a cervical dilator allowing cervical or endometrial sampling

Titanium Cobalt Lickrish Spiral Curette

REF TB3040 21cm Length\$79⁹⁵



Titanium Rainbow Lickrish Spiral Curette

REF TC3040 21cm Length\$79⁹⁵



Stainless Steel Lickrish Spiral Curette

REF 3040 21cm Length\$79⁹⁵



This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the Os, advancing and rotating at the same time.

Endocervical Speculum

- High Quality Stainless Steel
- 3mm or 4mm Tip
- Standard Ratchet or No-Lock Handle

Endocervical Speculum Length: 27cm

STANDARD RATCHET

REF 2130 3mm Tip.....\$189⁹⁵

REF 2140 4mm Tip.....\$189⁹⁵

NO-LOCK HANDLE

REF 2030 3mm Tip.....\$179⁹⁵

REF 2040 4mm Tip.....\$179⁹⁵



Tenaculums

SKENE TENACULUM

Slight Curve

REF 3534 24cm Length.....\$52⁹⁵



TEALE TENACULUM

Slight Curve

REF 3536 23cm Length.....\$52⁹⁵



BRAUN TENACULUMS



LiteTouch™ Tip, Straight Handle

LiteTouch tips overlap 1-2 mm ±1mm (when closed)

REF T2230 Length 25cm \$52⁹⁵



Standard Tip, Straight Handle

REF 3502 Length 25cm \$52⁹⁵

REF B230 Length 30cm \$59⁹⁵

Standard Tip, Angled Handle

Standard tips overlap 4-6 mm ±1mm (when closed)

REF 3532 Length 25cm \$62⁹⁵

FOERSTER FORCEPS




Straight Handle

REF 3540 Length 24cm \$52⁹⁵

REF B330 Length 30cm \$59⁹⁵

Angled Handle

REF 3542 Length 24cm \$62⁹⁵



SCHROEDER TENACULUMS



LiteTouch™ Tip, Straight Handle

LiteTouch tips overlap 1-2 mm ±1mm (when closed)

REF T2222 Length 25cm \$52⁹⁵



Standard, Straight Handle

Standard tips overlap 4-6 mm ±1mm (when closed)

REF 3500 Length 25cm \$52⁹⁵

REF B130 Length 30cm \$59⁹⁵

Standard, Angled Handle

REF 3530 Length 25cm \$62⁹⁵



Double Tooth, Straight Handle

REF 3501 Length 25cm \$52⁹⁵

BARIATRIC TISSUE FORCEPS, 1X2 TEETH

Hold and manipulate various tissue.

Extended reach available in two long lengths.

REF BTF25 25cm Length \$57⁹⁵

REF BTF30 30cm Length \$57⁹⁵

bariatric



End view - Tip Detail

BUILD YOUR OWN COLPOSCOPY SET

Set of 5 Instruments

for **ONLY \$675⁰⁰**

Each **GYNEX Colposcopy Set** consists of five (5) instruments essential for colposcopy procedures

TO ORDER, CHOOSE ONE ITEM FROM EACH SECTION:

Biopsy Punch • Endocervical Speculum

Vaginal Speculum • Endocervical Curette • Tissue Hook



GYNEX® Colposcopy Set priced at \$675, saves you a bundle!


Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices, you save substantially with a **GYNEX Colposcopy Set**.

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed.
This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...

BIOPSY PUNCHES

REF

- ☐ Tischler, Straight.....1010
- ☐ Mini-Tischler, Straight.....1005
- ☐ Medium-Tischler1008
- ☐ Tischler-Kevorkian1015
- ☐ Tischler, Straight, RotoTip.....1200-10
- ☐ Mini-Tischler, Straight, RotoTip.....1200-05
- ☐ Eppendorfer.....1017
- ☐ Wittner, Straight1026
- ☐ Wittner, Angled.....1027



Select one **BIOPSY PUNCH**

For more information, see pages 7-14

ENDOCERVICAL SPECULA

REF

- ☐ Standard Ratchet 3mm2130
- ☐ No-Lock Handle 3mm2030
- ☐ Standard Ratchet 4mm2140
- ☐ No-Lock Handle 4mm2040



Select one **ENDOCERVICAL SPECULUM**

For more information, see page 18

TISSUE HOOKS

REF

- ☐ Iris Hook3210
- ☐ Emmett Tenaculum3220
- ☐ Angle Hook.....3225

Select one **HOOK**

For more information, see page 15

ENDOCERVICAL CURETTES

REF

- ☐ Square Tip, with Basket.....3005
- ☐ Square Tip, no Basket3010
- ☐ Round Tip, with Basket.....3015
- ☐ Townsend Curette with Basket.....3020



Select one **CURETTE**

For more information, see page 16



VAGINAL SPECULA

REF

- ☐ WideView™ Pederson Medium2500
- ☐ WideView™ Pederson Large.....2525
- ☐ WideView™ Short Blade2530
- ☐ WideView™ Graves Medium2540
- ☐ WideView™ Graves Large.....2545
- ☐ FullView™ Pederson Medium2600
- ☐ FullView™ Pederson Large.....2625
- ☐ FullView™ Graves Medium2650
- ☐ FullView™ Graves Large.....2655
- ☐ Standard Pederson Medium2457
- ☐ Standard Pederson Large.....2459
- ☐ Standard Graves Medium2452
- ☐ Standard Graves Large.....2454

Select one **SPECULUM**

For more information, see pages 82-83



SHOP ONLINE

SCAN QR-CODE TO VISIT WEBSITE



www.gynex.com

KEYES VULVAR PUNCH

Made of high quality stainless steel with a sturdy handle for the ejection of lodged specimen. Biopsy punch has a sharpened round tip perfect for a vertical core sample from the vulvar epithelium.

Available Tip Sizes: 2mm - 7mm

- 2mm Tip

REF 1302 \$43⁹⁵
- 3mm Tip

REF 1303 \$43⁹⁵
- 4mm Tip

REF 1304 \$43⁹⁵
- 5mm Tip

REF 1305 \$43⁹⁵
- 6mm Tip

REF 1306 \$43⁹⁵
- 7mm Tip

REF 1307 \$43⁹⁵



KEYES VULVAR PUNCH, SINGLE-USE

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Comes in a box of 25, each individually packaged and sterilized.

Available Tip Sizes: 2mm - 6mm

- 2mm Tip


REF 1322 \$46⁹⁵
- 3mm Tip

REF 1323 \$46⁹⁵
- 4mm Tip

REF 1324 \$46⁹⁵
- 5mm Tip

REF 1325 \$46⁹⁵
- 6mm Tip

REF 1326 \$46⁹⁵



KEYES VULVAR PUNCH SET

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip.

Tip Sizes: 2mm - 7mm

- REF 1310 Set..... \$229⁹⁵



KEYES PUNCH ACCESSORIES KIT

The perfect accessory kit for your Keyes Punch set. This kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

- REF KPA1315 \$89⁹⁵



Ovum Forceps

SOPHER OVUM FORCEPS

Sopher Original

Length: 25.5cm (10") Curved Jaw 11mm

REF 3544 Ratchet Handle \$114⁹⁵

REF 3546 No Ratchet \$109⁹⁵

Sopher Standard

Length: 25.5cm (10") Curved Jaw 12mm

REF 3548 Ratchet Handle \$114⁹⁵

REF 3550 No Ratchet \$109⁹⁵

Length: 25.5cm (10") Curved Jaw 14mm

REF 3552 Ratchet Handle \$119⁹⁵

REF 3554 No Ratchet \$114⁹⁵

Length: 28cm (11") Curved Jaw 12mm

REF 3556 Ratchet Handle \$114⁹⁵

REF 3558 No Ratchet \$109⁹⁵

Length 28cm (11") Curved Jaw 14mm

REF 3560 Ratchet Handle \$119⁹⁵

REF 3562 No Ratchet \$114⁹⁵

Length: 33cm (13") Curved Jaw 12mm

REF 3564 Ratchet Handle \$124⁹⁵

REF 3566 No Ratchet \$119⁹⁵

Length: 33cm (13") Curved Jaw 14mm

REF 3568 Ratchet Handle \$129⁹⁵

REF 3570 No Ratchet \$124⁹⁵



Sopher Original "lips" protect surrounding tissue



Sopher Original Jaw Open



Sopher Standard Jaw Closed



Sopher Standard Jaw Open



Sopher Jaw
Actual Size: 11mm



Sopher Jaw
Actual Size: 12mm



Sopher Jaw
Actual Size: 14mm



Ratchet Handle

No Ratchet Handle

BIERER OVUM FORCEPS

Length: 28cm (11") Straight Jaw 16mm

- REF 3572 Ratchet Handle\$114⁹⁵
- REF 3574 No Ratchet\$109⁹⁵

Length: 28cm (11") Straight Jaw 19mm

- REF 3576 Ratchet Handle\$119⁹⁵
- REF 3578 No Ratchet\$114⁹⁵

Length: 33cm (13") Straight Jaw 16mm

- REF 3580 Ratchet Handle\$119⁹⁵
- REF 3582 No Ratchet\$114⁹⁵

Length: 33cm (13") Straight Jaw 19mm

- REF 3584 Ratchet Handle\$124⁹⁵
- REF 3586 No Ratchet\$119⁹⁵



Bierer, Jaw Open

JACOBSON OVUM FORCEPS

Length: 28cm (11") Straight Jaw 20mm

- REF 3588 No Ratchet\$114⁹⁵

Length: 33cm (13") Straight Jaw 20mm

- REF 3590 No Ratchet\$114⁹⁵



Jacobson, Jaw Open

BLUMENTHAL OVUM FORCEPS

Length: 28cm (11") Straight Jaw 20mm

- REF 3592 No Ratchet\$114⁹⁵

Length: 33cm (13") Straight Jaw 20mm

- REF 3594 No Ratchet\$119⁹⁵



Blumenthal
"lips" protect surrounding tissue

SAENGER OVUM FORCEPS

SALE

Length: 26.5cm (10.5") Straight Jaw 16mm

- REF 3596 Ratchet Handle\$114⁹⁵
- REF 3598 No Ratchet\$109⁹⁵

Length: 26.5cm (10.5") Curved Jaw 16mm

- REF 3600 Ratchet Handle\$114⁹⁵
- REF 3602 No Ratchet\$109⁹⁵

Length: 29cm (11.5") Straight Jaw 16mm


- REF 3604 Ratchet Handle\$129⁹⁵
- REF 3606 No Ratchet\$124⁹⁵

Length: 29cm (11.5") Curved Jaw 16mm

- REF 3608 Ratchet Handle\$129⁹⁵
- REF 3610 No Ratchet\$124⁹⁵



Saenger Inner diameter teeth within oval jaws



Blumenthal

CERAMIX™ COATED IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

Ceramix Coated Stainless Steel




KEY ADVANTAGES

- CERAMIX coating stays sharp up to 10 times longer
- Incomparable cutting-edge hardness
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040\$104⁹⁵



Finely serrated teeth in the jaw helps secure the IUD string

Our popular IUD String Scissors is now more durable and sharper than ever!

IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm

REF 29-030\$79⁹⁵



Finely serrated teeth in the jaw helps secure the IUD string



IUD STRING SCISSORS, SINGLE-USE

Metal Tip / Plastic Handle

STERILE, Single-Use

- Handle features guide to reduce splaying

Length: 26.5 cm

REF 29-065 Box of 12.....\$44⁹⁵



GYNEX® ALLIGATOR GRASPER

Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size

REF 29-100 Jaw Size: 20mm\$92⁹⁵

REF 29-550 Jaw Size: 10mm\$92⁹⁵



GYNEX
Original!

Finely serrated teeth in the jaw helps
secure the IUD string

SERPENTINE GRASPER IUD REMOVER

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel

KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$299⁹⁵



IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

STERILE, Single-Use

Length: 26.5cm

REF 29-200 Box of 12.....\$52⁹⁵



WILLOWS™ IUD STRING SNARE

Rounded Tip, Multiple Grasping Slots

STERILE, Single-Use

- High quality malleable plastic

Length: 27cm

REF 29-300 Box of 12.....\$52⁹⁵



IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$79⁹⁵



MALLEABLE IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

- High quality malleable metal

Length: 26cm

REF 29-025 \$89⁹⁵




ASCONA™ IUD STRING SNARE

Allows gentle removal of IUD

The rotating handle provides a way to the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona™ allows the user to gently pull out and remove the IUD. The Ascona™ is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.

REF 29-350 \$79⁹⁵



GYNEX® IUD INSERTION KIT

STERILE, Single-Use

- Decreases the risk of transmission infectious agents
- Eliminates costly instrument sterilization

REF 29-500 Box of 12..... \$185⁹⁵

EACH GYNEX® IUD INSERTION KIT TRAY CONTAINS:

- (1) Tenaculum Forcep
- (1) IUD String Scissor
- (2) Rayon Swabs
- (1) ACCU-SOUND® Uterine Sound
- (1) Folded Drape

*Everything you need to
perform an IUD insertion
quickly and safely.*



Uterine Sounds

Uterine Sound is useful for surgical and non-surgical procedures:

Diagnosis of uterine position (anteflexed, retroflexed, mid-position) • Laparoscopic tubal occlusion
Laparoscopic tubal occlusion • Dilatation and Curettage • Tubal patency • IUD insertion studies

ACCU-SOUND® UTERINE SOUND

There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® Uterine Sound into the uterus, the ring rest against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.

STERILE, Single-Use

Length: 24cm

Shaft Diameter: 3mm

REF 4950 Box of 25 **\$69⁹⁵**



Not Shown at Actual Size

An accurate measurement as easy as 1,2,3 !

1

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



2


Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



3

Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound

No more guesswork!

SIMS SOUND PLUS+

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 24cm

REF 4675 Box of 25 **\$56⁹⁵**



SIMS SOUND

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 16.6cm

REF 4601 Box of 25 **\$49⁹⁵**



SIMS SOUND, REUSABLE

- Autoclavable
- OD 4mm

Length: 32cm

REF 4332 Chrome-Plated, Malleable **\$39⁹⁵**

REF 4334 Stainless Steel, Non-Malleable **\$39⁹⁵**



Uterine Dilators


MINI DILATOR

SET OF 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm

REF 4005 Set **\$167⁹⁵**



*Especially useful
for nulliparous patients*



EXTRA MINI DILATOR TIPS



(Fits **REF 4005** Handle)

Sizes: 4mm and 5mm

Available only from GYNEX

REF 4005.4 4mm..... **\$42⁹⁵**

REF 4005.5 5mm..... **\$42⁹⁵**



1mm 2mm 3mm 4mm 5mm 6mm

Dots show actual diameter in mm

4.5mm 5.5mm 6.5mm 7.5mm 8.5mm 9.5mm

SMALL DILATOR SET of 6 Probes

- Each probe is one size
- Stainless Steel

Length: 19.2cm

REF 4008 Set.....\$169⁹⁵

Sold individually \$42⁹⁵

HANK DILATOR SET of 6 Probes

- Dual size on each dilator
- Stainless Steel


Length: 26.9cm

REF 4010 Set.....\$169⁹⁵

Sold individually \$42⁹⁵

1mm 2mm 3mm 4mm 5mm 6mm

5mm 6mm 7mm 8mm 9mm 10mm



Dots show actual diameter in mm & Fr


PRATT DILATOR SET of 8 Probes

- Dual sizes on each dilator
- Stainless Steel

Length: 29.5cm

REF DPU3850 Set.....\$197⁹⁵





Dots show actual diameter in mm



HEGAR DILATOR


SET of 8 Probes

- Dual sizes on each dilator
- Stainless Steel

Length: 21cm

REF DHU3800 Set.....**\$187⁹⁵**

4mm 6mm 8mm 10mm 12mm 14mm 16mm 18mm



SOFT DILATORS, SINGLE-USE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come STERILE and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4211	Box of 12	\$52 ⁹⁵
REF 4221	Box of 24	\$94 ⁹⁵

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm

Overall Length: 21.5cm

REF 4212	Box of 12	\$52 ⁹⁵
REF 4222	Box of 24	\$94 ⁹⁵


Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os.

Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4213	Box of 12	\$52 ⁹⁵
REF 4223	Box of 24	\$94 ⁹⁵





SOFT TEFLON DILATORS, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.



STERILE / Reusable
OK to Autoclave

Soft Teflon Dilator, **Os Locator**

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4201 **\$44⁹⁵**

Soft Teflon Dilator, **Canal Finder**

Tapered Tip Length: 45mm

Overall Length: 21.5cm


REF 4202 **\$44⁹⁵**

Soft Teflon Dilator, **Fundus Finder**

Tapered Tip Length: 45mm

Overall Length: 21.5cm

REF 4203 **\$44⁹⁵**



Great Value!
SAVE on a SET of 3 Dilators

Soft Teflon Dilators Set, Reusable

STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3 **\$99⁹⁵**

Soft Teflon Dilators Set, Reusable

NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3 **\$94⁹⁵**

Note: Multi-Colored Single-Use [®] and the White Reusable Soft Dilators are the same shape and are intended for identical use.

DENNIS DILATORS®, SINGLE-USE

5mm to 12mm

- Different color for each soft dilators size
- Dual sizes on each dilator
- Number on handle for easy identification
- STERILE / Single-Use
- Ergonomic handle
- Soft plastic

Overall Length: 27cm

5-6mm Dilator

REF 4240 Box of 12.....\$49⁹⁵

7-8mm Dilator

REF 4245 Box of 12.....\$49⁹⁵

9-10mm Dilator

REF 4250 Box of 12.....\$49⁹⁵

11-12mm Dilator

REF 4255 Box of 12.....\$49⁹⁵

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators



Dots show actual diameter in mm



Dots show actual diameter in mm



DENNIS DILATORS® SET, REUSABLE

5mm to 14mm

Different band color on each dilator

- Dual sizes on each dilator
- Soft plastic
- STERILE - Sealed in procedure blister trays
- Reusable - sterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5 \$94⁹⁵

Uterine Curettes

SIMS UTERINE CURETTE

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



Size 00	Size 0	Size 1	Size 2	Size 3	Size 4	Size 5	Size 6
REF CSU3900-9							
Size 00: 10.5 x 4.0mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-0							
Size 0: 10.5 x 4.5mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-1							
Size 1: 13 x 5mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-2							
Size 2: 16 x 6mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-3							
Size 3: 16 x 7mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-4							
Size 4: 20 x 9mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-5							
Size 5: 22 x 9mm, Sharp, Rigid.....							
\$68 ⁹⁵							
REF CSU3900-6							
Size 6: 26 x 11mm, Sharp, Rigid.....							
\$68 ⁹⁵							

BUMM UTERINE CURETTE

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size



Size 1	Size 2	Size 3
REF CBU3920-1	REF CBU3920-2	REF CBU3920-3
Size 1: 48 x 25mm\$68 ⁹⁵	Size 2: 52 x 30mm\$68 ⁹⁵	Size 3: 62 x 35mm\$68 ⁹⁵

Century UMI™

UTERINE MANIPULATOR/INJECTOR



The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, disposable convenience. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

- **Cannula length:** 33cm
- OD 4.5mm
- Luer Lock Syringe 10cc



Not made with natural rubber latex.

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

Now including a 10cc
luer lock syringe for
your convenience!

Passing Savings To You!

NEW LOW PRICE!

Low unit price, \$18.33 each


REF 10-160 Box of 12 **\$219⁹⁵**



Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.

sure@sample® • *Select 1*

Endometrial Curette



sure@sample® • Select1


Endometrial Curette

STERILE EO Single-Use 
Not made with natural rubber latex.

SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

Specifications

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- **Cannula length:** 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex
- Luer Lock fitting with winged flanges
- STERILE, Single-Use



Features

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- Twist-and-Lock plunger on syringe makes it easier to dispense collected specimen
- White Syringe Cap allows transportation of sample collected in the syringe

REF 3130 Box of 5 \$32⁹⁵

REF 3135 Box of 24 \$134⁷⁵




suresample®

Endometrial Sampler


SURESAMPLE Endometrial Sampler *is one of the finest endometrial samplers available today!*

HERE ARE JUST A FEW REASONS WHY:

- The SURESAMPLE Endometrial Sampler's **3-port sampling system doubles the harvested samples of other sampler devices**
- The 3-port sampling system allows **easy sample retrieval with reduced cell damage**



BETTER PERFORMANCE THAN OTHER BRANDS



SURESAMPLE Endometrial Sampler retrieves more than TWICE the harvest of its competition!

sure®sample[®]

Endometrial Sampler

STERILE EO Single-Use 
Not made with natural rubber latex.


Features and Benefits

- **3-Port Sampling System** - one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- **Two phase action** between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable "memory"** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- **No cutting or splitting of tip** (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** - simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.

Specifications

- STERILE, Single-Use
- 3mm shaft diameter
- 24cm shaft length
- Not made with natural rubber latex

REF 3115 Box of 25..... \$119⁹⁵



Galileo® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic aberration)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

with a 5-wheel Rolling Base: **REF 530VCDA-R** **\$7,395⁰⁰**

with a 360° rotating Tilt Base: **REF 530VCDA-T** **\$7,395⁰⁰**

1 Year Extended Warranty: **REF 530VCDA T/R-1** **\$375⁰⁰** 2 Year Extended Warranty: **REF 530VCDA T/R-2** **\$535⁰⁰**

Galileo® Colposcope

Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

- Apochromatic Lens
- High Resolution
- Large Depth of Field
- Wide Field of View
- Great Contrast
- 3-D Image Reproduction



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



360° Tilt Base

- Easy Maneuverability



Eye-Shields
(Removable)

LED Bulb Cover

Diopter Knobs

Rheostat Knob

Green Filter Knob

Head Inclusion
Adjusting Knob

Three-Step
Magnification Knob

Direct-Access™
Feature

Fine Focus Handle

Fine Height
Adjustment Handle

HDMI Video Connection

Gross Height
Adjustment Knob

ROLLING BASE, with 5 locking wheels, is
a highly portable industry standard
with a clean, sleek design.

On/Off Switch and
Power Indicator Light

TILT BASE (shown)
provides a stable platform
and 360° rotation. Wheels
make it easily portable.

Galileo® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: **REF 400DA-R**\$5,795⁰⁰

with a 360° rotating Tilt Base: **REF 400DA-T**\$5,795⁰⁰

1 Year Extended Warranty: **REF 400DA T/R-1**\$375⁰⁰

2 Year Extended Warranty: **REF 400DA T/R-2**\$535⁰⁰



ROLLING BASE, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design.

Galileo® Colposcope

Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability



Galileo® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base:	REF 200DA-R	\$4,795⁰⁰	
with a 360° rotating Tilt Base:	REF 200DA-T	\$4,795⁰⁰	
1 Year Extended Warranty:	REF 200DA T/R-1	\$375⁰⁰	2 Year Extended Warranty: REF 200DA T/R-2 \$535⁰⁰

Galileo® Colposcope

Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

- Apochromatic Lens
- High Resolution
- Large Depth of Field
- Wide Field of View
- Great Contrast
- 3-D Image Reproduction



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



360° Tilt Base

- Easy Maneuverability



LED Bulb Cover
Diopter Knobs
Rheostat Knob
Green Filter
Optical Measurement Reference Chart
Eye-Shields (Removable)

Head Inclination
Adjusting Knob

Fine Focus Handle

Direct-Access™
Feature

Fine Height
Adjustment Handle

Gross Height
Adjustment Knob



ROLLING BASE, with 5 locking wheels, is
a highly portable industry standard
with a clean, sleek design.

On/Off Switch and
Power Indicator Light

TILT BASE (shown)
provides a stable platform
and 360° rotation. Wheels
make it easily portable.

Available Accessories

Galileo® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer.
Available as free download with purchase

**Requires Video software*

REF VC-Magewell\$299⁰⁰



Cut the Cord!
Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base **REF** 450MS\$1,745⁰⁰

Monitor Only (without base) **REF** 450M\$295⁰⁰

(Note: Actual monitor shipped may be different than model shown)

Galileo® Binocular Microscope

Specifications

- **Condenser Numerical Aperture:** Na = 1.25
- **Stage Movement Range:** Longitudinal 50mm, Transverse 75mm
- **Fine Focusing:** Minimum Division .002mm
- **Interpupillary Distance Adjustment Range:** 53–75mm
- **Light Source:** 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

**Clearer images
and
wider views
at a great price!**

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
Objectives	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope [REF] MI6000\$924⁹⁵

1 Year Extended Warranty: [REF] MI6000 -1\$115⁰⁰

2 Year Extended Warranty: [REF] MI6000 - 2\$175⁰⁰

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light


360° rotating Tilt Base: **REF** CO4100-LED \$4,995⁰⁰

1 Year Extended Warranty: **REF** CO4100-1 \$325⁰⁰

2 Year Extended Warranty: **REF** CO4100-2 \$475⁰⁰

These circles give you the millimeter size at the tissue site

ϕ mm	A	B
3.75X	3.5	17
7.5X	2	8.8
15X	0.9	4.4



CO4100 Colposcope



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver



CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO3100-LED	\$4,395 ⁰⁰
1 Year Extended Warranty: REF CO3100-1	\$325 ⁰⁰
2 Year Extended Warranty: REF CO3100-2	\$475 ⁰⁰

CO3100 Colposcope




LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

- 360° Easy Maneuver



CO1100 Colposcope

Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
(Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables
(Hidden inside post for a clean and clutter free look)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: $\pm 316\text{mm}$
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: $> 25,000\text{LUX}$
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: **REF** CO1100-LED **\$3,195⁰⁰**

1 Year Extended Warranty: **REF** CO1100-1 **\$325⁰⁰** 2 Year Extended Warranty: **REF** CO1100-2 **\$475⁰⁰**

CO1100 Colposcope




LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

- 360° Easy Maneuver



Galileo®

MEDICAL EXAM LIGHT

Galileo® Medical Exam Light is designed to be easy to use, easy to clean, durable and aesthetically pleasing. We're sure you'll find the convenience of the flexible, adjustable LED light invaluable for your exam needs.

REF MEL-50\$434⁹⁵



Available Accessories

TABLE MOUNT

The Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.



REF MEL-20\$87⁹⁵

WALL MOUNT

Galileo® Medical Exam Light wall mount bracket provides extra floor space & convenience when needed.



REF MEL-10\$72⁹⁵

TOUCH-GUARD® DISPOSABLE PROTECTIVE SHEATH

Touch-Guard® disposable sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo® Medical Exam Light REF: MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter

REF TG-300 Box of 25\$14⁹⁵



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler your practice!

FETAL DOPPLER MODEL D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500 \$295⁹⁵



Available Accessories

THERMASONIC GEL WARMER

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01 \$290⁹⁵



DOPPLER GEL

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6 \$39⁹⁵



Hysterectomy Clamps

SALE

ZEPHYR™ TITANIUM RAINBOW™

Titanium Coated Hysterectomy Clamps

Straight




REF TT580-21	21cm	\$194 ⁹⁵
REF TT580-24	24cm	\$204 ⁹⁵
REF TT580-27	27cm	\$214 ⁹⁵
REF TT580-30	30cm	\$224 ⁹⁵
REF TT580-36	36cm	\$234 ⁹⁵

Slight Curve



REF TT585-21	21cm	\$194 ⁹⁵
REF TT585-24	24cm	\$204 ⁹⁵
REF TT585-27	27cm	\$214 ⁹⁵
REF TT585-30	30cm	\$224 ⁹⁵
REF TT585-36	36cm	\$234 ⁹⁵

Strong Curve



REF TT590-21	21cm	\$194 ⁹⁵
REF TT590-24	24cm	\$204 ⁹⁵
REF TT590-27	27cm	\$214 ⁹⁵
REF TT590-30	30cm	\$224 ⁹⁵
REF TT590-36	36cm	\$234 ⁹⁵

Angled



REF TT595-21	21cm	\$194 ⁹⁵
REF TT595-24	24cm	\$204 ⁹⁵
REF TT595-27	27cm	\$214 ⁹⁵
REF TT595-30	30cm	\$224 ⁹⁵
REF TT595-36	36cm	\$234 ⁹⁵

THE ORIGINAL ZEPHYR™

Stainless Steel Hysterectomy Clamps

Straight



REF 3580-21	21cm	\$114 ⁹⁵
REF 3580-24	24cm	\$119 ⁹⁵
REF 3580-27	27cm	\$124 ⁹⁵
REF 3580-30	30cm	\$129 ⁹⁵

Slight Curve



REF 3585-21	21cm	\$114 ⁹⁵
REF 3585-24	24cm	\$119 ⁹⁵
REF 3585-27	27cm	\$124 ⁹⁵
REF 3585-30	30cm	\$129 ⁹⁵

Strong Curve



REF 3590-21	21cm	\$114 ⁹⁵
REF 3590-24	24cm	\$119 ⁹⁵
REF 3590-27	27cm	\$124 ⁹⁵
REF 3590-30	30cm	\$129 ⁹⁵

Angled



REF 3595-21	21cm	\$114 ⁹⁵
REF 3595-24	24cm	\$119 ⁹⁵
REF 3595-27	27cm	\$124 ⁹⁵
REF 3595-30	30cm	\$129 ⁹⁵

Hysterectomy Scissors

SALE

TITANIUM RAINBOW™ SCISSORS

Titanium Coated Hysterectomy Scissors



Slight Curve

REF	TT680-20	20cm.....	\$97 ⁹⁵
REF	TT680-23	23cm.....	\$99 ⁹⁵



Full Curve

REF	TT690-20	20cm.....	\$97 ⁹⁵
REF	TT690-23	23cm.....	\$99 ⁹⁵



Curve

REF	TT685-20	20cm.....	\$97 ⁹⁵
REF	TT685-23	23cm.....	\$99 ⁹⁵



Angled

REF	TT695-20	20cm.....	\$97 ⁹⁵
REF	TT695-23	23cm.....	\$99 ⁹⁵

ZEPHYR™ SCISSORS

Stainless Steel Hysterectomy Scissors



Curve Scissors

REF	3685-20	20cm.....	\$97 ⁹⁵
REF	3685-23	23cm.....	\$99 ⁹⁵



Angled Scissors

REF	3695-20	20cm.....	\$97 ⁹⁵
REF	3695-23	23cm.....	\$99 ⁹⁵



Slight Curve Scissors

REF	3680-20	20cm.....	\$97 ⁹⁵
REF	3680-23	23cm.....	\$99 ⁹⁵



Full Curve Scissors

REF	3690-20	20cm.....	\$97 ⁹⁵
REF	3690-23	23cm.....	\$99 ⁹⁵

Scissors

IRIS SCISSORS



Straight

REF S3816

11cm Length.... \$28⁹⁵



Curved

REF S3814

11cm Length.....\$34⁹⁵

LITTAUR STITCH SCISSORS

REF S3810

14cm Length.....\$29⁹⁵



Angled

REF S3812

11cm Length.... \$39⁹⁵



Needle Holders

WEBSTER SMOOTH NEEDLE HOLDER

Smooth jaw

REF NHW3400

13cm Length.... \$32⁹⁵

MAYO-HEGAR NEEDLE HOLDER

Serrated jaw

REF NHMH3410-14 14cm Length.....\$29⁹⁵

REF NHMH3410-16 16cm Length.....\$31⁹⁵

REF NHMH3410-18 18cm Length.....\$35⁹⁵

REF NHMH3410-20 20cm Length.....\$39⁹⁵

CRILE-WOOD NEEDLE HOLDER

Serrated jaw

REF NHCW3420-15 15cm Length.....\$31⁹⁵

REF NHCW3420-18 18cm Length.....\$35⁹⁵

REF NHCW3420-20 20cm Length.....\$39⁹⁵

REF NHCW3420-23 23cm Length.....\$45⁹⁵



GYNEX LLETZ Electrodes

We believe that our LLETZ Electrodes are the best on the market!

- Easy Grip Ribbed Handle
- Loop wires are 0.20mm thick to help reduce backward drag
- HexLoc™ anti-rotation system at the bottom of the shaft keeps the handle from rotating
- Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects it from breakage

**Box of 5
ONLY \$59⁹⁵**



Specifications

- Box of 5
- Various Sizes
- Sterile / Single-Use
- Tungsten Wire

RADIUS LOOP ELECTRODES

Our Most Popular Style

REF 12-0505 5mm x 5mm
Box of 5 **\$59⁹⁵**



REF 12-1007 10mm x 7mm
Box of 5 **\$59⁹⁵**



REF 12-1010 10mm x 10mm
Box of 5 **\$59⁹⁵**



REF 12-1505 15mm x 5mm
Box of 5 **\$59⁹⁵**



REF 12-1508 15mm x 8mm
Box of 5 **\$59⁹⁵**



REF 12-1512 15mm x 12mm
Box of 5 **\$59⁹⁵**



REF 12-1515 15mm x 15mm
Box of 5 **\$59⁹⁵**



REF 12-2008 20mm x 8mm
Box of 5 **\$59⁹⁵**



All Electrode Tips Shown at Actual Size

STERILE EO

Not made with natural rubber latex.

REF 12-2010 20mm x 10mm
Box of 5 **\$59⁹⁵**



REF 12-2013 20mm x 13mm
Box of 5 **\$59⁹⁵**



REF 12-2015 20mm x 15mm
Box of 5 **\$59⁹⁵**



REF 12-2510 25mm x 10mm
Box of 5 **\$59⁹⁵**




REF 12-2515 25mm x 15mm
Box of 5 **\$59⁹⁵**



Electrode Measurements

REF 12-2015
Width Height

WHAT REFERENCE NUMBERS MEAN



GYNEX® LLETZ Electrodes

STERILE EO

Not made with natural rubber latex.

Box of 5 ONLY \$59⁹⁵

H-SERIES LOOP ELECTRODES


Precision Depth and Width Control

REF 13-1010

10mm x 10mm

Box of 5.....

\$59⁹⁵




REF 13-1505

15mm x 5mm

Box of 5.....

\$59⁹⁵



REF 13-2005

20mm x 5mm

Box of 5.....

\$59⁹⁵



REF 13-2007

20mm x 7mm

Box of 5.....

\$59⁹⁵



REF 13-2010

20mm x 10mm

Box of 5.....

\$59⁹⁵



SQUARE LOOP ELECTRODES

REF 19-1004

10mm x 4mm

Box of 5.....

\$59⁹⁵




REF 19-1010

10mm x 10mm

Box of 5.....

\$59⁹⁵



BALL ELECTRODES

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

REF 2-3-2

3mm Diameter, 13.5cm Shaft

Box of 5.....

\$59⁹⁵




REF 2-5-2

5mm Diameter, 13.5cm Shaft

Box of 5.....

\$59⁹⁵



NEEDLE ELECTRODE

For electro fulguration using coagulation power outputs

REF 15-0001

26mm Long Needle

Box of 5

\$59⁹⁵




GYNEX® Cone Electrodes

The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens


The cone biopsy electrodes allow for smooth rotation facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.

- STERILE
- Single-Use
- Not Made with natural rubber latex.




TRIANGLE CONE ELECTRODE



REF 14-1015 10mm Radius x 15mm Height
Box of 5 **\$59⁹⁵**



REF 14-1020 10mm Radius x 20mm Height
Box of 5 **\$59⁹⁵**



REF 14-1218 12mm Radius x 18mm Height
Box of 5 **\$59⁹⁵**



REF 14-1220 12mm Radius x 20mm Height
Box of 5 **\$59⁹⁵**

CONTOURED CONE ELECTRODE



REF 17-1013 10mm Radius x 13mm Height
Box of 5 **\$59⁹⁵**



REF 17-1018 10mm Radius x 18mm Height
Box of 5 **\$59⁹⁵**

ELECTRODE EXTENDER

Effectively Doubles the Shaft Length of Your Electrode

REF 12-0000 13cm Length
Box of 5 **\$42⁹⁵**

STERILE EO **Single-Use** 
Not made with natural rubber latex.




**ACCESS DEEP CAVITIES AND OTHER
HARD-TO-REACH SITES**



ELECTRODE HANDPIECE, HAND ACTIVATED WITH VL PLUG

For use with standard removable electrodes


- Single-Use 
- STERILE
- 10 foot cable

REF 755VL Box of 12..... **\$105⁹⁵**



ELECTRODE HANDPIECE, FOOT ACTIVATED

For use with standard removable electrodes

- Single-Use 
- STERILE
- 10 foot cable

REF 950 Box of 12..... **\$68⁹⁵**



Actual size

Electrosurgical Patient Dispersive Pads

for LLETZ Procedures

STERILE EO Single-Use

Not made with natural rubber latex.

STANDARD GROUNDING PAD WITH CORD, SOLID-STYLE

Generators Compatibility

MANUFACTURES	PAD REF #
BEI® Plus II	395-302
CooperSurgical® LEEP® 1000	6050P
CooperSurgical® LEEP® 6000	6050P



Connector shown at ACTUAL SIZE



REF 6010

Box of 12 \$84⁹⁵

SALE

GROUNDING PAD WITH CORD, SOLID-STYLE

Generators Compatibility

MANUFACTURES	PAD REF #
Utah Medical Finesse®	ESU-405



Connector shown at ACTUAL SIZE



REF 21-809

Box of 12 \$84⁹⁵

GROUNDING PAD WITH CORD, SPLIT (REM)

Generators Compatibility

MANUFACTURES	PAD REF #
ConMed® Sabre® 180	402-2204
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II®	ESU-420



Connector shown at ACTUAL SIZE



REF 33-714


Box of 12 \$84⁹⁵

Reusable

EXTENDED NEEDLE ADAPTERS

Extends the reach of hypodermic needles
Stainless Steel, Available: 3–6 inch lengths


REF 5120	7.62cm (3")	\$29 ⁹⁵
REF 5122	10.16cm (4")	\$29 ⁹⁵
REF 5124	12.7cm (5")	\$29 ⁹⁵
REF 5126	15.24cm (6")	\$29 ⁹⁵



CARTRIDGE SYRINGE, THREADED TIP - Reusable

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210	\$52 ⁹⁵
----------	-------	--------------------




SALE

LIDOCAINE CARTRIDGES, SINGLE-USE

With Epinephrine 1:100,000

- 1.7ml Cartridges

REF 1150	Box of 50	\$84 ⁹⁵
----------	-----------	-------	--------------------



This product contains latex

NOTE: A pharmacy or physicians license is required when ordering this product.

Prefilter, Reducer, and Filter

for Smoke Evacuation Systems

STERILE VACUUM TUBING SETS, SINGLE-USE

Fits many popular smoke evacuation systems that use 1/2" OD.

The 9'± tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets..... \$195⁹⁵




PREFILTER REDUCER, SINGLE-USE

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Non-Sterile
- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230 Qty 10 \$52⁹⁵

CONNECTS WITH



Perfect match for the competitor's smoke evacuator at a far more reasonable price!

PREFILTER, SINGLE-USE

- Non-Sterile
- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210 Qty 10 \$189⁹⁵

CONNECTS WITH



ULPA FILTER

- Non-Sterile
- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215 \$166⁹⁵ each



Tubing and Connectors for LLETZ Procedures


CONNECTS WITH

A. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue™ to Flexible-S Tubing. 1/4" to 7/8"

REF 8100 Box of 12..... \$22⁹⁵



B. Flexible-S Tubing, Non-Sterile

Not made with natural rubber latex.

Connects to DSE Tubing.

Convenient 6-Pack.

1/4" ID, 3/8" OD x 2'

REF 8024 Box of 6 \$43⁹⁵




C. DSE Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 \$89⁹⁵



Inserts into smoke evacuation tube clip in speculum

D. Clear-Flue™ Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072 Qty 24..... \$71⁹⁵




E. Tubing Connector, Non-Sterile


Not made with natural rubber latex.

Connects Clear-Flue™ to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103 Box of 12..... \$22⁹⁵



CONNECTS WITH



GYNEX coated specula for LLETZ procedures.


Sterile Vacuum Tubing Sets, Single-Use

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets \$196⁹⁵



SPONGE FORCEPS, SINGLE-USE

Non-Sterile, Non-PVC, **Length:** 24cm

REF 3207 12-Pack.....\$39⁹⁵

REF 3214 24-Pack\$73⁹⁵



TOPICAL ANESTHETIC

HurriCaine® Snap-n-Go™ Swabs

- 72 Single-Use® swabs per box
- Fast onset - 20 seconds
- Dose .15ml

REF 0569\$53⁹⁵



HurriCaine® Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF 0183\$72⁹⁵

STERILE EO Single-Use®
Not made with natural rubber latex.

STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270°**. Gynex LLETZ coating must be autoclaved at **250°**. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is **saturated steam** at **250°** for **25–30 minutes**. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10⁻⁶.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are **completely dry** when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ Instruments

LLETZ-COATED TENECULUM

Extremely gentle tissue pickup • Coated Stainless Steel • **Length:** 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250 \$149⁹⁵



Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$149⁹⁵



☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering

LLETZ-COATED HOOKS

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230 \$89⁹⁵



Emmett Tenaculum

REF 3240 \$89⁹⁵



Angle Hook

REF 3245 \$89⁹⁵




LLETZ-COATED TISSUE FORCEPS

Coated Stainless Steel

Length: 21.5cm

REF 3205 \$99⁹⁵



LLETZ-COATED RULERS


Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250 \$105⁹⁵



Width Ruler

Coated Stainless Steel

• Millimeter markings

Length: 22cm

REF 3255 \$105⁹⁵



4-WAY EXPANDER VAGINAL SPECULUM

for LLETZ Procedures

The 4-Way Expander Vaginal Speculum designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

Features

- Built-in smoke evacuation tube holder
- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Autoclavable & Sterilizable

MEDIUM

REF L4MEX 115mm **\$254⁹⁵**

LARGE

REF L4LEX 125mm **\$264⁹⁵**

DSE Tubing Holder
for Smoke Evacuation

☒ **OK to
Autoclave**
Read Notice on Page 74
Before Ordering

LLETZ Coated

Side Blades
Lock In Place

OPEN

CLOSED


GYNEX's Exclusive
Autoclavable
Lavender Coating

LATERAL VAGINAL RETRACTOR

for LLETZ Procedures

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.

LLETZ Coated




Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ OPEN-SIDED SPECULUM

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

SULLIVAN VAGINAL SPECULUM


for LLETZ Procedures

Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


Ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1



Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula

☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering



PEDERSON & GRAVES

for LLETZ Procedures

LLETZ Coated

☒ OK to Autoclave
Read Notice on Page 74
Before Ordering

Opening Shown Actual Size,
Scale 1:1

WideView

40mm

Blade Reference Chart: Shown Actual Size, Scale 1:1

	Pederson		Graves	
180mm				
175mm				
170mm				
165mm				
160mm				
155mm				
150mm				
145mm				
140mm				
135mm				
130mm				
125mm				
120mm				
115mm				
110mm				
105mm				
100mm				
95mm				
90mm				
85mm				
80mm				
75mm				
70mm				
65mm				
60mm				
55mm	WideView	WideView	WideView	WideView
50mm	REF 2845	REF 2847	REF 2885	REF 2882
45mm				
40mm	FullView	FullView	FullView	FullView
35mm	REF 2855	REF 2857	REF 2887	REF 2883
30mm				
25mm	\$144 ⁹⁵	\$144 ⁹⁵	\$154 ⁹⁵	\$154 ⁹⁵
20mm				
15mm				
10mm				
5mm				
0mm				

Medium

Large


LongView

LongView

LongView

bariatric


bariatric




PEDERSON & GRAVES


Stainless Steel Vaginal Speculum

Stainless Steel



Blade Reference Chart: Shown Actual Size, Scale 1:1





SULLIVAN STAINLESS STEEL VAGINAL SPECULUM


Stainless Steel


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


Ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1






C-Arm is designed to parallel the contour of the patient's leg



No side obstruction like most specula


Graves



LATERAL VAGINAL RETRACTOR

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



AUVARD WEIGHTED SPECULUM

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size: 105mm long x 38mm wide

REF SA2200 \$299.95



GUTTMAN SPECULUM WITH SPECIAL BLADES

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina

Available in two sizes:

Medium

REF 2310 Top Separator: 82mm.....\$67⁹⁵

Large

REF 2312 Top Separator: 92mm.....\$67⁹⁵



GREENBERG HYSTEROSCOPY SPECULUM


The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.

REF 2801\$52⁹⁵



"The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used."

James Greenberg, MD,
Boston, MA




Blade Reference Chart: Shown Actual Size, Scale 1:1

OPEN-SIDED SPECULUM, STAINLESS STEEL

Left and Right Opening

Stainless Steel

Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.



LAMINARIA INSERTION FORCEPS


Specifically designed for insertion of laminaria.

REF 1600\$76⁹⁵




TITANIUM RAINBOW™ SPECULUM

This exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. Pederson's and Graves' are available in two viewing widths.



Blade Reference Chart: Shown Actual Size, Scale 1:1



Instruments Care and Cleaning

GYNEX® HOT BEADS

Sterilization Beads

GYNEX® Hot Beads provide a safe, effective and convenient method for sterilizing your surgical instruments. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants. Simply plunge metal instruments into hot glass beads for instant sterilization. These specially cast “no-lead” glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. GYNEX® Hot Beads come in simple pre-measured containers.



REF 7106	6-Pack (6-month supply)	\$134 ⁹⁵
REF 7112	12-Pack (1-year supply)	\$247 ⁹⁵

TOUCH-GUARD® STAIN-EX™

Biological & Chemical Stain Remover

Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover that removes Iodine-based stains, Lugol's stain and most medical and histological stains from hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment and hospital linen. Works great on all your LLETZ-coated instruments!

It is easy to apply Touch-Guard® Stain-Ex™ and the stain is removed in a matter of seconds.



REF SS10	1 Gallon	\$89 ⁹⁵
----------	----------------	--------------------

TOUCH-GUARD® LOW SUDS

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use on automatic washers, ultrasonics, washer-sterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue - no pyrogens; leaves a surgically clean surface
- Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning

REF TG-200	1 Gallon	\$32 ⁹⁵
------------	----------------	--------------------



Touch-Guard®

Make Your Instruments Feel Like New!

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

Prevents Rust,
Spots, Stains
and
Corrosion

Restores
Articulation to
Sticky Box-Locks
and Joints

Withstands
High
Temperatures
of Autoclaving

Steam
Penetrable,
Sterilizable and
ETO Sterilizable

Non-Oily,
Non-Sticky,
Non-Toxic and
Silicone Free

FREE SAMPLE

To redeem your free sample,
contact us
(888) 486-4644



ONLY \$15⁹⁵

REF TG-100 16.9 fl. oz (500 ml)

To preserve and extend the life of your instrument!

CLEAN • LUBRICATE • STERILIZE



Touch-Guard®

INFRARED THERMOMETER

Get reliable results within seconds with Touch-Guard® Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.


Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature

Weight: 1.8 oz

Dimension: 15 x 3.7 x 1.6

REF TG-2000..... \$59⁹⁹



LED Display



Non-Contact



1 Sec. Reading



Accuracy +/-0.4°F



Memory Function



Automatic Shutdown



Battery Operated

Instrument Repair and Sharpening

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment to improve financial savings. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex® sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Toll Free: (888) 486-4644
(8:00AM–4:30PM CDT)

Pricing is as follows:

Gynex brand biopsy punch	\$65⁰⁰
Other brands biopsy punch	\$75⁰⁰
Gynex brand curette	\$40⁰⁰
Other brand curette	\$50⁰⁰

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GYNEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain a Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

The following items may be returned:

- Product with RMA number
- All returns must be made within 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use[®] product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship

**Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.*

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GYNEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Target*Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap-n-Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon

is a registered trademark of DuPont. Speculume is a registered trademark of Cyalume.

Force Majeure:


Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Notwithstanding the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

Latex Notice


ONLY the following product in this catalog may contain latex:

 **1150** Lidocaine Cartridges (cartridge stoppers)

INDEX

Acetic Acid	5	Electrosurgical Patient Dispersive Pads.....	70	Keys Accessories.....	23
Alligator Grapser, Gynex®.....	27	ENDOCERVICAL		Vulvar.....	23
Ascona™ IUD String Snare.....	29	Specula	18, 21	REPAIRS & SHARPENING SERVICE	93
Accu-Sound®.....	30	Curettes	16-17	SCISSORS	
BARIATRIC INSTRUMENTS		ENDOMETRIAL SAMPLER		IUD String.....	26
Biopsy Punches.....	7-11	Endometrial Curette	42-43	Titanium Rainbow™	63
Tissue Forceps	11	Endometrial Sampler.....	44-45	Zephyr™ Stainless Steel.....	63
Specula, LLETZ Coated.....	80-81	FORCEPS		Iris Stainless Steel.....	64
Specula, Stainless Steel	82-83	Foerster Forceps, Stainless Steel.....	19	Littaur Stitch Scissors	64
BIOPSY PUNCHES		Laminaria Insertion Forceps.....	88	SMOKE EVACUATION	
Apex.....	14	Sponge Forceps, Single-Use	74	Prefilter, Single-Use ③.....	72
Ceramix™	11	Ovum Forceps	24-25	Prefilter Reducer	72
Cobalt Blue	10	Fetal Doppler - GYNEX®.....	61	ULPA Filter	72
Eppendorfer.....	14, 21	GRASPER		Tubing	73
Kevorkian Ring Handle.....	14, 21	Alligator Grapser - GYNEX®	27	SPECULA	
Medium-Tischler.....	8	Serpentine Grasper.....	27	LLETZ Coated	
Mini-Tischler	7-13, 21	HOOKS		4-Way Expander	76
Titanium Rainbow™	9	LLETZ Coated.....	75	Graves.....	80-81
Tischler.....	7-13	Stainless Steel	15, 21	Open-Sided (left/right opening).....	77
ROTOTip™ Biopsy Punches.....	12-13	IUD INSTRUMENTS		Pedersons	80
Sullivan Ring Handle	14	Ascona™ IUD String Snare.....	29	Sullivan	78-79
Wittner	14, 21	Ceramix™ Coated String Scissors.....	26	Stainless Steel	
CARE AND CLEANING		Crochet Type IUD Removers	28	Auvard	86
Hot Glass Beads Sterilizer - GYNEX®.....	90	GYNEX® Alligator Grasper	27	Graves.....	82-83
Instrument Lubrication - Touch-Guard™	91	IUD Insertion Kit.....	29	Greenberg.....	87
Instrument Repair and Sharpening	93	IUD String Scissors.....	26	Guttman	87
Low Suds Detergent - Touch-Guard™	90	Serpentine Grasper IUD Remover	27	Open-Sided (left/right opening)	88
Stain-Ex™ Stain Remover - Touch-Guard™	90	Single-Use IUD String Scissors	27	Pederson	82
Clamps	62	Willows™ IUD String Snare	28	Sullivan	84-85
COLOSCOPES		LATERAL VAGINAL RETRACTORS		Titanium Rainbow™	
Galileo®.....	46-51	LLETZ.....	77	Graves.....	89
Accessories for Galileo®	52	Stainless Steel	86	Pederson	89
CO Series	54-59	Lidocaine.....	71	STERILIZATION	
Colposcopy Sets	20-21	Light, Medical Exam Light.....	60	Hot Glass Beads Sterilizer	90
DILATORS		LLETZ COATED INSTRUMENTS		Sterilization Notice	74
All Uterine Dilators	32-39	All Items.....	75-81	SURESAMPLE® Select1.....	42-43
Dennis Dilators, Single-Use ③.....	38	Hooks.....	75	Syringe, Cartridge®.....	74
Dennis Dilators, Reusable.....	39	LVR	77	Table of Contents.....	1
Hank Dilators, Uterine.....	33	Speculum	77-81	TENACULA	
Hegar Dilators, Uterine	35	Sponge Forceps, Single-Use ③	74	Braun	19
Mini Dilators, Uterine	32	Medical Exam Light - Galileo®	60	Schroeder	19
Mini Dilators Tips, 4mm and 5mm.....	32	Medical Exam Light - Accessories	60	Skene	18
Pratt Dilators, Uterine	34	Microscope - Galileo®.....	53	Teale	18
Small Dilators, Uterine.....	33	Monse's Paste.....	5	Thermasonic - Gel Warmer	61
Soft Dilators, Single-Use ③.....	36	Needle Adapter.....	71	Thermometer - Touch Guard™	92
Soft Teflon Dilators, Reusable	37	NEEDLE HOLDERS		Topical Anesthetic - HurriCaine®	
Disposable Protective Sheath.....	60	Webster.....	65	Spray Kit.....	74
Doppler Gel.....	61	Mayo-Hegar.....	65	Swabs	74
ELECTRODES		Crile-Wood.....	65	Transit Map	96
Ball Electrode	67	OVUM FORCEPS		Uterine Manipulator / Injector.....	41
Contoured Loop Electrodes	68	Bierer.....	25	UTERINE SOUNDS	
Electrode Extender	69	Blumenthal.....	25	Accu-Sound®.....	30
Electrode Handpieces	69	Jacobson.....	25	Sim Sound.....	31
H-Series Loop Electrodes	67	Saenger.....	25	Vaginal pH Testing - pHEM-ALERT®	4
Needle Electrode	67	Sopher Original	24		
Triangle Loop Electrodes	68	PUNCHES			
Square Loop Electrodes.....	67	Keys	23		

Transit Map



Toll Free: (888) 486-4644

(8:00AM-4:30PM CDT)

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

5% Discount
on Prepaid or Credit Card Orders
(offer excludes microscopes, colposcopes and/or extended warranties).



Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEx Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note:

Pre-paid shipping charges of \$14.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

GYNEX®




MAIL TO: GYNEX
P.O. BOX 822369
N. RICHLAND HILLS, TX 76182

MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

FAX TO: (425) 895-0115

BILLING ADDRESS	SHIP TO
Name _____	Name _____
Address _____	Address _____
City _____ State _____ Zip _____	City _____ State _____ Zip _____
Email _____	Fax _____
Phone (_____) _____	Contact Person _____

[illegible]

Make checks payable to: GYNEX Corp.	
Credit Card Charge: <div>    </div>	
Credit Card Security Code	Exp. Date
Credit Card Number	
Signature	

Total Amount Ordered	
5% Discount for Pre-Paid Orders ONLY	
Shipping and Handling for Pre-Paid Orders ONLY <small>GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)</small>	\$14.50
Sales Tax	
Total	

GYNEX®

6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • Fax: (425) 895-0115
service@gynex.com • www.gynex.com

PRSRT STD
US POSTAGE
PAID
GYNEX



SEE the Difference
with **Galileo®**

page 60



(888) 486-4644
www.gynex.com

