GYNEX®

Fall 2022

<u>sure</u>sample[®]

A family of endometrial samplers.

pages 42-45

Locking syringe ensures a constant vacuum



Scan QR-CODE for more information



3-Ports for maximum yield

Derek says . . .



We at Gynex are happy to introduce the Fall 2022 edition of the Gynex product catalog. Gynex has constantly been moving women's healthcare forward with the goal of bringing new, innovative products to market with both the patient and provider in mind. Two excellent examples can be found on the cover of this catalog, which showcases the SureSample® family of endometrial samplers. The SureSample® "pipette style" endometrial sampler features the original 3-port sampling system that doubles the specimen harvest of competing products. The formable memory shaft allows you to shape the sampler to meet each patient's physical requirement.

The SureSample® Select1 is a unique sampling device that offers the provider two simple, safe, and effective methods of harvesting samples. A Randall-style sharp edge facilitates scraping. The twist and lock, 10mL syringe, ensures a constant vacuum. Your patients deserve the highest quality of care, and we at Gynex are confident that the exceptional SureSample® family will be your new go-to endometrial samplers. For more information on the SureSample® family of endometrial samplers, see pages 42–45.

As many have noticed, recent events have resulted in shipping delays and supply shortages in every industry. Our team here at Gynex has been working diligently over this year to eliminate extended wait times for products. Over the past year, Gynex has been able to build long-term supplies for many of our most popular products, which will lead to significantly reduced wait times for our customers moving forward.

Thank you all so much for your continued support and trust in Gynex to provide you with the highest quality instruments and products to best support your practice. If you have any questions, thoughts, or suggestions, please let us know how we can support you.

Thank you,

Derek Mancini, MBA

Derek Mancini

Vice President of Sales, GYNEX® Corporation

Look for myself or one of our representatives at the following upcoming shows:

National Procedures Institute – San Antonio, TX 9/17/22 - 9/18/22

Nurse Practitioners in Women's Health – Houston, TX 9/30/22 - 10/1/22

ASCCP – San Diego, CA 10/26/22 - 10/28/22



Table of Contents

Vaginal pH Test - pHEM ALERT®	2	COLPOSCOPES - CO Series	54-59
NEW PRODUCTS	3	Galileo® Medical Exam Light	60
Villa™ Hormonal Implant Remover	3	Accessories for Galileo® Medical Exam Light	60
Word Bartholin Catheter Kit	3	Touch-Guard® Disposable Protective Sheath	
Sim Sound • Flex	3	Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	
Monsel's Ferric Subsulfate Paste	5	HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	
Acetic Acid	5	HYSTERECTOMY SCISSORS - Titanium Rainbow™/ Zephyr™	
BIOPSY PUNCHES	7-14	NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	
Tischler Biopsy Punch	7-8	LLETZ ELECTRODES	
Titanium Rainbow™ Biopsy Punch		Electrode Extender / Electrode Handpieces	
Titanium Cobalt and Pink Biopsy Punch			
Ceramix™ Biopsy Punch		Electrosurgery Patient Dispersive Pads for LLETZ Procedure	
Rotating Biopsy Punches - ROTOTip™		Extended Needle Adapter and Accessories	
Ring Handle Biopsy Punches		Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	
Stainless Steel Biopsy Punches		Tubing and Connectors for LLETZ Procedure	
HOOKS		Sponge Forceps, Single-Use ®	
		Topical Anesthetic - HurriCaine®	
ENDOMETRIAL CURETTES		STERILIZATION NOTICE for LLETZ Coated Instruments	74
ENDOCERVICAL CURETTES		LLETZ COATED INSTRUMENTS	
Curette Sharpening File		Tenacumlum	75
TENACULUMS		Hooks	75
ENDOCERVICAL SPECULUM		Forceps	75
FOERSTER FORCEPS	19	Rulers	75
Bariatric Tissue Forceps, 1x2 teeth	19	4- Way Expander Vaginal Speculum	
COLPOSCOPY SET	20-21	Lateral Vaginal Retractor	
OVUM FORCEPS	22-23	Open-Sided Speculum	
KEYES PUNCHES	24	Sullivan Vaginal Speculum	
Word Bartholin Catheter Kit	25	Pederson & Graves Vaginal Speculum	80-81
IUD SECTION		SPECULUM, STAINLESS STEEL	
CERAMIX™ Coated IUD String Scissors	26	Pederson & Graves Speculum	82-83
IUD Scissors		Sullivan Speculum	84-85
Villa™ Hormonal Implant Remover		Lateral Vaginal Retractors	86
IUD String Scissors, Single-Use		Auvard Weighted Speculum	86
Alligator Grasper by GYNEX®		Guttman Speculum	87
Serpentine Grasper	28	Greeberg Hysteroscopy Speculum	
IUD Removers	29	Open-Sided Speculum	
Ascona® IUD Snare	30	Laminaria Insertion Forceps	
IUD Insertion Kit -GYNEX®, Single-Use ®	30	Titanium Rainbow™ Speculum	
UTERINE SOUNDS - Accu-Sound®	31	Instrument Care and Cleaning	
Sim Sounds		Hot Glass Beads Sterilizer- Touch-Guard™	90
UTERINE DILATORS - Stainless Steel, Soft and Dennis		Low Suds Detergent Concentrate - Touch-Guard™	90
UTERINE CURETTES - Sims / Bumm		Stain Ex™ Stain Remover - Touch-Guard™	
Uterine Manipulator / Injector - Century UMI™		Instrument Lubricant - Touch-Guard™	91
		Thermometer - Touch-Guard®	92
Endometrial Curette - SURESAMPLE® Select1		Instrument Repair and Sharpening	93
Endometrial Sampler - SURESAMPLE®		INDEX	
COLPOSCOPES - Galileo®		ORDER INFORMATION	96-97
Accessories for Galileo®	52	ORDER FORM	

Galileo® Binocular Microscope53

pHEM-ALERT®



VAGINAL pH TEST

pHEM-ALERT® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms:

Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!



nH / 5

- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

pH 5.0

- Low grade bacterial vaginitis
- Borderline serum estradiol

pH 5.5

- · Bacterial vaginitis
- Low serum estradiol

piro.o

- Bacterial vaginitis
- Low serum estradiol

pH 6.5

- Bacterial vaginitis
- Very low serum estradiol

pH 7.0

Low to no serum estradiol

pH 7.5

Low to no serum estradiol

New Products

VILLA™

See product page 27

HORMONAL IMPLANT REMOVER

The Villa™ Hormonal Implant
Remover is a modified vasectomy
clamp specially designed to grasp,
hold, and retract a contraceptive
implant located in the arm, such as
Nexplanon®. A small, ring tip secures
around the mid-point of the implant
for modified "U" removal.

Villa™ Hormonal Implant Remover, *Straight*



Villa™ Hormonal Implant Remover, *Angled*

REF 29-900 \$47⁹⁵

Villa™ Hormonal Implant Remover **SET**

Includes: 1 Straight, 1 Angled

REF 29-850 \$7995

WORD BARTHOLIN CATHETER KIT

The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

STERILE, Single-Use

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

REF 10-200

Box of 2 kits**\$49**95







SIMS SOUND • FLEX

- A softer sound for improved patient comfort
- · Malleable to meet the needs of your patients
- Centimeter gradations
- OD 3.5mm

STERILE, Single-Use

Length: 24.8cm

REF 4630

Box of 25**\$49**95

32

See product page





GalileO® Colposcopes

Direct-Access™

Combining modern technology with classic aesthetics, the Galileo® Direct-Access™ Colposcopes are designed to facilitate comprehensive cervical examination, with ease and style. The offset center feature provides a direct visual and easy access. Superb German optics, LED light source, and integrated electrical cables are just a few of the features that make Galileo® Colposcopes truly outstanding.

For more details and options see our Colposcope Section on pages 46-59

Monsel's

FERRIC SUBSULFATE PASTE 20-22%

Helps control bleeding during biopsy, LLETZ and laser procedures.

Monsel's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use 2

REF 5055	Box of 12	\$192 ⁹⁵
----------	-----------	---------------------

NOTE: A pharmacy or a physician's license is required when ordering this product.



Acetic Acid 5%

Helps enhance the appearance of abnormal areas.

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ②



Tischler Biopsy Punches

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide



BIOPSY PUNCHES SECTION

see pages 7-14

Not sure which biopsy punch you need?

Call GYNEX today at 1(888) 486-4644 and one of our sales associates will gladly assist you.

Tischler Biopsy Punches

GYNEX Original! Stainless Steel

The Best Selling Design in The World

TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm



Tischler, Tip Straight Standard

REF 1010	20cm Shaft *399 ⁹⁵
REF 1035	25cm Shaft \$412 95
bariatric	



Tischler, Tip Up Standard



Tischler, Tip Down Standard



Tischler, Tip Left Standard

REF 1020	20cm Shaft	\$ 399 95
	(1.0)	

Tischler, Tip Right Standard

REF 1019	20cm Shaft	\$ 399 95
n_1		

MINI-TISCHLER, STANDARD

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler, Tip Straight Standard

REF 1005	20cm Shaft \$399 95
REF 1030	25cm Shaft *412 95
bariatric	



Mini-Tischler, Tip Up Standard

REF 1006	20cm Shaft	\$39995
1000	200111 011011	. 000



Mini-Tischler, Tip Down Standard

ocm Shaft \$399 95
)cm Shaft \$399



Mini-Tischler, Tip Left Standard

REF 1022	20cm Shaft	\$399 95



Mini-Tischler, Tip Right Standard

REF 1021	20cm Shaft	\$39995
----------	------------	---------



MEDIUM TISCHLER

• Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 5mm x 3mm



Medium Tischler, Standard

\$39995 REF 1008 20cm Shaft

Medium Tischler, Extra-Long

25cm Shaft \$41295 REF 1033

bariatric



TISCHLER KEVORKIAN

• Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 9mm x 3mm

Tischler-Kevorkian, Standard

\$39995 REF 1015 20cm Shaft

Tischler-Kevorkian, Extra-Long

25cm Shaft \$41295 REF 1037

bariatric



KEVORKIAN, STANDARD

Traditional Kevorkian bite

· Four teeth on bottom jaw

• Tip Locking Tab

Actual Bite Size: 9mm x 3mm



REF 1029

20cm Shaft\$39995



Titanium Rainbow[™] Biopsy Punches

Exclusive Titanium Rainbow™ TiO coating is harder than ordinary stainless steel. The cutting edges will stay sharp longer.

• Slightly wider handle to accommodate differences in grip sizes

• Single-spring handle

• Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L



GYNEX Original!

TITANIUM RAINBOW™ TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm



Tischler, Straight

REF TT010 20cm Shaft \$41995

REF TT035

25cm Shaft, Extra-Long \$42995 bariatric



Tischler, Tip Up

REF TT011 20cm Shaft \$41995

REF TT036

25cm Shaft, Extra-Long \$42995 bariatric



Tischler, Tip Down

REF TT012 20cm Shaft \$419⁹⁵

REF TT037

25cm Shaft, Extra-Long \$42995 bariatric

TITANIUM RAINBOW™ MINI-TISCHLER

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler, Straight

REF TT005 20cm Shaft \$41995

REF TT030

25cm Shaft, Extra-Long **\$429**95 bariatric



Mini-Tischler, Tip Up

REF TT006 20cm Shaft \$419⁹⁵

REF TT031

25cm Shaft, Extra-Long \$42995 bariatric



Mini-Tischler, Tip Down

REF TT007 20cm Shaft \$41995

REF TT032

25cm Shaft, Extra-Long \$42995 bariatric

Titanium Cobalt Blue Biopsy Punches

Designed for excellence • Manufactured for durability



Titanium Pink Biopsy Punches

Exclusive titanium coating manufactured for durability



CERAMIX[™] Biopsy Punches

GYNEX **Original!**

Our sharpest, longest lasting biopsy punch

CERAMIX coating stays sharp up to 10 times longer than ordinary stainless steel. Incomparable cuttingedge hardness (see Hardness Comparison Chart below).

- Single anchoring tooth on top and bottom jaws
- · Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab





CERAMIX[™]

Mini-Tischler, Straight

Actual Bite Size: 4.2mm x 2.3mm

REF 1060

20cm Shaft\$49995



CERAMIX[™]

Tischler, Medium

Actual Bite Size: 5mm x 3mm

REF 1065

20cm Shaft\$49995



CERAMIX[™]

Tischler, Straight

Actual Bite Size: 7mm x 3mm



REF 1070

20cm Shaft\$49995



CERAMIX™

Apex™

Actual Bite Size: 7mm x 3mm



20cm Shaft\$49995


Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.

Rotating Biopsy Punches

ROTO Tip[™] rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



ROTO TIP™TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm

Tischler Standard

Tip-Straight	Tip-Up	Tip-Down
REF 1200-10 Complete Punch	REF 1200-30 Complete Punch	REF 1200-20 Complete Punch\$460 ⁹⁵
REF 1210 Extra Tip	REF 1230 Extra Tip	REF 1220 Extra Tip

Ticoblar Standard

Tiechlar Standard

ROTO TIP™ MINI-TISCHLER

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler, Tip-Straight

REF 1200-05	
Complete Punch	\$460 ⁹⁵

REF 1205	
Extra Tip	\$27595

Mini-Tischler, Tip-Down

REF 1200-15	
Complete Punch	\$460 ⁹⁵

REF 1215	
Extra Tip	\$275 ⁹⁵

Mini-Tischler, Tip-Up

REF 1200-25	
Complete Punch	\$460 ⁹⁵

REF 1225	
Extra Tip	 \$2759







TISCHLER OVAL

Actual Bite Size: 5mm x 3mm





Actual Bite Size: 9mm x 3mm



Oval Tip

REF 1200-35

Complete Punch\$46095



Kevorkian Tip

REF 1200-40 Complete Punch\$46095



ROTO TIP™ EXTRA HANDLE

REF 1200 Handle only\$195⁹⁵

Ring Biopsy Punches

SULLIVAN RING HANDLE PUNCH

· Excellent for stenotic cervix

• Small handle / Mini tip

Actual Bite Size: 4mm x 2mm

REF 1050 24cm Shaft**\$399**⁹⁵

KEVORKIAN RING HANDLE PUNCH

Traditional Kevorkian bite

· Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm

REF 1053 25cm Shaft\$39995



Stainless Steel Biopsy Punches

APEX™

- V-shaped anchoring jaw on the top and bottom
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 7mm x 3mm

Apex™, Standard

\$39995 **REF** 1025 20cm Shaft

Apex[™], Extra-Long

25cm Shaft REF 1039

bariatric



GYNEX Original!

EPPENDORFER AND WITTNER

• Tip Locking Tab

Actual Bite Size: 7.4mm x 3.9mm



Eppendorfer, Standard

REF 1017

20cm Shaft\$39995

Wittner, Straight

REF 1026

Wittner, Angled

REF 1027

20cm Shaft\$39995

20cm Shaft\$39995



Eppendorfer, Standard



Wittner Straight, Standard

Hooks

ANGLE HOOK

REF 3225

26cm Length \$4995

2-PRONG HOOK

REF 3227

26cm Length........\$5995

IRIS HOOK

REF 3210

26cm Length \$4995



EMMETT TENACULUM

REF 3220

26cm Length.......\$4995

Endometrial Curettes

NOVAK CURETTE

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm •

REF 3302\$5395

Shaft/Tip Size: 3mm

REF 3303\$5395

Shaft/Tip Size: 4mm

REF 3304\$5395





RANDALL CURETTE

Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3310\$5395

Shaft/Tip Size: 3mm

REF 3312\$5395

Shaft/Tip Size: 4mm

REF 3314\$5395



Endocervical Curettes

STAINLESS STEEL CURETTES

Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 10.5mm x 2mm

REF 3005

32cm Length

\$7795



Kevorkian Curette, No Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 12mm x 2mm

REF 3010



Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue

REF 3025

30cm Length\$7795



KEVORKIAN CURETTE, SINGLE-USE

The Single-Use Kevorkian Curette eliminates crosscontamination concerns. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and RoundTip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

REF 3030

Box of 25**\$74**95

Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

Basket Size: 11.5mm x 2mm

REF 3015

32cm Length......\$7795



Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

Basket Size: 7mm x 1.3mm

REF 3020

32cm Length......\$7795



EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

REF 3050

32cm Length......\$7995





STERILE EO (Single-Use (2)

Total Length: 31cm

Inner Basket OD: 3mm

Working Length: 16cm

OD: 4mm





TITANIUM RAINBOW CURETTES

Titanium Rainbow Kevorkian Curette with Basket Square Tip

Basket Size: 10.5mm x 2mm



Titanium Rainbow Kevorkian Curette No Basket Square Tip

Basket Size: 12mm x 2mm



CURETTE SHARPENING FILE

A small tapered diamond-coated sharpening stone, which will help keep your curette sharp.

REF CSF3900\$3295



Titanium Rainbow Kevorkian Curette with Basket Round Tip

Basket Size: 11.5mm x 2mm



Titanium Rainbow Townsend Curette

Basket Size: 12mm x 2mm

REF TC3020 32cm Length**\$79**95



Titanium Rainbow Dublin Curette Round Tip



SPIRAL CURETTES

This unique endocervical spiral dual purpose curette was developed by Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto.

- · Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample
- Acts as a cervical dilator allowing cervical or endometrial sampling

Titanium Cobalt Lickrish Spiral Curette

Titanium Rainbow Lickrish Spiral Curette

REF TC3040 21cm Length**\$79**⁹⁵

Stainless Steel Lickrish Spiral Curette

REF 3040 21cm Length**\$79**95



This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the Os, advancing and rotating at the same time.

Tenaculums

BRAUN TENACULUMS

LiteTouch™ Tip

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2230	25cm Length	\$ 52 ⁹⁵
Angled Hand	lle	
REF T2235	25cm Length	\$ 62 ⁹⁵

Standard Tip

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502	25cm Length	\$ 52 ⁹⁵
REF B230	30cm Length	\$ 59 95

Angled Handle

REF 3532	25cm Length	\$629!
REF 3532	25cm Length	°b∠



SCHROEDER TENACULUMS

LiteTouch™ Tip

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2222	25cm Length \$5295
Angled Har	ndle
REF T2225	25cm Length

Standard Tip

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3500	25cm Length	\$ 52 ⁹⁵
REF B130	30cm Length	\$ 59 95

Angled Handle

REF 3530	25cm Length	\$62 ⁹⁵

Double Tooth



Straight Handle

REF 3501	Length 25cm	\$ 52 ⁹⁵

TEALE TENACULUMS

Slight Curve

REF 3536



SKENE TENACULUMS

Slight Curve

REF 3534



Endocervical Speculum

• High Quality Stainless Steel

Length: 27cm

Standard Ratchet

REF 2130	3mm Tip	^{\$} 189 ⁹⁵
REF 2140	4mm Tip	\$189 ⁹⁵

No-Lock Handle

REF 2030	3mm Tip	\$179 ⁹⁵
RFF 2040	1mm Tin	\$17995



Foerster Forceps



Straight Handle

REF 3540	24cm Length	\$52 95
REF B330	30cm Length	\$59 ⁹⁵

Angled Handle

REF 3542	24cm Length	\$62 ⁹⁵
----------	-------------	--------------------

BARIATRIC TISSUE FORCEPS, 1X2 TEETH

Hold and manipulate various tissue.

25cm Length**\$57**95 REF BTF25 30cm Length**\$57**95 REF BTF30



End view - Tip Detail

BUILD YOUR OWN Colposcopy Set of 5 Instruments

for **ONLY** \$67500

Each **GYNEX® Colposcopy Set** consists of five (5) instruments essential for colposcopy procedures

TO ORDER, CHOOSE ONE ITEM FROM EACH SECTION:

Biopsy Punch • Endocervical Speculum

Vaginal Speculum • Endocervical Curette • Tissue Hook




GYNEX® Colposcopy Set priced at \$675, saves you a bundle!

Since all GYNEX instruments are already priced lower than comparable instruments available at industry standard prices.

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed. This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc...

BIOPSY PUNCHES	REF
☐ Tischler, Straight	1010
☐ Mini-Tischler, Straight	1005
☐ Medium-Tischler	1008
☐ Tischler-Kevorkian	1015
☐ Tischler, Straight, RotoTip	1200-10
☐ Mini-Tischler, Straight, RotoTip	1200-05
□ Eppendorfer	1017
☐ Wittner, Straight	1026
☐ Wittner, Angled	1027



ENDOCERVICAL SPECULA REF

☐ Standard Ratchet	3mm 2130
□ No-Lock Handle	3mm 2030
☐ Standard Ratchet	4mm 2140

□ No-Lock Handle 4mm......**2040**

TISSUE HOOKS	REF
□ Iris Hook	3210

□ 1115 1100K	3210
☐ Emmett Tenaculum	3220
☐ Angle Hook	3225

ENDOCERVICAL CURETTES REF

☐ Square Tip, with Basket	3005
☐ Square Tip, no Basket	3010
☐ Round Tip, with Basket	3015
☐ Townsend Curette with Basket	3020

VAGINAL 9	SPECULA	REF
□ WideView [™]	Pederson Medium	2500
■ WideView [™]	Pederson Large	2525
■ WideView [™]	Short Blade	2530
□ WideView [™]	Graves Medium	2540
■ WideView [™]	Graves Large	2545
□ FullView [™]	Pederson Medium	2600
□ FullView [™]	Pederson Large	2625
□ FullView [™]	Graves Medium	2650
□ FullView [™]	Graves Large	2655
☐ Standard	Pederson Medium	2457
☐ Standard	Pederson Large	2459
☐ Standard	Graves Medium	2452
□ Standard	Graves Large	2454

Select one **ENDOCERVICAL SPECULUM**

For more information, see page 19



Select one **HOOK**

For more information, see page 15

Select one **CURETTE**

For more information, see page 16



Ovum Forceps

SOPHER OVUM FORCEPS

Sopher Original

Length:	25.5cm (10") <i>Curved Jaw</i> 11mm
REF 3544	Ratchet Handle ^{\$11495}
REF 3546	No Ratchet



Sopher Original "lips" protect surrounding tissue

Sopher Standard

Length:	25.5cm (10") <i>Curved Jaw</i> 12mm
REF 3548	Ratchet Handle\$11495
REF 3550	No Ratchet \$109 95
Length:	25.5cm (10") <i>Curved Jaw</i> 14mm
_	25.5cm (10") <i>Curved Jaw</i> 14mm Ratchet Handle ^{\$} 119 95



Sopher Original Jaw Open

Sopher Standard Jaw Closed




Sopher Jaw
Actual Size: 12mm

11mm

Sopher Jaw Actual Size: 11mm

12mm



Length: 28cm (11") Curved Jaw 12mm

 REF
 3556
 Ratchet Handle
 \$11495

 REF
 3558
 No Ratchet
 \$10995




Sopher Standard Jaw Open



 REF
 3568
 Ratchet Handle
 \$12995

 REF
 3570
 No Ratchet
 \$12495





Sopher Jaw
Actual Size: 14mm

BIERER OVUM FORCEPS

•	28cm (11") Straight Jaw 16 Ratchet Handle	
REF 3574	No Ratchet	. \$109 95
Length:	28cm (11") Straight Jaw 19	mm
REF 3576	Ratchet Handle	\$119 95
REF 3578	No Ratchet	\$114 95
Length:	33cm (13") Straight Jaw 16	mm
REF 3580	Ratchet Handle	\$119 95
REF 3582	No Ratchet	\$114 95
Length:	33cm (13") Straight Jaw 19	mm
REF 3584	Ratchet Handle	. \$124 95
REF 3586	No Ratchet	\$119 95



Bierer, Jaw Open

JACOBSON OVUM FORCEPS

Length:	28cm (11") S	traight Jaw 20mm
REF 3588	No Ratchet	\$11495

Length:	33cm (13")	Straight Jaw 20mm
REF 3590	No Ratchet	\$114 ⁹⁵



Jacobson, Jaw Open

Blumenthal

BLUMENTHAL OVUM FORCEPS

Length: 28cm (11") Straight Jaw 20mm			
REF 3592	No Ratchet	^{\$} 114 ⁹⁵	
Length: 33cm (13") Straight Jaw 20mm			
REF 3594	No Ratchet	^{\$} 119 ⁹⁵	



Blumenthal "lips" protect surrounding tissue

SAENGER OVUM FORCEPS

/				
	C	Λ		
	3	м	_	1

Length:	26.5cm (10.5") Straight Jav	v 16mn
REF 3596	Ratchet Handle	\$114 95
REF 3598	No Ratchet	. \$109 95
Length:	26.5cm (10.5") Curved Jaw	16mm
REF 3600	Ratchet Handle	\$114 95
REF 3602	No Ratchet	. \$109 95
Length:	29cm (11.5″) Straight Jaw	16mm
REF 3604	Ratchet Handle	\$129 ⁹⁵
REF 3606	No Ratchet	\$124 ⁹⁵
Length:	29cm (11.5") Curved Jaw 1	6mm
REF 3608	Ratchet Handle	\$129 ⁹⁵
REF 3610	No Ratchet	\$124 ⁹⁵



Saenger Inner diameter teeth within oval jaws

KEYES VULVAR PUNCH

Made of high quality stainless steel with a sturdy handle for the ejection of lodged specimen. Biopsy punch has a sharpened round tip perfect for a vertical core sample from the vulvar epithelium.

Available Tip Sizes: 2mm - 7mm 2mm Tip 3mm Tip \$4395 REF 1302 \$4395 REF 1303 4mm Tip 5mm Tip \$4395 \$43⁹⁵ REF 1304 REF 1305 6mm Tip 7mm Tip\$43⁹⁵\$**43**95 REF 1306 REF 1307 GYNEX =

KEYES VULVAR PUNCH SET

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip.

Tip Sizes: 2mm - 7mm

REF 1310 Set......\$22995



KEYES VULVAR PUNCH, SINGLE-USE

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Comes in a box of 25, each individually packaged and sterilized.

Available Tip Sizes: 2mm - 6mm



KEYES PUNCH ACCESSORIES KIT

The perfect accessory kit for your Keyes Punch set. This kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone



WORD BARTHOLIN CATHETER KIT

The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.




STERILE, Single-Use

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

Outpatient Treatment for Bartholin gland cysts and abscesses.



IUD Section page 26 - page 30

CERAMIX™ COATED IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

Ceramix Coated Stainless Steel

KEY ADVANTAGES

- CERAMIX coating stays sharp up to 10 times longer
- Incomparable cutting-edge hardness
- · Extremely rust and corrosion resistant
- · Smoother mechanical action
- · Low friction coefficient

Length: 25cm

REF 29-040\$10495





Our popular IUD String Scissors is now more durable and sharper than ever!

IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm

REF 29-030\$75

Finely serrated teeth in the jaw helps secure the IUD string



VILLA™

HORMONAL IMPLANT REMOVER



The Villa™ Hormonal Implant Remover is a modified vasectomy clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®. A small, ring tip secures around the midpoint of the implant for modified "U" removal.

Villa™ Hormonal Implant Remover, *Straight*

REF 29-800\$479

Villa™ Hormonal Implant Remover, *Angled*


REF 29-900\$47⁹⁵



Includes: 1 Straight, 1 Angled

REF 29-850 \$799

Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®.



IUD STRING SCISSORS, SINGLE-USE

Metal Tip / Plastic Handle

STERILE, Single-Use

• Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065

Box of 12.....**\$44**⁹⁵

GYNEX® ALLIGATOR GRASPER

Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size



GYNEX

Original!

SERPENTINE GRASPER IUD REMOVER

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel

KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- · Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$29995



IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

STERILE, Single-Use

Length: 26.5cm

REF 29-200 Box of 12......**\$52**⁹⁵



WILLOWS™ IUD STRING SNARE

Rounded Tip, Multiple Grasping Slots

STERILE, Single-Use

· High quality malleable plastic

Length: 27cm





IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

Length: 26.cm

REF 29-020 \$7995





MALLEABLE IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

• High quality malleable metal

Length: 26cm


REF 29-025 \$8995



ASCONA™ IUD STRING SNARE

Allows gentle removal of IUD

The rotating handle provides a way to the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona^{$^{\text{IM}}$} allows the user to gently pull out and remove the IUD. The Ascona^{$^{\text{IM}}$} is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.



GYNEX® IUD INSERTION KIT

STERILE, Single-Use



Uterine Sounds

ACCU-SOUND® UTERINE SOUND

There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® Uterine Sound into the uterus, the ring rest against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.

STERILE, Single-Use

Length: 24cm

Shaft Diameter: 3mm



REF 4950 Box of 25 \$6995



Not Shown at Actual Size

1

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



2

Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



3

Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound





SIMS SOUND PLUS+

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 24cm

REF 4675

Box of 25**\$56**95

Not Shown at Actual Size

GYNEX

SIMS SOUND

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 16.6cm

REF 4601

Box of 25\$4995

to to to the terms to the terms



Not Shown at Actual Size

SIMS SOUND • FLEX

STERILE, Single-Use

- A softer sound for improved patient comfort
- · Malleable to meet the needs of your patients
- · Centimeter gradations
- OD 3.5mm

REF 4630

Length: 24.8cm

Box of 25

A softer, more malleable Sims Sound for improved patient comfort.

GYNEX

Not Shown at Actual Size

SIMS SOUND, REUSABLE

- Autoclavable
- OD 4mm

Length: 32cm

Chrome-Plated, Malleable\$3995 REF 4332

M W M 0 N H + R E

Stainless Steel, Non-Malleable\$3995 REF 4334



Not Shown at Actual Size


Uterine Dilators

MINI DILATOR

SET OF 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm





EXTRA MINI DILATOR TIPS

(Fits **REF** 4005 Handle)

Sizes: 4mm and 5mm

Available only from GYNEX



Dots show actual diameter in mm

5mm

4mm




HEGAR DILATOR - SET of 8 Dilators

- · Dual sizes on each dilator
- Stainless Steel

Length: 21cm

Dots show actual diameter in mm



*Product not shown at actual size



PRATT DILATOR - SET of 8 Dilators

- Dual sizes on each dilator
- Stainless Steel

Length: 29.5 cm

REF DPU3850 Set\$19795

Dots show actual diameter in mm



*Product not shown at actual size



SOFT DILATORS, SINGLE-USE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come STERILE and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4221 Box of 24**\$94**95

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4212 Box of 12......**\$52**⁹⁵

Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os.


Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4223 Box of 24.....\$9495







SOFT TEFLON DILATORS, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered Tip Length: 23mm **Overall Length:** 21.5cm

STERILE / Reusable OK to Autoclave

REF 4201 \$44⁹⁵

Soft Teflon Dilator, Canal Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4202 \$4

Soft Teflon Dilator, Fundus Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF **4203**

..\$4495

Great Value! SAVE on a SET of 3 Dilators

Soft Teflon Dilators Set, Reusable STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

Soft Teflon Dilators Set, Reusable NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3 \$9495

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.

DENNIS DILATORS®, SINGLE-USE

5mm to 12mm

- Different color for each soft dilators size
- Dual sizes on each dilator
- Number on handle for easy identification
- STERILE / Single-Use
- Ergonomic handle
- Soft plastic

Overall Length: 27cm

5-6mm Dilator

REF 42	40	Box of	12 s	499

7-8mm Dilator

REF	4245	Box of 12	\$499
-----	------	-----------	-------

9-10mm Dilator


REF 4250 Box of 12	۶4	9	9	5
--------------------	----	---	---	---

11-12mm Dilator

ı	REF 4255	Box of	12	. \$49 95

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover







DENNIS DILATORS® SET, REUSABLE

5mm to 14mm

Different band color on each dilator

- Dual sizes on each dilator
- Soft plastic
- STERILE Sealed in procedure blister trays
- Reusable sterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5 \$9495

Uterine Curettes

SIMS UTERINE CURETTE

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size

Size 3

Size 2

REF CSU3900-9	
---------------	--

Size 00

Size 00: 10.5 x 4.0mm, Sharp, Rigid...........\$6895

Size 1

Size 0

REF CSU3900-0

REF CSU3900-1

REF CSU3900-2

REF CSU3900-3

Size 4

Size 5

Size 6

REF CSU3900-4

REF CSU3900-5

REF CSU3900-6



BUMM UTERINE CURETTE

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size







Size 1

CBU3920-1

Size 1: 48 x 25mm \$6895

Size 2

Size 2: 52 x 30mm \$6895

REF CBU3920-2

REF CBU3920-3

Size 3: 62 x 35mm \$6895

REF

Century UMI™

UTERINE MANIPULATOR/INJECTOR

The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, disposable convenience. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

• Cannula length: 33cm

• OD 4.5mm

• Luer Lock Syringe 10cc



Now including a 10cc luer lock

syringe for your convenience!



Features

- · Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os



NEW LOW PRICE!

Low unit price, \$18.33 each

REF 10-160

Box of 12 \$21995




suresample • Select 1

Endometrial Curette



Tapered tip for easier insertion. Randall - Style sharp cutting edge.

CANNULA





DEPTH MARKER


Set the desired curette marker depth after sounding the uterus. This depth acts as a visual aid to protect against perforation.

CANNULA AND CAP HOLDER



WHITE SYRINGE CAP

Allows for transportation of sample collected in the syringe.





WHITE CANNULA STYLET

Optional White Cannula Stylet for additional rigidity when needed, useful in stenotic patients.




Endometrial Curette



SURESAMPLE® Select1 is a unique design curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction. Collected samples are for the purpose of biopsy, pre-cancer screening or menstrual extraction.

Specifications

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- Cannula length: 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex
- Luer Lock fitting with winged flanges
- STERILE, Single-Use



Features

- White Cannula Stylet insert for whenever additional rigidity is needed, useful in stenotic patients
- Depth Marker acts as a visual aid to protect against perforation of the uterine wall
- The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen
- White Syringe Cap allows transportation of sample collected in the syringe





The world's most effective and easy-to-use endometrial sampler!


SURESAMPLE® Endometrial Sampler outperforms any other sampler on the market today!

Our patented 3-port sampling system doubles the harvested samples and allows easy retrieval with reduced cell damage. A much greater histological adequacy and integrity than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, SURESAMPLE® is the finest endometrial sampler.

SURESAMPLE® formable shaft memory allows physicians to **pre-shape shaft** to meet each patient unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, but strong enough to go through a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizing patient discomfort.



3-Ports for maximum yield



Better performance than other brands



SURESAMPLE® Endometrial Sampler

retrieves more than twice the harvest of its competition!



SUTE Sample®



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- **Two phase action** between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- Formable memory shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** simply push the SURESAMPLE Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.

GalileO® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
 (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

with a 5-wheel Rolling Base: REF 530VCDA-R \$7,39500
with a 360° rotating Tilt Base: REF 530VCDA-T \$\$^7,39500

1 Year Extended Warranty: REF 530VCDA T/R-1\$37500 2 Year Extended Warranty: REF 530VCDA T/R-2\$53500

Eye-Shields LED Bulb Cover (Removable) Diopter Knobs Rheostat Knob Green Filter Knob **Head Inclination** Three-Step Adjusting Knob Magnification Knob ▶ Direct-Access[™] Feature Fine Focus Handle Fine Height Adjustment Handle **HDMI Video Connection Gross Height** Adjustment Knob ROLLING BASE, with 5 locking wheels, is a highly portable industry standard On/Off Switch and with a clean, sleek design. Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO[®] Colposcope Direct-Access[™] 530VCDA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



GalileO® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1- Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 400DA-R\$5.79500



GalileO[®] Colposcope Direct-Access[™] 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



GalileO® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

1 Year Extended Warranty: REF 200DA T/R-1\$37500 2 Year Extended Warranty: REF 200DA T/R-2\$53500



GalileO® Colposcope Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



Available Accessories

GalileO® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer. Available as free download with purchase *Requires Video software

REF VC-Magewell\$2990



Cut the Cord!

Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS\$1,94500

Monitor Only (without base) REF 450M\$29500

(Note: Actual monitor shipped may be different than model shown)

Galileo® Binocular Microscope

Specifications

• Condenser Numerical Aperture: Na = 1.25

• Stage Movement Range: Longitudinal 50mm, Transverse 75mm

• Fine Focusing: Minimum Division .002mm

• Interpupillary Distance Adjustment Range: 53-75mm

• Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images and wider views at a great price!

Eyepieces	10X Magnification	25mm Focus		Φ 18mm Fie	eld
		Semi-Plan Achr	omatic		
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope REF MI6000\$92495

1 Year Extended Warranty: REF MI6000 -1 \$11500

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source
 (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

• Focal Length: ± 300mm

• Magnification: 3.75X, 7.5X, 15X

• Optical Angle: 45°

- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

1 Year Extended Warranty: REF CO4100-1\$32500 2 Year Extended Warranty: REF CO4100-2\$47500



These circles give you the millimeter size at the tissue site



CO4100 Colposcope



LED Light Source

Lasts Longer Cool To The Touch Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

• Focal Length: ± 300mm

• Magnification: 3.75X, 7.5X, 15X

- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)


Options

Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

1 Year Extended Warranty: REF CO3100-1\$32500 2 Year Extended Warranty: REF CO3100-2\$47500



CO3100 Colposcope



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



CO1100 Colposcope

Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Enclosed Power Source (Hidden in stand base for a clean and clutter free look)
- Enclosed Electrical Cables (Hidden inside post for a clean and clutter free look)
- LED Illumination System (More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Universal Teflon Ball-Joint for Easy 360° Motion

Specifications

• Focal Length: ± 316mm

• Magnification: 9X

• Field Of View: 22mm

• Depth Of Field: 8mm

• Light Intensity: > 25,000LUX

• Working Height: 838mm to 1194

• Power Supply: 90V to 240V

• Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light



These circles give you the millimeter size at **LED Light Source** the tissue site Green Filter Knob Diopter Knobs Rheostat Knob Fine Height Adjustment Handle Fine Focus Handle Gross Height Adjustment Knob Clutter Reducing Internal Power Cables On/Off Switch and Power Indicator Light **Roller Base**

CO1100 Colposcope



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



Galileo®

MEDICAL EXAM LIGHT

Galileo® Medical Exam Light is easy to use, easy to clean, durable and aesthetically pleasing. With table mount and wall mount options available, the flexible neck Galileo® Medical Exam Light is a spacesaving addition perfect for any exam room.

REF MEL-50\$434⁹⁵



- Sharp focused LED light (bulb life ≤ 50,000 hours)
- Adjustable spotlight diameter (10mm–220mm)
- Adjustable brightness (maximum illuminance of 70,000 Lux at 200mm)
- Flexible neck for easy positioning
- Out of the way over your shoulder



Available Accessories

TABLE MOUNT

Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.



REF MEL-208795

WALL MOUNT

Galileo® Medical Exam Light Wall Mount Bracket provides extra floor space & convenience when needed.



REF MEL-10 \$72⁹⁵

TOUCH-GUARD® SINGLE-USE PROTECTIVE SHEATH

Touch-Guard® Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo[®] Medical Exam Light REF: MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler your practice!

FETAL DOPPLER MODEL D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500\$29595



Available Accessories

THERMASONIC GEL WARMER

- Maintains constant temperature
- · Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$29095



DOPPLER GEL

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6\$3995



Hysterectomy Clamps



ZEPHYR™ TITANIUM RAINBOW™

Titanium Coated Hysterectomy Clamps

Straignt		
REF TT580-21	21cm	\$19495
REF TT580-24	24cm	\$204 ⁹⁵
REF TT580-27	27cm	\$214 ⁹⁵
REF TT580-30	30cm	\$224 ⁹⁵
REF TT580-36	36cm	\$234 ⁹⁵

Slight Curve



REF TT585-21	21cm \$194 95
REF TT585-24	24cm ^{\$} 204 ⁹⁵
REF TT585-27	27cm ^{\$} 214 ⁹⁵
REF TT585-30	30cm\$22495
REF TT585-36	36cm \$23495

Strong Curve



REF TT590-21	21cm ^{\$} 194 ⁹⁵
REF TT590-24	24cm ^{\$} 204 ⁹⁵
REF TT590-27	27cm\$214 ⁹⁵
REF TT590-30	30cm ^{\$} 224 ⁹⁵
REF TT590-36	36cm\$234 ⁹⁵

Angled



THE ORIGINAL ZEPHYR™

Stainless Steel Hysterectomy Clamps

4 Zierm	Straight
REF 3580-21	21cm\$11495
REF 3580-24	24cm\$119 ⁹⁵
REF 3580-27	27cm ^{\$} 124 ⁹⁵
REF 3580-30	30cm \$129 ⁹⁵

Slight Curve

REF 3585-21	21cm ^{\$} 114 ⁹⁵
REF 3585-24	24cm ^{\$} 119 ⁹⁵
REF 3585-27	27cm ^{\$} 124 ⁹⁵
REF 3585-30	30cm \$129 ⁹⁵



Strong Curve

REF 3590-21	21cm \$114 95
REF 3590-24	24cm ^{\$} 119 ⁹⁵
REF 3590-27	27cm ^{\$} 124 ⁹⁵
REF 3590-30	30cm \$12995



Angled

REF 3595-21	21cm \$114 95
REF 3595-24	24cm ^{\$} 119 ⁹⁵
REF 3595-27	27cm ^{\$} 124 ⁹⁵
REF 3595-30	30cm \$129 ⁹⁵

Hysterectomy Scissors



TITANIUM RAINBOW™ SCISSORS

Titanium Coated Hysterectomy Scissors



Slight Curve

REF TT680-20	20cm	\$97 95
REF TT680-23	23cm	\$9995



Full Curve

REF TT690-20	20cm	\$97 95
REF TT690-23	23cm	\$9995



Curve

REF TT685-20	20cm	\$ 97 9
REE TT685-23	23cm	\$999



Angled

REF TT695-20	20cm	\$9795
REF TT695-23	23cm	\$99 95

ZEPHYR™ SCISSORS

Stainless Steel Hysterectomy Scissors



Curve Scissors

REF 3685-20	20cm	\$97 95
RFF 3685-23	23cm	\$9995



Angled Scissors

REF 3695-20	20cm	\$ 97 ⁹⁵
REF 3695-23	23cm	\$9995



Slight Curve Scissors

REF	3680-20	20cm	\$97 95
REF	3680-23	23cm	\$9995



Full Curve Scissors

REF 3690-20	20cm	\$97 95
REF 3690-23	23cm	\$9995

Scissors IRIS SCISSORS



Straight

REF **S3816**

11cm Length.... \$2895





Curved

REF S3814

11cm Length......\$3495



LITTAUR STITCH SCISSORS

REF S3810

14cm Length.....\$2995

Needle Holders

WEBSTER SMOOTH NEEDLE HOLDER

Smooth jaw

REF NHW3400

13cm Length \$3295

MAYO-HEGAR NEEDLE HOLDER

Serrated jaw

REF NHMH3410-14 14cm Length..........\$2995

REF NHMH3410-16 16cm Length.........\$3195

REF NHMH3410-18 18cm Length.........\$3595

REF NHMH3410-20 20cm Length.........\$3995

CRILE-WOOD NEEDLE HOLDER

Serrated jaw

REF NHCW3420-15 15cm Length.......\$3195

REF NHCW3420-18 18cm Length.......\$3595

REF NHCW3420-20 20cm Length.......\$3995

REF NHCW3420-23 23cm Length........\$4595



GYNEX LLETZ Electrodes

We believe that our LLETZ Electrodes are the best on the market!

- Easy Grip Ribbed Handle
- Loop wires are 0.20mm thick to help reduce backward drag
- HexLoc[™] anti-rotation system at the bottom of the shaft keeps the handle from rotating
- Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects it from breakage



RADIUS LOOP ELECTRODES

Our Most Popular Style



All Electrode Tips Shown at Actual Size



GYNEX LLETZ Electrodes


STERILE EO


Not made with natural rubber latex.

All Electrode Tips Shown at Actual Size

H-SERIES LOOP ELECTRODES

Precision Depth and Width Control





BALL ELECTRODES

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

O= GYNEX

() GYNEX

NEEDLE ELECTRODE

For electro fulguration using coagulation power outputs

REF 15-0001 26mm Long Needle
Box of 5\$5995



GYNEX® Cone Electrodes

The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens

The cone biopsy electrodes allow for smooth rotation facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.


Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.

- STERILE
- Single-Use
- Not Made with natural rubber latex.




TRIANGLE CONE ELECTRODE










CONTOURED CONE ELECTRODE





ELECTRODE EXTENDER

Effectively Doubles the Shaft Length of Your Electrode

REF 12-0000 13cm Length
Box of 5\$4295



ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES



ELECTRODE HANDPIECE, HAND ACTIVATED WITH VL PLUG

For use with standard removable electrodes

- Single-Use ®
- STERILE
- 10 foot cable

REF 755VL Box of 12.....**\$105**⁹⁵



ELECTRODE HANDPIECE, FOOT ACTIVATED


For use with standard removable electrodes

- Single-Use (2)
- STERILE
- 10 foot cable





Electrosurgical Patient Dispersive Pads




for LLETZ Procedures

Connector shown at ACTUAL SIZE


STANDARD GROUNDING PAD WITH CORD, SOLID-STYLE Generators Compatibility MANUFACTURES PAD REF # BEI* Plus II 395-302 CooperSurgical* LEEP* 1000 6050P CooperSurgical* LEEP* 6000 6050P

REF 6010





Box of 12 \$9695



CARTRIDGE SYRINGE, THREADED TIP - Reusable

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210 \$52⁹⁵



Prefilter, Reducer, and Filter

for Smoke Evacuation Systems

STERILE VACUUM TUBING SETS, SINGLE-USE

Fits many popular smoke evacuation systems that use 1/2" OD.

The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets.....**\$195**95



Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Non-Sterile
- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

Oty 10**\$52**95

PREFILTER, SINGLE-USE

- Non-Sterile
- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Oty 10**\$189**⁹⁵

ULPA FILTER

- Non-Sterile
- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215

......**\$166**95 each



Perfect match for the competitor's smoke evacuator at a far more reasonable price!









CONNECTS WITH

Tubing and Connectors for LLETZ Procedures

A. Tubing Connector, Non-Sterile

Not made with natural rubber latex. Connects Clear-Flue[™] to

Flexible-S Tubing. 1/4" to 7/8"

REF 8100

CONNECTS

Box of 12..... \$2295

B. Flexible-S Tubing, Non-Sterile

Not made with natural rubber latex. Connects to DSE Tubina. Convenient 6-Pack.

1/4" ID,3/8" OD x 2'

REF 8024 Box of 6 \$4395



Not made with natural rubber latex. Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009

Box of 50 \$8995



smoke evacuation tube clip in speculum

D. Clear-Flue[™] Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Oty 24......**\$71**95

E. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue[™] to Sterile Vacuum Tubing, 3/8" to 7/8"

REF 8103

Box of 12......\$2295

CONNECTS WITH



GYNEX coated

specula for LLETZ procedures.

Sterile Vacuum Tubing Sets, Single-Use

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets \$19695



TOPICAL ANESTHETIC


HurriCaine[®] Snap-n-Go[™] Swabs

- 72 Single-Use ® swabs per box
- Fast onset 20 seconds
- Dose .15ml









HurriCaine® Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF	0183	 \$72 ⁹⁵

STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270**°. Gynex LLETZ coating must be autoclaved at **250**°. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10-6.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

$Sterrad\,Sterilization\,Systems, can \,be\,used\,for\,Gynex\,LLETZ\,coated\,instruments.$

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ Instruments

LLETZ-COATED TENECULUM

Extremely gentle tissue pickup • Coated Stainless Steel • Length: 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250 \$15295

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$149⁹⁵

LLETZ-COATED HOOKS

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230\$8995

Emmett Tenaculum

REF 3240 \$899

Angle Hook

REF 3245 \$8995

LLETZ-COATED TISSUE FORCEPS

Coated Stainless Steel

Length: 21.5cm

REF 3205 \$99⁹⁵

LLETZ-COATED RULERS

Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250 \$105⁹⁵



Width Ruler

Coated Stainless Steel

• Millimeter markings

Length: 22cm

REF 3255

\$105⁹⁵

OK to

Autoclave
Read Notice on Page 74



4-WAY EXPANDER VAGINAL SPECULUM




OPEN

LATERAL VAGINAL RETRACTOR

for LLETZ Procedures

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.




Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ OPEN-SIDED SPECULUM

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1



SULLIVAN VAGINAL SPECULUM


for LLETZ Procedures


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1






Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula


OK to Autoclave Read Notice on Page 74 Before Ordering
















SULLIVAN STAINLESS STEEL VAGINAL SPECULUM

Features







- Easy one handed open and release feature
- Locks firmly into place


ideal for bariatric patients


Blade Reference Chart: Shown Actual Size, Scale 1:1












No side obstruction like most specula





LATERAL VAGINAL RETRACTOR

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix







Blade Reference Chart: Shown Actual Size, Scale 1:1

AUVARD WEIGHTED SPECULUM

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size:105mm long x 38mm wide

REF SA2200 \$299⁹⁵



GUTTMAN SPECULUM WITH SPECIAL BLADES

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.


MEDIUM


LARGE




GREENBERG HYSTEROSCOPY SPECULUM

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.











TITANIUM RAINBOW™ SPECULUM





Instruments Care and Cleaning

TOUCH-GUARD® HOT BEADS

Sterilization Beads

Touch-Guard® Hot Beads provide a safe, effective and convenient method for sterilizing your surgical instruments. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants. Simply plunge metal instruments into hot glass beads for instant sterilization. These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. Touch-Guard® Hot Beads come in simple pre-measured containers.





REF	7106
REF	7112

TOUCH-GUARD® STAIN-EX™

Biological & Chemical Stain Remover

Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover that removes lodine-based stains, Lugol's stain and most medical and histological stains from hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment and hospital linen. Works great on all your LLETZ-coated instruments!

It is easy to apply
Touch-Guard® Stain-Ex™
and the stain is removed
in a matter of seconds.





REF SS10	1	Gallon		.\$ 8	99	5
----------	---	--------	--	--------------	----	---

TOUCH-GUARD® LOW SUDS

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use on automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- · Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- · Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning

REF TG-200 1 Gallon\$3295





Touch-Guard®

Make Your Instruments Feel Like New!

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

Prevents Rust, Spots, Stains and Corrosion Restores Articulation to Sticky Box-Locks and Joints Withstands
High
Temperatures
of Autoclaving

Steam Penetrable, Sterilizable and ETO Sterilizable

Non-Oily, Non-Sticky, Non-Toxic and Silicone Free



To redeem your free sample, contact us (888) 486-4644





ONLY \$1695

REF TG-100 16.9 fl. oz (500 ml)

To preserve and extend the life of your instrument!

CLEAN • LUBRICATE • STERILIZE



Touch-Guard®

INFRARED THERMOMETER

Get reliable results within seconds with Touch-Guard® Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.

Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature

Weight: 1.8 oz

Dimension: 15 x 3.7 x 1.6

REF TG-2000......^{\$}59⁹⁹



LED Display







Accuracy +/-0.4°F.



Memory Function



Automatic Shutdown



Battery Operated

Instrument Repair and Sharpening

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment to improve financial savings. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex® sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Toll Free: (888) 486-4644 (8:00am-4:30pm CDT)

Pricing is as follows:

Gynex brand biopsy punch	*65**
Other brands biopsy punch	\$75 00
Gynex brand curette	\$4000
Other brand curette	\$50 00

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (425) 882-1179. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less

than that described above will be refused by GYNEX and return shipped to the customer.

The following items may be returned:

- · Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
 *Note: Product returned due to error or damage in shipping must be re-
- or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue. C-Safe, EasyView, HexLoc, i-Series Titanium Rainbow, Jupiter Speculum, LVR, FullView, LiteTouch, LongView, NoSlip, New GYNeration, Reach, Reach Extended Needle, RotoTip, Stain-Ex, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. DennisDilators and Target•Point are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc. and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Spectra-Clave, Spectra-Lube, Spectra-Sonic, Spectra-Soap are trademarks of Steris IMS. Teflon

is a registered trademark of DuPont. Speculume is a registered trademark of Cyalume.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

Latex Notice

ONLY the following product in this catalog *may* contain latex:


REF 1150 Lidocaine Cartridges (cartridge stoppers)

INDEX

Acetic Acid	5	Square Loop Electrodes	67	PUNCHES	
Alligator Grapser, Gynex®	28	Electrosurgical Patient Dispersive Pads	s70	Keyes	24
Ascona™ IUD String Snare	30	ENDOCERVICAL		Keyes Accessories	24
Accu-Sound®	31	Specula	19, 21	REPAIRS & SHARPENING SERVICE	93
BARIATRIC INSTRUMENTS		Curettes	16-17	SCISSORS	
Biopsy Punches	7-11	ENDOMETRIAL SAMPLER		IUD String	26
Tissue Forceps	19	Endometrial Curette	42-43	Titanium Rainbow™	63
Specula, LLETZ Coated	80-81	Endometrial Sampler	44-45	Zephyr™ Stainless Steel	63
Specula, Stainless Steel		FORCEPS		Iris Stainless Steel	64
BIOPSY PUNCHES		Foerster Forceps, Stainless Steel	19	Littaur Stitch Scissors	64
Apex	14	Laminaria Insertion Forceps	88	SMOKE EVACUATION	
Ceramix™	11	Sponge Forceps, Single-Use	74	Prefilter, Single-Use @	72
Cobalt Blue	10	Ovum Forceps	22-23	Prefilter Reducer	72
Eppendorfer	14, 21	Fetal Doppler - GYNEX®		ULPA Filter	
Kevorkian Ring Handle	14, 21	GRASPER		Tubing	73
Medium-Tischler		Alligator Grapser - GYNEX®	28	SPECULA	
Mini-Tischler	7-13, 21	Serpentine Grasper		LLETZ Coated	
Titanium Rainbow™		HOOKS		4-Way Expander	76
Tischler		LLETZ Coated	75	Graves	
ROTOTip™ Biopsy Punches		Stainless Steel		Open-Sided (left/right opening)	
Sullivan Ring Handle		IUD INSTRUMENTS	-,	Pedersons	
Wittner		Ascona™ IUD String Snare	30	Sullivan	
CARE AND CLEANING		Ceramix™ Coated String Scissors		Stainless Steel	70 70
Hot Glass Beads Sterilizer - Touch-G	uard™90	Crochet Type IUD Removers		Auvard	86
Instrument Lubrication - Touch-Guar		GYNEX® Alligator Grasper		Graves	
Instrument Repair and Sharpening		IUD Insertion Kit		Greenberg	
Low Suds Detergent - Touch-Guard		IUD String Scissors		Guttman	
Stain-Ex [™] Stain Remover - Touch-Gu		Serpentine Grasper IUD Remover		Open-Sided (left/right opening)	
Clamps		Single-Use IUD String Scissors		Pederson	
COLPOSCOPES	02	Villa™ Hormonal Implant Remover		Sullivan	
Galileo®	46-51	Willows™ IUD String Snare		Titanium Rainbow™	04-03
Accessories for Galileo®		LATERAL VAGINAL RETRACTORS	23	Graves	90
CO Series		LLETZ	77	Pederson	
Colposcopy Sets		Stainless Steel		STERILIZATION	03
DILATORS	20-21	Light, Medical Exam Light		Hot Glass Beads Sterilizer	00
All Uterine Dilators	22.20	LIGHT, MEDICAL EXAM LIGHT LLETZ COATED INSTRUMENTS	00	Sterilization Notice	
Dennis Dilators, Single-Use ®		All Items	75 01		
		Hooks		Syringe, Cartridge®	
Dennis Dilators, Reusable				Table of Contents	I
Hank Dilators, Uterine		LVR		TENACULA	10
Hegar Dilators, Uterine		Speculum Single Han ®		Braun	
Mini Dilators, Uterine		Sponge Forceps, Single-Use ®		Schroeder	
Mini Dilators Tips, 4mm and 5mm		Medical Exam Light - Galileo®		Skene	
Pratt Dilators, Uterine		Medical Exam Light - Accessories		Teale	
Small Dilators, Uterine		Microscope - Galileo®		Thermometer - Touch Guard™	92
Soft Dilators, Single-Use ®		Monsel's Paste		Topical Anesthetic - HurriCaine®	
Soft Teflon Dilators, Reusable		Needle Adapter	71	Spray Kit	
Disposable Protective Sheath		NEEDLE HOLDERS		Swabs	
Doppler Gel	61	Webster		Transit Map	
ELECTRODES		Mayo-Hegar		Uterine Manipulator / Injector	41
Ball Electrode		Crile-Wood	65	UTERINE SOUNDS	
Contoured Loop Electrodes		OVUM FORCEPS		Accu-Sound®	
Electrode Extender		Bierer		Sim Sound	
Electrode Handpieces		Blumenthal		Sim Sound • Flex	
H-Series Loop Electrodes		Jacobson		Vaginal pH Testing - pHEM-ALERT®	
Needle Electrode		Saenger		Word Bartholin Catheter Kit	25
Radius Loop Electrode	66	Sopher Original	22		

Triangle Loop Electrodes68

Transit Map







Toll Free: (888) 486-4644

(8:00AM-4:30PM CDT

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.



MAIL TO: GYNEX

P.O. BOX 822369 N. RICHLAND HILLS, TX 76182

FAX TO: (425) 895-0115

MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

BILLING ADDRESS	SHIP TO
NameAddress	
CityState Zip	CityState Zip
Phone ()	

REF	Qty.	DESCRIPTION	Price Each	TOTAL

Make checks payable to: GYN			Total Amount Ordered 5% Discount for Pre-Paid Orders ONLY	
Credit Card Charge: Mastercard Credit Card Security Code	Exp. Date	AMURICAN ESCRESS	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)	\$17.50
Credit Card Number			Sales Tax	
Signature			Total	



6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX



pHEM-ALERT®

The Original Vaginal pH Test

Designed for Accurate & Comprehensive Results!

page 2

(888) 486-4644 www.gynex.com



