

GYNEX[®]

Winter 2023



The Gemstone Collection,
as precious as your patient's health!

Steve says . . .



We at Gynex would like to wish you a Happy New Year! May 2023 bring happiness, health, and prosperity to all of you.

Gynex is excited to introduce our **Gemstone Collection** of Biopsy Punches. The titanium biopsy punches you know, and love are available in **Amethyst, Opal Rainbow, Sapphire, Rose Gold, and Gold**. We are happy to offer more variety than ever as we continue to expand this collection. More information is available on pages 6-9.

As the inventor of the Tischler Biopsy Punch, I am confident that Gynex provides the finest cervical biopsy punches available on the market today. See our full line of biopsy punches on pages 6-14.

Our love for women's healthcare has us more motivated than ever. We look forward to bringing you new and innovative items this upcoming year. Keep an eye out on our social media pages for updates!

Thank you all so much for your continued support and trust in Gynex. It is an honor to supply you with the highest quality instruments and products to best support your practice. If you have any questions, thoughts, or suggestions, please let us know how we can best support you.

Thank you,

Stephen J. Sullivan

Stephen J. Sullivan

President and CEO, GYNEX® Corporation

1996 – 1999	International Medical Consultant
1993 – 1995	President, CooperSurgical® International Division
1991 – 1993	President, Euro-Med™ Division of CooperSurgical®
1978 – 1991	Founder and President of Euro-Med®, Inc.

GYNEX®

VETERAN OWNED AND OPERATED SINCE 1997



Table of Contents

Vaginal pH Test - pHEM ALERT®	2
Villa™ Hormonal Implant Remover	3
Word Bartholin Catheter Kit.....	3
Sim Sound • Flex.....	3
Monsef's Ferric Subsulfate Paste	4
Acetic Acid	4
BIOPSY PUNCHES	5-14
Ceramix™ Biopsy Punch	5
Opal Rainbow™ Biopsy Punch, Titanium	7
Amethyst Biopsy Punch, Titanium	8
Sapphire Biopsy Punch, Titanium	8
Gold Biopsy Punch, Titanium	9
Rose Gold Biopsy Punch, Titanium	9
Tischler Biopsy Punch, Stainless.....	10-11
Rotating Biopsy Punches, Stainless - ROTOTip™	12-13
Ring Handle Biopsy Punches, Stainless	14
Other Biopsy Punches, Stainless	14
HOOKS	15
ENDOMETRIAL CURETTES	15
ENDOCERVICAL CURETTES	16-17
Curette Sharpening File.....	17
TENACULUMS	18-19
ENDOCERVICAL SPECULUM	19
FOERSTER FORCEPS	19
Bariatric Tissue Forceps, 1x2 teeth	19
COLPOSCOPY SET	20-21
OVUM FORCEPS	22-23
KEYES PUNCHES	24
Word Bartholin Catheter Kit.....	25
IUD SECTION	
CERAMIX™ Coated IUD String Scissors.....	26
IUD Scissors.....	26
Villa™ Hormonal Implant Remover	27
IUD String Scissors, Single-Use	28
Alligator Grasper by GYNEX®	28
Serpentine Grasper.....	28
IUD Removers.....	29
Ascona® IUD Snare	30
IUD Insertion Kit -GYNEX®, Single-Use ☒	30
UTERINE SOUNDS - Accu-Sound®	31
Sim Sounds	32
UTERINE DILATORS - Stainless Steel, Soft and Dennis	33-39
UTERINE CURETTES - Sims / Bumm	40
Uterine Manipulator / Injector - Century UMI™	41
Endometrial Curette - SURESAMPLE® Select1	42-43
Endometrial Sampler - SURESAMPLE®	44-45
COLPOSCOPES - Galileo®	46-51
Accessories for Galileo®	52

Galileo® Binocular Microscope	53
COLPOSCOPES - CO Series	54-59
Galileo® Medical Exam Light	60
Accessories for Galileo® Medical Exam Light	60
Touch-Guard® Disposable Protective Sheath	60
Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer.....	61
HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
HYSTERECTOMY SCISSORS - Titanium Rainbow™ / Zephyr™	63
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
LLETZ ELECTRODES	65-68
Electrode Extender / Electrode Handpieces	69
Electrosurgery Patient Dispersive Pads for LLETZ Procedure	70
Extended Needle Adapter and Accessories.....	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	73
Sponge Forceps, Single-Use ☒	74
Topical Anesthetic - HurriCaine®	74
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenaculum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum.....	80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	82-83
Sullivan Speculum	84-85
Lateral Vaginal Retractors	86
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Laminaria Insertion Forceps	88
Titanium Rainbow™ Speculum	89
Instrument Care and Cleaning	
Hot Glass Beads Sterilizer - Touch-Guard™	90
Low Suds Detergent Concentrate - Touch-Guard™	90
Stain Ex™ Stain Remover - Touch-Guard™	90
Instrument Lubricant - Touch-Guard™	91
Thermometer - Touch-Guard®	92
Instrument Repair and Sharpening	93
INDEX	95
ORDER INFORMATION	96-97
ORDER FORM	97

pHem-Alert® Vaginal pH Test

pHem-Alert® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms:

Itching, Burning, Unpleasant Odor, Unusual Discharge

NON-STERILE, Single-Use

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator “key” with attached pH paper
- Easy to read pH chart included with every test set

*The Original Vaginal pH Test Designed for
Accurate & Comprehensive Results!*

REF pH-99 Box of 12 \$67⁹⁵



pH 4.5

- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

pH 5.0

- Low grade bacterial vaginitis
- Borderline serum estradiol

pH 5.5

- Bacterial vaginitis
- Low serum estradiol

pH 6.0

- Bacterial vaginitis
- Low serum estradiol

pH 6.5

- Bacterial vaginitis
- Very low serum estradiol

pH 7.0

- Low to no serum estradiol

pH 7.5

- Low to no serum estradiol

Same Day Shipping for All In-Stock Orders Received by 2PM CDT

www.gynex.com • 1.888.486.4644



VILLA™

HORMONAL IMPLANT REMOVER

page
27

The Villa™ Hormonal Implant Remover is a modified vasectomy clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®. A small, ring tip secures around the mid-point of the implant for modified "U" removal.

Villa™ Hormonal Implant Remover, *Straight*

REF 29-800 \$47⁹⁵



Villa™ Hormonal Implant Remover, *Angled*

REF 29-900 \$47⁹⁵



Villa™ Hormonal Implant Remover **SET**

Includes: 1 Straight, 1 Angled

REF 29-850 \$79⁹⁵

WORD BARTHOLIN CATHETER KIT

The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

STERILE, Single-Use

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

page
25

REF 10-200

Box of 2 kits \$49⁹⁵



SIMS SOUND • FLEX

- A softer sound for improved patient comfort
- Malleable to meet the needs of your patients
- Centimeter gradations
- OD 3.5mm

STERILE, Single-Use

Length: 24.8cm

page
32

REF 4630

Box of 25 \$49⁹⁵



Monsel's

Ferric Sub sulfate Paste 20-22%

Monsel's is a pre-thickened formulation of the popular hemostatic agent, apply directly to the surgical site following excision of tissue.

- Box of 12 Individual - 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ⓘ

REF 5055 Box of 12 \$192⁹⁵

Helps control bleeding during biopsy, LLETZ and laser procedures.



Acetic Acid 5%

- Box of 12 Individual - 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ⓘ

Helps enhance the appearance of abnormal areas.

REF AA312 Box of 12 \$86⁹⁵




CERAMIX™ Biopsy Punches

Our sharpest, longest lasting biopsy punch

CERAMIX™ coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper up to 10 times longer than ordinary stainless steel. Incomparable cutting-edge hardness. See Hardness Comparison Chart below

- Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab


GYNEX
Original!



Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.



CERAMIX™
Mini-Tischler, Straight
Actual Bite Size: 4.2mm x 2.3mm

REF 1060
20cm Shaft **\$499⁹⁵**



CERAMIX™
Tischler, Medium
Actual Bite Size: 5mm x 3mm

REF 1065
20cm Shaft **\$499⁹⁵**



CERAMIX™
Tischler, Straight
Actual Bite Size: 7mm x 3mm

REF 1070
20cm Shaft **\$499⁹⁵**



CERAMIX™
Apex™
Actual Bite Size: 7mm x 3mm


REF 1075
20cm Shaft **\$499⁹⁵**



The Gemstone Collection, as precious as your patient's health!


Our exclusive Gemstone Biopsy Punches Collection are titanium coated offering increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer.

pages 7-9



Not sure which biopsy punch you need?

Call **GYNEX** today at **1(888) 486-4644** and one of our sales associates will gladly assist you.



OPAL RAINBOW™ Biopsy Punches, Titanium


Designed for excellence • Manufactured for durability

Exclusive Opal Rainbow™ Titanium coating extends the life of instruments over traditional stainless-steel. The titanium coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer.


- Double-spring handle
- Tip Locking Tab

Available:

- Standard 20cm L
- Extra-Long 25cm L



OPAL RAINBOW™ Tischler, Standard

Actual Bite Size: 7mm x 3mm 



Tischler, Straight

REF TT010 20cm Shaft \$429⁹⁵

REF TT035

25cm Shaft, Extra-Long \$439⁹⁵
bariatric




Tischler, Tip Up

REF TT011 20cm Shaft \$429⁹⁵

REF TT036

25cm Shaft, Extra-Long \$439⁹⁵
bariatric




Tischler, Tip Down

REF TT012 20cm Shaft \$429⁹⁵

REF TT037

25cm Shaft, Extra-Long \$439⁹⁵
bariatric

OPAL RAINBOW™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm 



Mini-Tischler, Straight

REF TT005 20cm Shaft \$429⁹⁵

REF TT030

25cm Shaft, Extra-Long \$439⁹⁵
bariatric



Mini-Tischler, Tip Up

REF TT006 20cm Shaft \$429⁹⁵

REF TT031

25cm Shaft, Extra-Long \$439⁹⁵
bariatric



Mini-Tischler, Tip Down

REF TT007 20cm Shaft \$429⁹⁵

REF TT032

25cm Shaft, Extra-Long \$439⁹⁵
bariatric

AMETHYST Biopsy Punches, Titanium

Designed for excellence • Manufactured for durability



AMETHYST Tischler, Straight

Actual Bite Size: 7mm x 3mm

REF TA010

20cm Shaft \$429⁹⁵



AMETHYST Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF TA005

20cm Shaft \$429⁹⁵



GYNEX
Original!

SAPPHIRE Biopsy Punches, Titanium

Designed for excellence • Manufactured for durability



SAPPHIRE Tischler, Straight

Actual Bite Size: 7mm x 3mm

REF TB010

20cm Shaft \$429⁹⁵



SAPPHIRE Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF TB005

20cm Shaft \$429⁹⁵



GYNEX
Original!

GOLD Biopsy Punches, Titanium

Designed for excellence • Manufactured for durability



GOLD Tischler, Straight

Actual Bite Size: 7mm x 3mm

REF TAU010

20cm Shaft\$429⁹⁵



GOLD Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF TAU005

20cm Shaft\$429⁹⁵



ROSE GOLD Biopsy Punches, Titanium

Designed for excellence • Manufactured for durability



ROSE GOLD Tischler, Straight

Actual Bite Size: 7mm x 3mm

REF PINK010

20cm Shaft\$429⁹⁵



ROSE GOLD Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF PINK005

20cm Shaft\$429⁹⁵



TISCHLER Biopsy Punches, Stainless



GYNEX
Original!

The Best Selling Design in The World

TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm

Tischler, Tip Straight Standard

REF 1010 20cm Shaft..... \$399⁹⁵

REF 1035 25cm Shaft..... \$412⁹⁵

bariatric




Tischler, Tip Up Standard

REF 1012 20cm Shaft..... \$399⁹⁵



Tischler, Tip Down Standard

REF 1014 20cm Shaft..... \$399⁹⁵



Tischler, Tip Left Standard

REF 1020 20cm Shaft..... \$399⁹⁵



Tischler, Tip Right Standard

REF 1019 20cm Shaft..... \$399⁹⁵



MINI-TISCHLER, STANDARD

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler, Tip Straight Standard

REF 1005 20cm Shaft..... \$399⁹⁵

REF 1030 25cm Shaft..... \$412⁹⁵

bariatric



Mini-Tischler, Tip Up Standard

REF 1006 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Down Standard

REF 1007 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Left Standard

REF 1022 20cm Shaft..... \$399⁹⁵



Mini-Tischler, Tip Right Standard


REF 1021 20cm Shaft..... \$399⁹⁵



MEDIUM TISCHLER

- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab
- High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 5mm x 3mm 

Medium Tischler, *Standard*

REF 1008 20cm Shaft **\$399⁹⁵**

Medium Tischler, *Extra-Long*

REF 1033 25cm Shaft **\$412⁹⁵**

bariatric




**GYNEX
Original!**

TISCHLER KEVORKIAN

- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab
- High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 9mm x 3mm 

Tischler-Kevorkian, *Standard*

REF 1015 20cm Shaft **\$399⁹⁵**

Tischler-Kevorkian, *Extra-Long*


REF 1037 25cm Shaft **\$412⁹⁵**

bariatric



KEVORKIAN, STANDARD

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

Actual Bite Size: 9mm x 3mm 

REF 1029 20cm Shaft **\$399⁹⁵**




ROTATING

Biopsy Punches, Stainless



GYNEX
Original!

ROTO Tip™ rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



Features

- Shaft/tip can be rotated up to 360° then locked
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches

Length: 21cm

ROTO TIP™

ROTO TIP™ TISCHLER, STANDARD

Actual Bite Size: 7mm x 3mm

Tischler, *Standard* Tip-Straight

REF 1200-10
Complete Punch\$460⁹⁵

REF 1210
Extra Tip\$275⁹⁵



Tischler, *Standard* Tip-Up

REF 1200-30
Complete Punch\$460⁹⁵

REF 1230
Extra Tip\$275⁹⁵




Tischler, *Standard* Tip-Down

REF 1200-20
Complete Punch\$460⁹⁵

REF 1220
Extra Tip\$275⁹⁵



ROTO TIP™ MINI-TISCHLER

Actual Bite Size: 4.2mm x 2.3mm 

**Mini-Tischler,
Tip-Straight**

REF 1200-05
Complete Punch\$460⁹⁵

REF 1205
Extra Tip\$275⁹⁵



**Mini-Tischler,
Tip-Down**

REF 1200-15
Complete Punch\$460⁹⁵

REF 1215
Extra Tip\$275⁹⁵




**Mini-Tischler,
Tip-Up**

REF 1200-25
Complete Punch\$460⁹⁵

REF 1225
Extra Tip\$275⁹⁵



TISCHLER OVAL

Actual Bite Size: 5mm x 3mm 


Oval Tip

REF 1200-35
Complete Punch\$460⁹⁵

REF 1235
Extra Tip\$275⁹⁵



KEVORKIAN TISCHLER

Actual Bite Size: 9mm x 3mm 

Kevorkian Tip


REF 1200-40
Complete Punch\$460⁹⁵

REF 1240
Extra Tip\$275⁹⁵



**ROTO TIP™
EXTRA HANDLE**

REF 1200
Handle only\$195⁹⁵



RING HANDLE

Biopsy Punches, Stainless



GYNEX
Original!

SULLIVAN RING HANDLE PUNCH

- Excellent for stenotic cervix
- Small handle / Mini tip

Actual Bite Size: 4mm x 2mm



REF 1050 24cm Shaft **\$399⁹⁵**



KEVORKIAN RING HANDLE PUNCH

- Traditional Kevorkian bite
- Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm



REF 1053 25cm Shaft **\$399⁹⁵**



OTHER Biopsy Punches, Stainless



GYNEX
Original!

APEX™

- V-shaped anchoring jaw on the top and bottom
- Single anchoring tooth on top and bottom jaws
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 7mm x 3mm

Apex™, Standard

REF 1025 20cm Shaft **\$399⁹⁵**

Apex™, Extra-Long

REF 1039 25cm Shaft **\$412⁹⁵**

bariatric



GYNEX
Original!

EPENDORFER AND WITTNER

- Tip Locking Tab

Actual Bite Size: 7.4mm x 3.9mm

Eppendorfer, Standard

REF 1017 20cm Shaft **\$399⁹⁵**

Wittner, Straight

REF 1026 20cm Shaft **\$399⁹⁵**

Wittner, Angled

REF 1027 20cm Shaft **\$399⁹⁵**



Eppendorfer, Standard



Wittner Straight, Standard

Hooks



ANGLE HOOK

REF 3225

26cm Length \$49⁹⁵



2-PRONG HOOK

REF 3227

26cm Length..... \$59⁹⁵



IRIS HOOK

REF 3210

26cm Length \$49⁹⁵



EMMETT TENACULUM

REF 3220

26cm Length..... \$49⁹⁵



Endometrial Curettes

NOVAK CURETTE

- Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm ●

REF 3302 \$53⁹⁵

Shaft/Tip Size: 3mm ●

REF 3303 \$53⁹⁵

Shaft/Tip Size: 4mm ●

REF 3304 \$53⁹⁵



RANDALL CURETTE

- Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm ●


REF 3310 \$53⁹⁵

Shaft/Tip Size: 3mm ●

REF 3312 \$53⁹⁵

Shaft/Tip Size: 4mm ●

REF 3314 \$53⁹⁵



Endocervical Curettes

STAINLESS STEEL CURETTES

Kevorkian Curette with Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 10.5mm x 2mm

REF 3005 32cm Length \$77⁹⁵



Kevorkian Curette No Basket Square Tip

The basket on this curette helps hold the sample during the curettage procedure.

Basket Size: 12mm x 2mm

REF 3010 32cm Length..... \$77⁹⁵



Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary from hard to sample tissue.

REF 3025 30cm Length \$77⁹⁵




Kevorkian Curette with Basket Round Tip

The basket on this curette helps hold the sample, and the rounded tip allows easier insertion.

Basket Size: 11.5mm x 2mm

REF 3015 32cm Length..... \$77⁹⁵



Townsend Curette Small Tip

This curette has the benefit of a small pointed tip that allows easier penetration of the os.

Basket Size: 7mm x 1.3mm

REF 3020 32cm Length..... \$77⁹⁵



EndoCurette ECC

This curette is inserted into the canal and rotated to scrap samples from the cervix. Blades on two sides.

REF 3050 32cm Length..... \$79⁹⁵



KEVORKIAN CURETTE, Single-Use

The Single-Use Kevorkian Curette eliminates cross-contamination concerns. The tip is always sharp, and is modeled after the extremely popular Curette with Basket, and Round Tip. The handle is specifically designed to remain firm under pressure, providing better maneuverability, and is angled to provide better leverage during curettage.

REF 3030 Box of 25 \$74⁹⁵

STERILE EO Single-Use

Not made with natural rubber latex.

Total Length: 31cm

Inner Basket OD: 3mm

Working Length: 16cm

OD: 4mm



TITANIUM RAINBOW CURETTES

Exclusive Titanium Rainbow™ coating extends the life of instruments over traditional stainless-steel. The titanium coated curettes offer increased resistance to corrosion, and resilience against impact.

Titanium Rainbow Kevorkian Curette with Basket Square Tip

Basket Size: 10.5mm x 2mm

REF TC3005

32cm Length \$79⁹⁵



Titanium Rainbow Kevorkian Curette No Basket Square Tip

Basket Size: 12mm x 2mm

REF TC3010

32cm Length \$79⁹⁵



Titanium Rainbow Kevorkian Curette with Basket Round Tip

Basket Size: 11.5mm x 2mm

REF TC3015

32cm Length \$79⁹⁵



Titanium Rainbow Townsend Curette

Basket Size: 12mm x 2mm

REF TC3020

32cm Length \$79⁹⁵



Titanium Rainbow Dublin Curette Round Tip

REF TC3025

30cm Length \$79⁹⁵



CURETTE SHARPENING FILE

A small tapered diamond-coated sharpening stone, helps keep your curette sharp.

REF CSF3900 \$32⁹⁵




SPIRAL CURETTES

This unique endocervical spiral dual-purpose curette was developed by Dr. Gordon M Lickrish, past director of the colposcopy unit at the University Health Network in Toronto. The titanium coated spiral curettes offer increased resistance to corrosion, and resilience against impact.

- Supplies curettage where the endocervical canal is narrow, and a normal curette cannot sample
- Acts as a cervical dilator allowing cervical or endometrial sampling

Titanium Cobalt Lickrish Spiral Curette

REF TB3040 21cm Length \$79⁹⁵



Titanium Rainbow Lickrish Spiral Curette

REF TC3040 21cm Length \$79⁹⁵



Stainless Steel Lickrish Spiral Curette

REF 3040 21cm Length \$79⁹⁵



This instrument is found to be most appropriate when there is complete or severe partial cervical stenosis. This allows tissue sampling when a standard curette is too large for insertion. The tip may be gently inserted through the Os, advancing and rotating at the same time.

Tenaculums

BRAUN TENACULUMS

LiteTouch™ Tip

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2230 25cm Length \$52⁹⁵

Angled Handle

REF T2235 25cm Length \$62⁹⁵

Standard Tip

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502 25cm Length \$52⁹⁵

REF B230 30cm Length \$59⁹⁵

Angled Handle

REF 3532 25cm Length \$62⁹⁵



SCHROEDER TENACULUMS

LiteTouch™ Tip

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2222 25cm Length \$52⁹⁵

Angled Handle

REF T2225 25cm Length \$62⁹⁵

Standard Tip

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3500 25cm Length \$52⁹⁵

REF B130 30cm Length \$59⁹⁵

Angled Handle

REF 3530 25cm Length \$62⁹⁵

Double Tooth



Straight Handle

REF 3501 Length 25cm \$52⁹⁵

TEALE TENACULUMS

Slight Curve

REF 3536 23cm Length\$52⁹⁵



SKENE TENACULUMS

Slight Curve

REF 3534 24cm Length.....\$52⁹⁵



Endocervical Speculum

Length: 27cm

Standard Ratchet

REF 2130 3mm Tip.....\$189⁹⁵

REF 2140 4mm Tip.....\$189⁹⁵

No-Lock Handle

REF 2030 3mm Tip.....\$179⁹⁵

REF 2040 4mm Tip.....\$179⁹⁵



Foerster Forceps



Straight Handle

REF 3540 24cm Length\$52⁹⁵

REF B330 30cm Length\$59⁹⁵

Angled Handle

REF 3542 24cm Length\$62⁹⁵

BARIATRIC TISSUE FORCEPS, 1X2 TEETH

Hold and manipulate various tissue.

REF BTF25 25cm Length\$57⁹⁵

REF BTF30 30cm Length\$57⁹⁵



End view - Tip Detail



BUILD YOUR OWN Colposcopy Set of 5 Instruments

Each GYNEX® Colposcopy Set consists of five (5) instruments

for **ONLY \$675⁰⁰**

Offer valid through April 28, 2023

To order, choose one item from each section:

Biopsy Punch • Endocervical Speculum
Vaginal Speculum • Endocervical Curette • Tissue Hook



Your Essential Set for Colposcopy Procedures!

Note: All sets MUST consist of one item from each of the five lists of instruments shown. No substitutions allowed. This discount cannot be combined with any other discount offers such as 5% prepaid discounts, etc... **Offer valid through April 28, 2023**




Same Day Shipping for All In-Stock Orders Received by 2PM CDT

www.gynex.com • 1.888.486.4644

BIOPSY PUNCHES

REF

- ☐ Tischler, Straight.....1010
- ☐ Mini-Tischler, Straight.....1005
- ☐ Medium-Tischler1008
- ☐ Tischler-Kevorkian1015
- ☐ Eppendorfer.....1017
- ☐ Wittner, Straight1026
- ☐ Wittner, Angled.....1027



Select one BIOPSY PUNCH

For more information, see pages 10-14

ENDOCERVICAL SPECULA

REF

- ☐ Standard Ratchet 3mm2130
- ☐ No-Lock Handle 3mm2030
- ☐ Standard Ratchet 4mm2140
- ☐ No-Lock Handle 4mm2040

Select one ENDOCERVICAL SPECULUM

For more information, see page 19



TISSUE HOOKS

REF

- ☐ Iris Hook3210
- ☐ Emmett Tenaculum3220
- ☐ Angle Hook.....3225

Select one HOOK

For more information, see page 15



ENDOCERVICAL CURETTES

REF

- ☐ Square Tip, with Basket.....3005
- ☐ Square Tip, no Basket3010
- ☐ Round Tip, with Basket.....3015
- ☐ Townsend Curette with Basket.....3020

Select one CURETTE

For more information, see page 16



VAGINAL SPECULA

REF

- ☐ WideView™ Pederson Medium2500
- ☐ WideView™ Pederson Large2525
- ☐ WideView™ Short Blade2530
- ☐ WideView™ Graves Medium2540
- ☐ WideView™ Graves Large2545
- ☐ FullView™ Pederson Medium2600
- ☐ FullView™ Pederson Large2625
- ☐ FullView™ Graves Medium2650
- ☐ FullView™ Graves Large2655
- ☐ Standard Pederson Medium2457
- ☐ Standard Pederson Large2459
- ☐ Standard Graves Medium2452
- ☐ Standard Graves Large2454

Select one SPECULUM

For more information, see pages 82-83



Ovum Forceps

SOPHER OVUM FORCEPS

Sopher Original

Length: 25.5cm (10") Curved Jaw 11mm

REF 3544 Ratchet Handle \$114⁹⁵

REF 3546 No Ratchet \$109⁹⁵

Sopher Standard

Length: 25.5cm (10") Curved Jaw 12mm

REF 3548 Ratchet Handle \$114⁹⁵

REF 3550 No Ratchet \$109⁹⁵

Length: 25.5cm (10") Curved Jaw 14mm

REF 3552 Ratchet Handle \$119⁹⁵

REF 3554 No Ratchet \$114⁹⁵

Length: 28cm (11") Curved Jaw 12mm

REF 3556 Ratchet Handle \$114⁹⁵

REF 3558 No Ratchet \$109⁹⁵

Length 28cm (11") Curved Jaw 14mm

REF 3560 Ratchet Handle \$119⁹⁵

REF 3562 No Ratchet \$114⁹⁵

Length: 33cm (13") Curved Jaw 12mm

REF 3564 Ratchet Handle \$124⁹⁵

REF 3566 No Ratchet \$119⁹⁵

Length: 33cm (13") Curved Jaw 14mm

REF 3568 Ratchet Handle \$129⁹⁵

REF 3570 No Ratchet \$124⁹⁵



Sopher Original "lips" protect surrounding tissue




Sopher Original Jaw Open



Sopher Standard Jaw Closed



Sopher Standard Jaw Open



Ratchet Handle

No Ratchet Handle



Sopher Jaw
Actual Size: 11mm



Sopher Jaw
Actual Size: 12mm



Sopher Jaw
Actual Size: 14mm

BIERER OVUM FORCEPS

Length: 28cm (11") Straight Jaw 16mm

REF 3572 Ratchet Handle \$114⁹⁵

REF 3574 No Ratchet \$109⁹⁵

Length: 28cm (11") Straight Jaw 19mm

REF 3576 Ratchet Handle \$119⁹⁵

REF 3578 No Ratchet \$114⁹⁵

Length: 33cm (13") Straight Jaw 16mm

REF 3580 Ratchet Handle \$119⁹⁵

REF 3582 No Ratchet \$114⁹⁵

Length: 33cm (13") Straight Jaw 19mm

REF 3584 Ratchet Handle \$124⁹⁵

REF 3586 No Ratchet \$119⁹⁵



Bierer, Jaw Open

JACOBSON OVUM FORCEPS

Length: 28cm (11") Straight Jaw 20mm

REF 3588 No Ratchet \$114⁹⁵

Length: 33cm (13") Straight Jaw 20mm

REF 3590 No Ratchet \$114⁹⁵



Jacobson, Jaw Open

BLUMENTHAL OVUM FORCEPS

Length: 28cm (11") Straight Jaw 20mm

REF 3592 No Ratchet \$114⁹⁵

Length: 33cm (13") Straight Jaw 20mm

REF 3594 No Ratchet \$119⁹⁵



Blumenthal
"lips" protect surrounding tissue

SAENGER OVUM FORCEPS

SALE

Length: 26.5cm (10.5") Straight Jaw 16mm

REF 3596 Ratchet Handle \$114⁹⁵

REF 3598 No Ratchet \$109⁹⁵

Length: 26.5cm (10.5") Curved Jaw 16mm

REF 3600 Ratchet Handle \$114⁹⁵

REF 3602 No Ratchet \$109⁹⁵

Length: 29cm (11.5") Straight Jaw 16mm

REF 3604 Ratchet Handle \$129⁹⁵

REF 3606 No Ratchet \$124⁹⁵


Length: 29cm (11.5") Curved Jaw 16mm

REF 3608 Ratchet Handle \$129⁹⁵

REF 3610 No Ratchet \$124⁹⁵



Saenger Inner diameter teeth within oval jaws



Blumenthal

KEYES VULVAR PUNCH

Made of high quality stainless steel with a sturdy handle for the ejection of lodged specimen. Biopsy punch has a sharpened round tip perfect for a vertical core sample from the vulvar epithelium.

Available Tip Sizes: 2mm - 7mm

● **2mm Tip**

REF 1302 \$43⁹⁵

● **3mm Tip**

REF 1303 \$43⁹⁵

● **4mm Tip**

REF 1304 \$43⁹⁵

● **5mm Tip**

REF 1305 \$43⁹⁵

● **6mm Tip**

REF 1306 \$43⁹⁵

● **7mm Tip**

REF 1307 \$43⁹⁵



KEYES VULVAR PUNCH, Single-Use

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Comes in a box of 25, each individually packaged and sterilized.

Available Tip Sizes: 2mm - 6mm

● **2mm Tip**

REF 1322 \$46⁹⁵

● **3mm Tip**

REF 1323 \$46⁹⁵

● **4mm Tip**

REF 1324 \$46⁹⁵

● **5mm Tip**

REF 1325 \$46⁹⁵

● **6mm Tip**

REF 1326 \$46⁹⁵




KEYES VULVAR PUNCH SET

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip.

Tip Sizes: 2mm - 7mm

REF 1310 Set..... \$229⁹⁵



KEYES PUNCH ACCESSORIES KIT

The perfect accessory kit for your Keyes Punch set. This kit includes a small forcep for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315 \$89⁹⁵



WORD BARTHOLIN CATHETER KIT

The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

STERILE, Single-Use




*Outpatient Treatment for
Bartholin gland cysts and abscesses.*


Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

REF 10-200 Box of 2 kits \$49⁹⁵



Insertion of an inflatable balloon is a non-surgical procedure that can be performed as an outpatient using a local anaesthetic injection to numb the area. It involves making a passage from the cyst or abscess through which the pus can drain over 4 weeks.



CERAMIX™ COATED IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

Ceramix Coated Stainless Steel

KEY ADVANTAGES

- CERAMIX™ coating stays sharp up to 10 times longer
- Incomparable cutting-edge hardness
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040\$104⁹⁵



Finely serrated teeth in the jaw
help secure the IUD string



*Our popular IUD String Scissors are now
more durable and sharper than ever!*



IUD STRING SCISSORS

Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm

REF 29-030\$79⁹⁵

Finely serrated teeth in the jaw
help secure the IUD string



VILLA™

HORMONAL IMPLANT REMOVER

The Villa™ Hormonal Implant Remover is a clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®. A small, ring tip secures around the mid-point of the implant for modified “U” removal.



Villa™ Hormonal Implant Remover, *Straight*

REF 29-900 \$47⁹⁵



Villa™ Hormonal Implant Remover, *Angled*

REF 29-900 \$47⁹⁵






Villa™ Hormonal Implant Remover **SET**

Includes: 1 Straight, 1 Angled

REF 29-850 \$79⁹⁵

Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®.



IUD STRING SCISSORS, Single-Use

Metal Tip / Plastic Handle

STERILE, Single-Use

- Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065 Box of 12.....\$44⁹⁵



GYNEX® ALLIGATOR GRASPER

Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size

REF 29-100 Jaw Size: 20mm\$92⁹⁵

REF 29-550 Jaw Size: 10mm\$92⁹⁵



SERPENTINE GRASPER IUD REMOVER

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel

KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010\$299⁹⁵



IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

STERILE, Single-Use

Length: 26.5cm

REF 29-200 Box of 12.....\$52⁹⁵



WILLOWS™ IUD STRING SNARE

Rounded Tip, Multiple Grasping Slots

STERILE, Single-Use

- High quality malleable plastic

Length: 27cm

REF 29-300 Box of 12.....\$52⁹⁵



IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$79⁹⁵



MALLEABLE IUD REMOVER, CROCHET STYLE

Rounded Tip, Angled, Dual Grasping Slots

- High quality malleable metal

Length: 26cm

REF 29-025 \$89⁹⁵




ASCONA™ IUD STRING SNARE

Allows gentle removal of IUD

The rotating handle provides a way to the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona™ allows the user to gently pull out and remove the IUD. The Ascona™ is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.

REF 29-350 \$79⁹⁵



GYNEX® IUD INSERTION KIT

STERILE, Single-Use

- Decreases the risk of transmission infectious agents
- Eliminates costly instrument sterilization

REF 29-500 Box of 12..... \$185⁹⁵

EACH KIT TRAY CONTAINS:

- (1) Tenaculum Forcep
- (1) IUD String Scissor
- (2) Rayon Swabs
- (1) ACCU-SOUND® Uterine Sound
- (1) Folded Drape



Uterine Sounds

ACCU-SOUND® UTERINE SOUND

There's no reason to rely on guesswork when you measure with a sound. The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® Uterine Sound into the uterus, the ring rest against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.

STERILE, Single-Use

Length: 24cm

Shaft Diameter: 3mm



REF 4950 Box of 25 \$69⁹⁵



Not Shown at Actual Size

1

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



2


Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



3

Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound

SIMS SOUND PLUS+

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 24cm

REF 4675 Box of 25 \$56⁹⁵



Not Shown at Actual Size

SIMS SOUND

STERILE, Single-Use

- Malleable plastic
- OD 4mm

Length: 16.6cm

REF 4601 Box of 25 \$49⁹⁵



Not Shown at Actual Size

SIMS SOUND • FLEX

STERILE, Single-Use

- A softer sound for improved patient comfort
- Malleable to meet the needs of your patients
- Centimeter gradations
- OD 3.5mm

Length: 24.8cm

REF 4630 Box of 25 \$49⁹⁵



*A softer, more malleable Sims Sound
for improved patient comfort.*



Not Shown at Actual Size

SIMS SOUND, REUSABLE

- Autoclavable
- OD 4mm

Length: 32cm

REF 4332 Chrome-Plated, Malleable \$39⁹⁵

REF 4334 Stainless Steel, Non-Malleable \$39⁹⁵



Not Shown at Actual Size

Uterine Dilators


MINI DILATOR

SET OF 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm

REF 4005 Set **\$167⁹⁵**



Especially useful for nulliparous patients


EXTRA MINI DILATOR TIPS


(Fits **REF 4005** Handle)

Sizes: 4mm and 5mm

Available only from GYNEX

REF 4005.4	4mm..	\$42⁹⁵
REF 4005.5	5mm.....	\$42⁹⁵





Dots show actual diameter in mm

SMALL DILATOR

SET of 6 Probes

- Each probe is one size
- Stainless Steel

Length: 19.2cm

REF 4008 Set **\$169⁹⁵**

Sold individually \$42⁹⁵



HANK DILATOR

SET of 6 Probes

- Dual size on each dilator
- Stainless Steel

Length: 26.9cm

REF 4010 Set **\$169⁹⁵**

Sold individually \$42⁹⁵




HEGAR DILATOR - SET of 8 Dilators

- Dual sizes on each dilator
- Stainless Steel

Length: 21cm

REF DHU3800 Set\$187⁹⁵

Dots show actual diameter in mm



*Product not shown at actual size




PRATT DILATOR - SET of 8 Dilators

- Dual sizes on each dilator
- Stainless Steel

Length: 29.5 cm

REF DPU3850 Set\$197⁹⁵

Dots show actual diameter in mm



*Product not shown at actual size



SOFT DILATORS, Single-Use

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Dilators come STERILE and are Single-Use. Each of these three dilators are soft and malleable and allow the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4211	Box of 12	\$52 ⁹⁵
REF 4221	Box of 24	\$94 ⁹⁵

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm

Overall Length: 21.5cm

REF 4212	Box of 12	\$52 ⁹⁵
REF 4222	Box of 24	\$94 ⁹⁵

Soft Dilator, Fundus Finder

Used for establishing the entire length of the cervical canal from external Os to the internal Os.


Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4213	Box of 12	\$52 ⁹⁵
REF 4223	Box of 24	\$94 ⁹⁵



Os Locator Single-Use ®
Canal Finder Single-Use ®
Fundus Finder Single-Use ®



SOFT TEFLON DILATORS, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.



STERILE / Reusable
OK to Autoclave

Soft Teflon Dilator, **Os Locator**

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4201 **\$44⁹⁵**

Soft Teflon Dilator, **Canal Finder**

Tapered Tip Length: 45mm

Overall Length: 21.5cm


REF 4202 **\$44⁹⁵**

Soft Teflon Dilator, **Fundus Finder**

Tapered Tip Length: 45mm

Overall Length: 21.5cm

REF 4203 **\$44⁹⁵**



Great Value!

SAVE on a SET of 3 Dilators

Soft Teflon Dilators Set, Reusable

STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3 **\$99⁹⁵**

Note: Multi-Colored Single-Use[®] and the White Reusable Soft Dilators are the same shape and are intended for identical use.



DENNIS DILATORS®, Single-Use

5mm to 12mm

- Different color for each soft dilators size
- Dual sizes on each dilator
- Number on handle for easy identification
- STERILE / Single-Use
- Ergonomic handle
- Soft plastic

Overall Length: 27cm

5-6mm Dilator

REF 4240 Box of 12.....\$49⁹⁵

7-8mm Dilator

REF 4245 Box of 12.....\$49⁹⁵

9-10mm Dilator

REF 4250 Box of 12.....\$49⁹⁵

11-12mm Dilator

REF 4255 Box of 12.....\$49⁹⁵

Procedure Blister Tray

- Keeps dilators secure & safe
- Every dilator comes sterile
- Easy to open cover
- Standard packaging for all soft dilators



Dots show actual diameter in mm



Dots show actual diameter in mm



5mm



7mm



9mm



11mm



13mm

DENNIS DILATORS® SET, REUSABLE

5mm to 14mm

Different band color on each dilator

- Dual sizes on each dilator
- Soft plastic
- STERILE - Sealed in procedure blister trays
- Reusable - sterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5 \$94⁹⁵

6mm



8mm



10mm



12mm



14mm



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).



Uterine Curettes

SIMS UTERINE CURETTE

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



REF CSU3900-9

Size 00: 10.5 x 4.0mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-0

Size 0: 10.5 x 4.5mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-1

Size 1: 13 x 5mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-2

Size 2: 16 x 6mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-3

Size 3: 16 x 7mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-4

Size 4: 20 x 9mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-5

Size 5: 22 x 9mm, Sharp, Rigid.....\$68⁹⁵

REF CSU3900-6

Size 6: 26 x 11mm, Sharp, Rigid.....\$68⁹⁵



BUMM UTERINE CURETTE

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size



REF CBU3920-1

Size 1: 48 x 25mm\$68⁹⁵

REF CBU3920-2

Size 2: 52 x 30mm\$68⁹⁵

REF CBU3920-3

Size 3: 62 x 35mm\$68⁹⁵

Century UMI™

UTERINE MANIPULATOR/INJECTOR

The Century UMI™ Uterine Manipulator is designed for patient safety, easy-to-use, disposable convenience. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

- **Cannula length:** 33cm
- OD 4.5mm
- Luer Lock Syringe 10cc



Not made with natural rubber latex.



Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os


Now including a 10cc luer lock syringe for your convenience!

Passing Savings To You!

NEW LOW PRICE!

Low unit price, \$18.33 each

REF 10-160 Box of 12 **\$219⁹⁵**



Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.

sure@sample® • Select1

Endometrial Curette

STERILE EO Single-Use 
Not made with natural rubber latex.

SURESAMPLE® Select1 is a uniquely designed curette for sampling the uterine endometrium. Ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction.


Specifications

- Randall-Style sharp cutting-edge curette
- Semi flexible curette with a slight curve
- Highly visible 1cm markings on cannula
- **Cannula length:** 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger
- Not made with natural rubber latex

Features

- The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen

REF 3130	Box of 5	\$32 ⁹⁵
REF 3135	Box of 24	\$134 ⁷⁵




The unique design and special features allow for better accuracy and a more reliable sample.

sure@sample® • *Select 1*

Endometrial Curette

Tapered tip for easier insertion.
Randall - Style sharp cutting edge.



DEPTH MARKER

Set the desired curette marker depth after sounding the uterus.
This depth acts as a visual aid to protect against perforation.

Simple, Safe and Effective



sure[®]sample[®]

Endometrial Sampler

The world's most effective and easy-to-use endometrial sampler!

SURESAMPLE[®] Endometrial Sampler outperforms any other sampler on the market today!


Our **patented 3-port sampling system** **doubles the harvested samples** and allows **easy retrieval** with **reduced cell damage**.

A much **greater histological adequacy and integrity** than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, SURESAMPLE[®] is the finest endometrial sampler.

SURESAMPLE[®] formable shaft memory allows physicians to **pre-shape shaft** to meet each patient unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, but strong enough to go through a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizing patient discomfort.



3-Ports for maximum yield



Better performance than other brands




SURESAMPLE[®] Endometrial Sampler

retrieves more than twice the harvest of its competition!

sure@sample®

Endometrial Sampler

STERILE EO Single-Use 
Not made with natural rubber latex.



Features and Benefits

- **3-Port Sampling System** - one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- **Two phase action** between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- **Formable memory** shaft allows you to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to fit through a smaller canal.
- **No cutting or splitting of tip** (a tedious process required by other widely used samplers that leads to damaged specimen).
- **Quick retrieval process** - simply push the SURESAMPLE® Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.

Specifications

- STERILE, Single-Use
- 3mm shaft diameter
- 24cm shaft length
- Not made with natural rubber latex

REF 3115 Box of 25..... \$119⁹⁵



Extended Piston

Outer Shaft Control Cuff

Grip

Galileo® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™ 530VCDA features a three-step magnification with integrated LED light and HD video camera for optional connection to a monitor. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch, and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video Feed

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: $\pm 300\text{mm}$
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

with a 5-wheel Rolling Base: [REF] 530VCDA-R **\$7,395⁰⁰**

with a 360° rotating Tilt Base: [REF] 530VCDA-T **\$7,395⁰⁰**

1 Year Extended Warranty: [REF] 530VCDA T/R-1 **\$375⁰⁰** 2 Year Extended Warranty: [REF] 530VCDA T/R-2 **\$535⁰⁰**

Galileo® Colposcope

Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source


Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability

Our colposcopes now utilize
low-voltage DC power
eliminating the need
to replace fuses!



Galileo® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic aberration)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: \pm 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: **REF 400DA-R**\$5,795⁰⁰

with a 360° rotating Tilt Base: **REF 400DA-T**\$5,795⁰⁰

1 Year Extended Warranty: **REF 400DA T/R-1**\$375⁰⁰

2 Year Extended Warranty: **REF 400DA T/R-2**\$535⁰⁰

Galileo® Colposcope

Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

Achromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability

Our colposcopes now utilize
low-voltage DC power
eliminating the need
to replace fuses!



ROLLING BASE, with 5 locking wheels, is a highly portable industry standard with a clean, sleek design.

TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

Galileo® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center feature provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Offset Center Post for Direct Access
(Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: $\pm 300\text{mm}$
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: $> 30,000 \text{ LUX}$
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: **REF 200DA-R**\$4,795⁰⁰

with a 360° rotating Tilt Base: **REF 200DA-T**\$4,795⁰⁰

1 Year Extended Warranty: **REF 200DA T/R-1**\$375⁰⁰

2 Year Extended Warranty: **REF 200DA T/R-2**\$535⁰⁰

Galileo® Colposcope

Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the
German • Red Dot Concept Design Award



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability

**Our colposcopes now utilize
low-voltage DC power
eliminating the need
to replace fuses!**



LED Bulb Cover

Diopter Knobs

Green Filter

Optical Measurement
Reference Chart

Rheostat Knob

Eye-Shields (Removable)

Head Inclination
Adjusting Knob

**Direct-Access™
Feature**

Fine Focus Handle

Fine Height
Adjustment Handle

Gross Height
Adjustment Knob



ROLLING BASE, with 5 locking wheels, is
a highly portable industry standard
with a clean, sleek design.

On/Off Switch and
Power Indicator Light

TILT BASE (shown)
provides a stable platform
and 360° rotation. Wheels
make it easily portable.

Available Accessories

Galileo® Colposcope Direct-Access™ 530VCDA

VIDEO CAPTURE DEVICE

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer.
Available as free download with purchase

**Requires Video software*

REF VC-Magewell \$299⁰⁰



Cut the Cord!

Equipped with rechargeable battery.

GYNEX® MONITOR

The Gynex® monitor is equipped with built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base **REF** 450MS \$2,295⁰⁰

Monitor Only (without base) **REF** 450M \$295⁰⁰

(Note: Actual monitor shipped may be different than model shown)

Galileo® Binocular Microscope

Specifications

- **Condenser Numerical Aperture:** Na = 1.25
- **Stage Movement Range:** Longitudinal 50mm, Transverse 75mm
- **Fine Focusing:** Minimum Division .002mm
- **Interpupillary Distance Adjustment Range:** 53–75mm
- **Light Source:** 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images
and
wider views
at a great price!

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
Objectives	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope [REF] MI6000\$924⁹⁵

1 Year Extended Warranty: [REF] MI6000 -1\$115⁰⁰

2 Year Extended Warranty: [REF] MI6000 - 2\$175⁰⁰

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

CO4100 Colposcope features a three-step magnification, 45° angle with integrated LED light. The 45° angle lenses feature allow inclined viewing for a natural sitting position, reducing the need to bend over. CO4100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

360° rotating Tilt Base: REF CO4100-LED	\$4,995 ⁰⁰
1 Year Extended Warranty: REF CO4100-1	\$325 ⁰⁰
2 Year Extended Warranty: REF CO4100-2	\$475 ⁰⁰

CO4100 Colposcope



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!

These circles give you the millimeter size at the tissue site

ϕ mm	A	B
3.75X	3.5	17
7.5X	2	8.8
15X	0.9	4.4



CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO3100 Colposcope is a high quality colposcope that offers excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic aberration)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: $\pm 316\text{mm}$
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: $> 25,000\text{LUX}$
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

360° rotating Tilt Base: **REF** CO3100-LED \$4,395⁰⁰

1 Year Extended Warranty: **REF** CO3100-1 \$325⁰⁰

2 Year Extended Warranty: **REF** CO3100-2 \$475⁰⁰

CO3100 Colposcope



LED Light Source



- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

- 360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



CO1100 Colposcope

Single Magnification with Integrated LED Light

CO1100 Colposcope features a single magnification with integrated LED light. The device is compact, light-weight with roller tilt base for easy maneuver. CO1100 Colposcope is a high quality basic colposcope that offers excellent optics and affordability to your practice.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens
(Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
(Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power
(Eliminates the need to replace fuses)
- LED Illumination System
(More accurate color balance, cool to the touch and long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194
- Power Supply: 90V to 240V
- Warranty: 1 Year - Parts and Labor (excludes shipping charges)

Options

- Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO1100-LED	\$3,195⁰⁰
1 Year Extended Warranty: REF CO1100-1	\$325⁰⁰
2 Year Extended Warranty: REF CO1100-2	\$475⁰⁰

CO1100 Colposcope



LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint


- 360° Easy Maneuver

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



ϕ mm	A	B
9X	1.5	7.6

These circles give you the millimeter size at the tissue site



Galileo®

MEDICAL EXAM LIGHT

Galileo® Medical Exam Light is easy to use, easy to clean, durable and aesthetically pleasing. With table mount and wall mount options available, the flexible neck Galileo® Medical Exam Light is a space-saving addition perfect for any exam room.

REF MEL-50\$499⁹⁵



- Sharp focused LED light (bulb life ≤ 50,000 hours)
- Adjustable spotlight diameter (10mm–220mm)
- Adjustable brightness (maximum illuminance of 70,000 Lux at 200mm)
- Flexible neck for easy positioning
- Out of the way over your shoulder

Available Accessories

TABLE MOUNT

Galileo® Medical Exam Light can be mounted to a table providing extra floor space and convenience when needed.



REF MEL-20\$87⁹⁵

WALL MOUNT

Galileo® Medical Exam Light Wall Mount Bracket provides extra floor space & convenience when needed.



REF MEL-10\$72⁹⁵

TOUCH-GUARD® SINGLE-USE PROTECTIVE SHEATH

Touch-Guard® Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo® Medical Exam Light REF: MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter

REF TG-300 Box of 25\$14⁹⁵



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler your practice!

FETAL DOPPLER MODEL D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500 \$295⁹⁵



Available Accessories

THERMASONIC GEL WARMER

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat


REF D82-01 \$290⁹⁵



DOPPLER GEL

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6 \$39⁹⁵



Hysterectomy Clamps

SALE

ZEPHYR™ TITANIUM RAINBOW™

Titanium Coated Hysterectomy Clamps

Straight



REF TT580-21	21cm	\$194 ⁹⁵
REF TT580-24	24cm	\$204 ⁹⁵
REF TT580-27	27cm	\$214 ⁹⁵
REF TT580-30	30cm	\$224 ⁹⁵
REF TT580-36	36cm	\$234 ⁹⁵

Slight Curve



REF TT585-21	21cm	\$194 ⁹⁵
REF TT585-24	24cm	\$204 ⁹⁵
REF TT585-27	27cm	\$214 ⁹⁵
REF TT585-30	30cm	\$224 ⁹⁵
REF TT585-36	36cm	\$234 ⁹⁵

Strong Curve



REF TT590-21	21cm	\$194 ⁹⁵
REF TT590-24	24cm	\$204 ⁹⁵
REF TT590-27	27cm	\$214 ⁹⁵
REF TT590-30	30cm	\$224 ⁹⁵
REF TT590-36	36cm	\$234 ⁹⁵

Angled



REF TT595-21	21cm	\$194 ⁹⁵
REF TT595-24	24cm	\$204 ⁹⁵
REF TT595-27	27cm	\$214 ⁹⁵
REF TT595-30	30cm	\$224 ⁹⁵
REF TT595-36	36cm	\$234 ⁹⁵

THE ORIGINAL ZEPHYR™

Stainless Steel Hysterectomy Clamps

Straight



REF 3580-21	21cm	\$114 ⁹⁵
REF 3580-24	24cm	\$119 ⁹⁵
REF 3580-27	27cm	\$124 ⁹⁵
REF 3580-30	30cm	\$129 ⁹⁵

Slight Curve



REF 3585-21	21cm	\$114 ⁹⁵
REF 3585-24	24cm	\$119 ⁹⁵
REF 3585-27	27cm	\$124 ⁹⁵
REF 3585-30	30cm	\$129 ⁹⁵

Strong Curve



REF 3590-21	21cm	\$114 ⁹⁵
REF 3590-24	24cm	\$119 ⁹⁵
REF 3590-27	27cm	\$124 ⁹⁵
REF 3590-30	30cm	\$129 ⁹⁵

Angled



REF 3595-21	21cm	\$114 ⁹⁵
REF 3595-24	24cm	\$119 ⁹⁵
REF 3595-27	27cm	\$124 ⁹⁵
REF 3595-30	30cm	\$129 ⁹⁵

Hysterectomy Scissors

SALE

TITANIUM RAINBOW™ SCISSORS

Titanium Coated Hysterectomy Scissors



Slight Curve

REF	TT680-20	20cm.....	\$97 ⁹⁵
REF	TT680-23	23cm.....	\$99 ⁹⁵



Full Curve

REF	TT690-20	20cm.....	\$97 ⁹⁵
REF	TT690-23	23cm.....	\$99 ⁹⁵



Curve

REF	TT685-20	20cm.....	\$97 ⁹⁵
REF	TT685-23	23cm.....	\$99 ⁹⁵



Angled

REF	TT695-20	20cm.....	\$97 ⁹⁵
REF	TT695-23	23cm.....	\$99 ⁹⁵

ZEPHYR™ SCISSORS

Stainless Steel Hysterectomy Scissors



Curve Scissors

REF	3685-20	20cm.....	\$97 ⁹⁵
REF	3685-23	23cm.....	\$99 ⁹⁵



Angled Scissors

REF	3695-20	20cm.....	\$97 ⁹⁵
REF	3695-23	23cm.....	\$99 ⁹⁵



Slight Curve Scissors

REF	3680-20	20cm.....	\$97 ⁹⁵
REF	3680-23	23cm.....	\$99 ⁹⁵



Full Curve Scissors

REF	3690-20	20cm.....	\$97 ⁹⁵
REF	3690-23	23cm.....	\$99 ⁹⁵

Scissors

IRIS SCISSORS



Straight

REF S3816

11cm Length.... \$28⁹⁵



Curved

REF S3814

11cm Length.....\$34⁹⁵

LITTAUR STITCH SCISSORS

REF S3810

14cm Length.....\$29⁹⁵



Angled

REF S3812

11cm Length.... \$39⁹⁵



Needle Holders

WEBSTER SMOOTH NEEDLE HOLDER

Smooth jaw

REF NHW3400

13cm Length....\$32⁹⁵

MAYO-HEGAR NEEDLE HOLDER

Serrated jaw

REF NHMH3410-14 14cm Length.....\$29⁹⁵

REF NHMH3410-16 16cm Length.....\$31⁹⁵

REF NHMH3410-18 18cm Length.....\$35⁹⁵

REF NHMH3410-20 20cm Length.....\$39⁹⁵

CRILE-WOOD NEEDLE HOLDER

Serrated jaw

REF NHCW3420-15 15cm Length.....\$31⁹⁵

REF NHCW3420-18 18cm Length.....\$35⁹⁵

REF NHCW3420-20 20cm Length.....\$39⁹⁵

REF NHCW3420-23 23cm Length.....\$45⁹⁵



GYNEX LLETZ Electrodes

We believe that our LLETZ Electrodes are the best on the market!

- Easy Grip Ribbed Handle
- Loop wires are 0.20mm thick to help reduce backward drag
- HexLoc™ anti-rotation system at the bottom of the shaft keeps the handle from rotating
- Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects it from breakage



Specifications

- Box of 5
- Various Sizes
- Sterile / Single-Use
- Tungsten Wire



Standard 3/32 Connector – Fits Most Standard Handpieces

RADIUS LOOP ELECTRODES

Our Most Popular Style

STERILE EO

Not made with natural rubber latex.

All Electrode Tips Shown at Actual Size

REF 12-0505 5mm x 5mm
Box of 5.....\$62⁹⁵



REF 12-1007 10mm x 7mm
Box of 5.....\$62⁹⁵



REF 12-1010 10mm x 10mm
Box of 5.....\$62⁹⁵



REF 12-1505 15mm x 5mm
Box of 5.....\$62⁹⁵



REF 12-1508 15mm x 8mm
Box of 5.....\$62⁹⁵



REF 12-1512 15mm x 12mm
Box of 5.....\$62⁹⁵



REF 12-1515 15mm x 15mm
Box of 5.....\$62⁹⁵



REF 12-2008 20mm x 8mm
Box of 5.....\$62⁹⁵



REF 12-2010 20mm x 10mm
Box of 5.....\$62⁹⁵



REF 12-2013 20mm x 13mm
Box of 5.....\$62⁹⁵



REF 12-2015 20mm x 15mm
Box of 5.....\$62⁹⁵



REF 12-2510 25mm x 10mm
Box of 5.....\$62⁹⁵




REF 12-2515 25mm x 15mm
Box of 5.....\$62⁹⁵



Electrode Measurements

REF 12-2015
Width Height

WHAT REFERENCE NUMBERS MEAN



GYNEX LLETZ Electrodes

STERILE EO

Not made with natural rubber latex.

All Electrode Tips Shown at Actual Size

H-SERIES LOOP ELECTRODES

Precision Depth and Width Control

REF 13-1010 10mm x 10mm
Box of 5.....\$62⁹⁵



REF 13-1505 15mm x 5mm
Box of 5.....\$62⁹⁵



REF 13-2005 20mm x 5mm
Box of 5.....\$62⁹⁵



REF 13-2007 20mm x 7mm
Box of 5.....\$62⁹⁵



REF 13-2010 20mm x 10mm
Box of 5.....\$62⁹⁵



SQUARE LOOP ELECTRODES

REF 19-1004 10mm x 4mm
Box of 5.....\$59⁹⁵



REF 19-1010 10mm x 10mm
Box of 5.....\$59⁹⁵



BALL ELECTRODES

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

REF 2-3-2 3mm Diameter, 13.5cm Shaft
Box of 5.....\$59⁹⁵



REF 2-5-2 5mm Diameter, 13.5cm Shaft
Box of 5.....\$59⁹⁵



NEEDLE ELECTRODE

For electro fulguration using coagulation power outputs

REF 15-0001 26mm Long Needle
Box of 5\$59⁹⁵




GYNEX® Cone Electrodes

The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens


The cone biopsy electrodes allow for smooth rotation facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.

- STERILE
- Single-Use
- Not Made with natural rubber latex.




TRIANGLE CONE ELECTRODE



REF 14-1015 10mm Radius x 15mm Height
Box of 5.....**\$59⁹⁵**



REF 14-1020 10mm Radius x 20mm Height
Box of 5.....**\$59⁹⁵**



REF 14-1218 12mm Radius x 18mm Height
Box of 5.....**\$59⁹⁵**



REF 14-1220 12mm Radius x 20mm Height
Box of 5.....**\$59⁹⁵**

CONTOURED CONE ELECTRODE



REF 17-1013 10mm Radius x 13mm Height
Box of 5.....**\$59⁹⁵**



REF 17-1018 10mm Radius x 18mm Height
Box of 5.....**\$59⁹⁵**

ELECTRODE EXTENDER

Effectively Doubles the Shaft Length of Your Electrode

REF 12-0000 13cm Length
Box of 5 \$42⁹⁵

STERILE EO Single-Use 
Not made with natural rubber latex.




**ACCESS DEEP CAVITIES AND OTHER
HARD-TO-REACH SITES**



ELECTRODE HANDPIECE, HAND ACTIVATED WITH VL PLUG

For use with standard removable electrodes


- Single-Use 
- STERILE
- 10 foot cable

REF 755VL Box of 12..... \$105⁹⁵



ELECTRODE HANDPIECE, FOOT ACTIVATED

For use with standard removable electrodes

- Single-Use 
- STERILE
- 10 foot cable

REF 950 Box of 12..... \$68⁹⁵



Actual size

5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Electrosurgical Patient Dispersive Pads

STERILE EO Single-Use®

Not made with natural rubber latex.

for LLETZ Procedures

STANDARD GROUNDING PAD WITH CORD, SOLID-STYLE

Generators Compatibility

MANUFACTURES	PAD REF #
BEI® Plus II	395-302
CooperSurgical® LEEP® 1000	6050P
CooperSurgical® LEEP® 6000	6050P



Connector shown at ACTUAL SIZE



REF 6010

Box of 12 \$96⁹⁵

GROUNDING PAD WITH CORD, SOLID-STYLE

Generators Compatibility

MANUFACTURES	PAD REF #
Utah Medical Finesse®	ESU-405



Connector shown at ACTUAL SIZE



REF 21-809

Box of 12 \$96⁹⁵

GROUNDING PAD WITH CORD, SPLIT (REM)

Generators Compatibility

MANUFACTURES	PAD REF #
ConMed® Sabre® 180	402-2204
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II®	ESU-420



Connector shown at ACTUAL SIZE




REF 33-714

Box of 12 \$96⁹⁵

REUSABLE EXTENDED NEEDLE ADAPTERS

Extends the reach of hypodermic needles
Stainless Steel, Available: 3–6 inch lengths

REF 5120	7.62cm (3")	\$29 ⁹⁵
REF 5122	10.16cm (4")	\$29 ⁹⁵
REF 5124	12.7cm (5")	\$29 ⁹⁵
REF 5126	15.24cm (6")	\$29 ⁹⁵



CARTRIDGE SYRINGE, THREADED TIP - REUSABLE

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210 \$52⁹⁵

SALE



Prefilter, Reducer, and Filter

for Smoke Evacuation Systems

STERILE VACUUM TUBING SETS, Single-Use

Fits many popular smoke evacuation systems that use 1/2" OD.

The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets.....\$196⁹⁵




Perfect match for the competitor's smoke evacuator at a far more reasonable price!

PREFILTER REDUCER, Single-Use

Fits into top of Prefilter (8210), and adapts to .375" ID tubing (8200 Sterile Tubing Set)

- Non-Sterile
- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230 Qty 10\$52⁹⁵



CONNECTS WITH

PREFILTER, Single-Use

- Non-Sterile
- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210 Qty 10\$189⁹⁵



CONNECTS WITH

ULPA FILTER

- Non-Sterile
- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215\$166⁹⁵ each



Tubing and Connectors for LLETZ Procedures


CONNECTS WITH

A. Tubing Connector, Non-Sterile

Not made with natural rubber latex.

Connects Clear-Flue™ to Flexible-S Tubing. 1/4" to 7/8"

REF 8100 Box of 12..... \$22⁹⁵



B. Flexible-S Tubing, Non-Sterile

Not made with natural rubber latex.

Connects to DSE Tubing.

Convenient 6-Pack.

1/4" ID, 3/8" OD x 2'

REF 8024 Box of 6 \$43⁹⁵



C. DSE Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 \$89⁹⁵



Inserts into smoke evacuation tube clip in speculum

D. Clear-Flue™ Tubing, Non-Sterile

Not made with natural rubber latex.

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072 Qty 24..... \$71⁹⁵




E. Tubing Connector, Non-Sterile


Not made with natural rubber latex.

Connects Clear-Flue™ to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103 Box of 12..... \$22⁹⁵



CONNECTS WITH



GYNEX coated specula for LLETZ procedures.

Sterile Vacuum Tubing Sets, Single-Use

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets \$196⁹⁵



SPONGE FORCEPS, Single-Use

Non-Sterile, Non-PVC, **Length:** 24cm

REF 3207 12-Pack.....\$39⁹⁵

REF 3214 24-Pack\$73⁹⁵



TOPICAL ANESTHETIC

HurriCaine® Snap-n-Go™ Swabs

- 72 Single-Use® swabs per box
- Fast onset - 20 seconds
- Dose .15ml

REF 0569\$53⁹⁵



HurriCaine® Spray Kit

- 2oz Spray Container
- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

REF 0183\$72⁹⁵

STERILE EO Single-Use®
Not made with natural rubber latex.

STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270°**. Gynex LLETZ coating must be autoclaved at **250°**. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is **saturated steam** at **250°** for **25–30 minutes**. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10⁻⁶.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are **completely dry** when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ Instruments

LLETZ-COATED TENECULUM

Extremely gentle tissue pickup • Coated Stainless Steel • **Length:** 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250 \$152⁹⁵



Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$149⁹⁵



LLETZ-COATED HOOKS

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230 \$89⁹⁵



Emmett Tenaculum

REF 3240 \$89⁹⁵



Angle Hook

REF 3245 \$89⁹⁵



LLETZ-COATED TISSUE FORCEPS

Coated Stainless Steel

Length: 21.5cm

REF 3205 \$99⁹⁵



LLETZ-COATED RULERS


Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250 \$105⁹⁵



Width Ruler

Coated Stainless Steel

• Millimeter markings

Length: 22cm

REF 3255 \$105⁹⁵



4-WAY EXPANDER VAGINAL SPECULUM

for LLETZ Procedures

The 4-Way Expander Vaginal Speculum designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and the lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

Features


- Built-in smoke evacuation tube holder
- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Autoclavable & Sterilizable

MEDIUM

REF L4MEX 115mm \$256⁹⁵

LARGE

REF L4LEX 125mm \$266⁹⁵




✓ OK to Autoclave
Read Notice on Page 74
Before Ordering

LATERAL VAGINAL RETRACTOR


for LLETZ Procedures

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.



LLETZ OPEN-SIDED SPECULUM

Left and Right Opening



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).


SULLIVAN VAGINAL SPECULUM

for LLETZ Procedures

Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

Ideal for bariatric patients



Blade Reference Chart: Shown Actual Size, Scale 1:1



Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula

☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering

Large

REF LE044
\$207⁹⁵

Medium

REF LE033
\$207⁹⁵

LLETZ Coated




PEDERSON & GRAVES


for LLETZ Procedures





☒ **OK to Autoclave**
Read Notice on Page 74
Before Ordering



Blade Reference Chart: Shown Actual Size, Scale 1:1







PEDERSON & GRAVES

Stainless Steel Vaginal Speculum

Stainless Steel



Blade Reference Chart: Shown Actual Size, Scale 1:1



SULLIVAN STAINLESS STEEL VAGINAL SPECULUM


Stainless Steel


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


Ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1





C-Arm is designed to parallel the contour of the patient's leg




No side obstruction like most specula


Graves



REF S055
\$78⁹⁵



REF S044
\$73⁹⁵




REF S033
\$69⁹⁵

150mm
145mm
140mm
135mm
130mm
125mm
120mm
115mm
110mm
105mm
100mm
95mm
90mm
85mm
80mm
75mm
70mm
65mm
60mm
55mm
50mm
45mm
40mm
35mm
30mm
25mm
20mm
15mm
10mm
5mm
0mm

LATERAL VAGINAL RETRACTOR

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



AUVARD WEIGHTED SPECULUM

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size: 105mm long x 38mm wide

REF SA2200 \$299⁹⁵



GUTTMAN SPECULUM WITH SPECIAL BLADES

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.

MEDIUM

REF 2310 Top Separator: 82mm \$67⁹⁵

LARGE

REF 2312 Top Separator: 92mm..... \$67⁹⁵



GREENBERG HYSTEROSCOPY SPECULUM



The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient’s cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.

REF 2801 \$52⁹⁵



“The shorter blades bring the external os about 30% closer to the introitus and make access to the cervix dramatically easier in almost every facet of surgical cases in which a speculum is used.”

James Greenberg, MD,
Boston, MA




OPEN-SIDED SPECULUM, STAINLESS STEEL

Left and Right Opening

Stainless Steel

Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.



LAMINARIA INSERTION FORCEPS


Specifically designed for insertion of laminaria.

REF 1600\$76⁹⁵




TITANIUM RAINBOW™ SPECULUM

Exclusive Titanium Rainbow™ coating extends the life of instruments over traditional stainless-steel. The titanium coated speculum offers increased resistance to corrosion, resilience against impact and low friction coefficient. Titanium Rainbow™ is available in two viewing widths for Pederson and Graves.



Blade Reference Chart: Shown Actual Size, Scale 1:1



5% Discount on Prepaid or Credit Card Orders (offer excludes microscopes, colposcopes and/or extended warranties).

Instruments Care and Cleaning

TOUCH-GUARD® HOT BEADS

Sterilization Beads

Touch-Guard® Hot Beads provide a safe, effective and convenient method for sterilizing your surgical instruments. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants. Simply plunge metal instruments into hot glass beads for instant sterilization. These specially cast "no-lead" glass beads transmit heat properly and do not break down at the high temperatures used in glass bead sterilizers. Touch-Guard® Hot Beads come in simple pre-measured containers.



REF 7106	6-Pack (6-month supply)	\$134 ⁹⁵
REF 7112	12-Pack (1-year supply)	\$247 ⁹⁵

TOUCH-GUARD® STAIN-EX™

Biological & Chemical Stain Remover

Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover that removes Iodine-based stains, Lugol's stain and most medical and histological stains from hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment and hospital linen. Works great on all your LLETZ-coated instruments!

It is easy to apply Touch-Guard® Stain-Ex™ and the stain is removed in a matter of seconds.



REF SS10	1 Gallon	\$89 ⁹⁵
----------	----------------	--------------------

TOUCH-GUARD® LOW SUDS

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use on automatic washers, ultrasonics, washer-sterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue - no pyrogens; leaves a surgically clean surface
- Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning

REF TG-200	1 Gallon	\$32 ⁹⁵
------------	----------------	--------------------



Touch-Guard®

Make Your Instruments Feel Like New!

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

Prevents Rust,
Spots, Stains
and
Corrosion

Restores
Articulation to
Sticky Box-Locks
and Joints

Withstands
High
Temperatures
of Autoclaving

Steam
Penetrable,
Sterilizable and
ETO Sterilizable

Non-Oily,
Non-Sticky,
Non-Toxic and
Silicone Free

**FREE
SAMPLE**

To redeem your free sample,
contact us
(888) 486-4644



ONLY \$16⁹⁵

REF TG-100 16.9 fl. oz (500 ml)

To preserve and extend the life of your instrument!

CLEAN • LUBRICATE • STERILIZE



Touch-Guard®

INFRARED THERMOMETER

Get reliable results within seconds with Touch-Guard® Infrared Thermometer. Infrared thermometers measure the internal temperature of a person from a safe distance without contact. Infrared technology gathers the temperature simply from the thermal radiation and infrared energy that the person gives off.


Features

- Easy to use, just point and shoot
- Sleek design for a comfortable grip
- Easy-to-read display
- Switchable °C / °F
- Adjustable high/low temperature alert
- 60 second Auto-Off feature

Weight: 1.8 oz

Dimension: 15 x 3.7 x 1.6

REF TG-2000.....\$59⁹⁹



LED Display



Non-Contact



1 Sec. Reading



Accuracy +/-0.4°F.



Memory Function



Automatic Shutdown



Battery Operated

Instrument Repair and Sharpening

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment to improve financial savings. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex® sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Pricing is as follows:

Gynex brand biopsy punch	\$65⁰⁰
Other brand biopsy punch	\$75⁰⁰
Gynex brand curette	\$40⁰⁰
Other brand curette	\$50⁰⁰

Toll Free: (888) 486-4644
(8:00AM–5:30PM CDT)

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GYNEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain a Returned Merchandise Authorization (RMA) number from GYNEX customer service at (888) 486-4644. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer.

The following items may be returned:

- Product with RMA number
 - All returns must be made within 30 days of the item receipt (except for warranty).
 - Product with unbroken seals, with labels intact, in original container and packaging
 - Unused instruments which have not been cleaned or sterilized
 - Single-Use[®] product (sterile) in original, unopened package
 - Product damaged in shipment*
 - Product that has at least 12 months remaining shelf life as determined by the expiration date
 - Instruments damaged, broken or not working properly due to defects in material or workmanship
- *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.*

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GYNEX to purchase from different manufacturers. As a result, final

products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ascona, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, Direct-Access, EasyView, HexLoc, i-Series Titanium Rainbow, LiteTouch, LongView, FullView, LVR, NoSlip, New GYNeration, Opal Rainbow, Reach, Reach Extended Needle, RotoTip, Stain-Ex, Titanium Rainbow, TouchGuard, Villa, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Galileo are registered trademarks of GYNEX Corporation. Use of these product names is limited to those with written authorization by an officer of GYNEX Corporation of North Richland Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Teflon is a registered trademark of DuPont.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Notwithstanding the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas


INDEX

Acetic Acid	4	Radius Loop Electrode	66	Sopher Original	22
Alligator Grasper, Gynex®	28	Triangle Loop Electrodes	68	PUNCHES	
Ascona™ IUD String Snare	30	Square Loop Electrodes	67	Keyes	24
Accu-Sound®	31	Electrosurgical Patient Dispersive Pads	70	Keyes Accessories	24
BARIATRIC INSTRUMENTS		ENDOCERVICAL		REPAIRS & SHARPENING SERVICE	93
Biopsy Punches	7-11	Specula	19, 21	SCISSORS	
Tissue Forceps	19	Curettes	16-17	IUD String	26
Specula, LLETZ Coated	80-81	ENDOMETRIAL SAMPLER		Titanium Rainbow™	63
Specula, Stainless Steel	82-83	Endometrial Curette	42-43	Zephyr™ Stainless Steel	63
BIOPSY PUNCHES		Endometrial Sampler	44-45	Iris Stainless Steel	64
Amethyst	8	FORCEPS		Littaur Stitch Scissors	64
Apex	14	Foerster Forceps, Stainless Steel	19	SMOKE EVACUATION	
Ceramix™	5	Laminaria Insertion Forceps	88	Prefilter, Single-Use ☉	72
Gold	9	Sponge Forceps, Single-Use	74	Prefilter Reducer	72
Kevorkian Ring Handle	14, 21	Ovum Forceps	22-23	ULPA Filter	72
Eppendorfer	14, 21	Fetal Doppler - GYNEX®	61	Tubing	73
Medium-Tischler	11	GRASPER		SPECULA	
Mini-Tischler	10	Alligator Grasper - GYNEX®	28	LLETZ Coated	
Opal Rainbow™	7	Serpentine Grasper	28	4-Way Expander	76
Rose Gold	9	HOOCS		Graves	80-81
Sapphire	8	LLETZ Coated	75	Open-Sided (left/right opening)	77
ROTOTip™ Biopsy Punches	12-13	Stainless Steel	15, 21	Pedersons	80
Sullivan Ring Handle	14	IUD INSTRUMENTS		Sullivan	78-79
Wittner	14, 21	Ascona™ IUD String Snare	30	Stainless Steel	
CARE AND CLEANING		Ceramix™ Coated String Scissors	26	Auvard	86
Hot Glass Beads Sterilizer - Touch-Guard™	90	Crochet Type IUD Removers	29	Graves	82-83
Instrument Lubrication - Touch-Guard™	91	GYNEX® Alligator Grasper	28	Greenberg	87
Instrument Repair and Sharpening	93	IUD Insertion Kit	30	Guttman	87
Low Suds Detergent - Touch-Guard™	90	IUD String Scissors	26	Open-Sided (left/right opening)	88
Stain-Ex™ Stain Remover - Touch-Guard™	90	Serpentine Grasper IUD Remover	28	Pederson	82
Clamps	62	Single-Use IUD String Scissors	28	Sullivan	84-85
COLOSCOPES		Villa™ Hormonal Implant Remover	27	Titanium Rainbow™	
Galileo®	46-51	Willows™ IUD String Snare	29	Graves	89
Accessories for Galileo®	52	LATERAL VAGINAL RETRACTORS		Pederson	89
CO Series	54-59	LLETZ	77	STERILIZATION	
Colposcopy Sets	20-21	Stainless Steel	86	Hot Glass Beads Sterilizer	90
DILATORS		Light, Medical Exam Light	60	Sterilization Notice	74
All Uterine Dilators	33-39	LLETZ COATED INSTRUMENTS		Syringe, Cartridge®	74
Dennis Dilators, Single-Use ☉	38	All Items	75-81	Table of Contents	1
Dennis Dilators, Reusable	39	Hooks	75	TENACULA	
Hank Dilators, Uterine	34	LVR	77	Braun	18
Hegar Dilators, Uterine	35	Speculum	77-81	Schroeder	18
Mini Dilators, Uterine	33	Sponge Forceps, Single-Use ☉	74	Skene	19
Mini Dilators Tips, 4mm and 5mm	33	Medical Exam Light - Galileo®	60	Teale	19
Pratt Dilators, Uterine	35	Medical Exam Light - Accessories	60	Thermometer - Touch Guard™	92
Small Dilators, Uterine	34	Microscope - Galileo®	53	Topical Anesthetic - HurriCaine®	
Soft Dilators, Single-Use ☉	36	Monse's Paste	4	Spray Kit	74
Soft Teflon Dilators, Reusable	37	Needle Adapter	71	Swabs	74
Disposable Protective Sheath	60	NEEDLE HOLDERS		Transit Map	96
Doppler Gel	61	Webster	65	Uterine Manipulator / Injector	41
ELECTRODES		Mayo-Hegar	65	UTERINE SOUNDS	
Ball Electrode	67	Crile-Wood	65	Accu-Sound®	31
Contoured Loop Electrodes	68	OVUM FORCEPS		Sim Sound	32
Electrode Extender	69	Bierer	23	Sim Sound • Flex	32
Electrode Handpieces	69	Blumenthal	23	Vaginal pH Testing - pHEM-ALERT®	2
H-Series Loop Electrodes	67	Jacobson	23	Word Bartholin Catheter Kit	25
Needle Electrode	67	Saenger	23		

Transit Map

Shipping from:

6631 Browning Drive,
North Richland Hills, TX 76180



5% Discount
on Prepaid or Credit Card Orders
(offer excludes microscopes, colposcopes and/or extended warranties).



Toll Free: (888) 486-4644

(8:00AM-5:30PM CDT)

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEx Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.

GYNEX®

P.O. BOX 822369







N. RICHLAND HILLS, TX 76182

MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

FAX TO: (425) 895-0115

BILLING ADDRESS	SHIP TO
Name_____	Name_____
Address_____	Address_____
City _____ State _____ Zip _____	City _____ State _____ Zip _____
Email _____	Fax _____
Phone (_____) _____	Contact Person_____

[illegible]

Make checks payable to: GYNEX Corp.		Total Amount Ordered	
Credit Card Charge:   	  	5% Discount for Pre-Paid Orders ONLY	
Credit Card Security Code		Exp. Date	
Credit Card Number		Shipping and Handling for Pre-Paid Orders ONLY	
Signature		\$17.50	
		GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)	
		Sales Tax	
		Total	

GYNEX®

6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • Fax: (425) 895-0115
service@gynex.com • www.gynex.com

PRSRT STD
US POSTAGE
PAID
GYNEX



page 4



(888) 486-4644
www.gynex.com

