GYNEX®

Fall 2023



Celebration

SAVE 25% on Single-Use* see pages 2-3

Steve says . . .



As I reflect on the past quarter-century, I am humbled by the memories of our beginnings and the significant growth we have experienced, all of which would not have been possible without your support. Your valuable feedback and continued patronage have been instrumental in shaping our business. Your loyalty has been a constant motivation for us to innovate, improve, and provide you with the best women's healthcare products.

To include you in our celebration and express our gratitude, we have discounted a wide selection of single-use products.

As we look to the future, we are more committed than ever to meeting the needs of the OBGYN community. We cherish the relationships we have built with each of our customers, and look forward to many more years of serving you.

Once again, thank you for being an integral part of our success story. Your continued patronage has made this milestone possible.

Thank you,

Stephen J. Sullivan

President and CEO, GYNEX® Corporation

1996 – 1999 International Medical Consultant

Tephen J. Sullivan

1993 – 1995 President, CooperSurgical® International Division 1991 – 1993 President, Euro-Med™ Division of CooperSurgical® 1978 – 1991 Founder and President of Euro-Med®, Inc.

Look for a Gynex representative at one of the following upcoming shows:

National Procedures Institute: Dallas, TX - September 9th - 10th

ASRM: New Orleans, LA - October 14th - 18th ASCCP: Atlanta, GA - October 25th - 28th

Nurse Practitioners in Women's Health: San Diego, CA - October 29th - November 1st

AAGL: Nashville, TN - November 5th - 9th



Table of Contents

Monsel's Ferric Subsulfate Paste	4	Galileo® Binocular Microscope	53
Acetic Acid	4	COLPOSCOPES - CO Series	54-59
Patel™, Multi-Use Forceps	5	Galileo® Medical Exam Light	60-61
BIOPSY PUNCHES	6-14	Accessories for Galileo® Medical Exam Light	60
Ceramix™Biopsy Punch	6	Touch-Guard® Single-Use Protective Sheath	61
Opal Rainbow™ Biopsy Punch, Titanium	7	HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
Amethyst Biopsy Punch, Titanium	8	HYSTERECTOMY SCISSORS - Titanium Rainbow™/ Zephyr™	63
Sapphire Biopsy Punch, Titanium	8	NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
Gold Biopsy Punch, Titanium	9	Laminaria Insertion Forceps	64
Rose Gold Biopsy Punch, Titanium	9	Electrode Extender / Electrode Handpieces	65
Tischler Biopsy Punch, Stainless	10-11	LLETZ ELECTRODES	66-68
Rotating Biopsy Punches, Stainless - ROTO Tip^{m}	12-13	Electrosurgery Patient Dispersive Pads for LLETZ Procedur	e69
Ring Handle Biopsy Punches, Stainless	14	Reach Kit™ - Cervical Block Procedure Tray	70
Other Biopsy Punches, Stainless	14	Extended Needle Adapter and Accessories	71
H00KS	15	Smoke Evacuation Systems (Prefilter, Reducer, and Filter) .	72
ENDOMETRIAL CURETTES	15	Tubing and Connectors for LLETZ Procedure	73
ENDOCERVICAL CURETTES	16	Sponge Forceps, Single-Use ®	74
Lickrish Spiral Curettes	17	Topical Anesthetic - HurriCaine®	74
Curette Sharpening File	17	STERILIZATION NOTICE for LLETZ Coated Instruments	74
TENACULUMS	18-19	LLETZ COATED INSTRUMENTS	
ENDOCERVICAL SPECULUM	19	Tenacumlum	75
FOERSTER FORCEPS	19	Hooks	75
Bariatric Tissue Forceps, 1x2 teeth	19	Forceps	75
OVUM FORCEPS	20-21	Rulers	75
KEYES PUNCHES	22	4- Way Expander Vaginal Speculum	76
Word Bartholin Catheter Kit	23	Lateral Vaginal Retractor	77
Patel™, Multi-Use Forceps	24	Open-Sided Speculum	77
IUD SECTION		Sullivan Vaginal Speculum	78-79
CERAMIX™ Coated IUD String Scissors	25	Pederson & Graves Vaginal Speculum	80-81
IUD String Scissors	25	SPECULUM, STAINLESS STEEL	
Villa™ Hormonal Dissecting Forceps	26	Pederson & Graves Speculum	82-83
Villa™ Hormonal Implant Remover	27	Sullivan Speculum	84-85
IUD String Scissors, Single-Use	28	Lateral Vaginal Retractors	86
Alligator Grasper by GYNEX®	28	Auvard Weighted Speculum	86
Serpentine Grasper	28	Guttman Speculum	87
IUD Removers	29	Greeberg Hysteroscopy Speculum	87
Ascona® IUD Snare	30	Open-Sided Speculum	88
IUD Insertion Kit -GYNEX®, Single-Use ®	30	Titanium Rainbow™ Speculum	89
UTERINE SOUNDS		Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	90
Accu-Sound®	31	pHem-Alert® Vaginal pH test	91
Sims Sound • flex	32	Instrument Care and Cleaning	
Other Sims Sound	32	Hot Glass Beads Sterilizer - Touch-Guard®	92
UTERINE DILATORS - Stainless Steel, Soft and Dennis	s 33-39	Low Suds Detergent Concentrate - Touch-Guard®	92
UTERINE CURETTES - Sims / Bumm	40	Stain Ex™ Stain Remover - Touch-Guard®	92
Uterine Manipulator / Injector - Century UMI™	41	Instrument Lubricant - Touch-Guard®	93
Endometrial Curette - SURESAMPLE® Select1	42-43	Instrument Repair and Sharpening	93
Endometrial Sampler - SURESAMPLE®	44-45	INDEX	95
COLPOSCOPES - Galileo®		ORDER INFORMATION	96-97
Accessories for Galileo® Colposcope	52	ORDER FORM	97

Galileo® Binocular Microscope	
COLPOSCOPES - CO Series	
Galileo® Medical Exam Light	
Accessories for Galileo® Medical Exam Light	
Touch-Guard® Single-Use Protective Sheath	
HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	
HYSTERECTOMY SCISSORS - Titanium Rainbow™/ Zephyr™ .	
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	
Laminaria Insertion Forceps	
Electrode Extender / Electrode Handpieces	
LLETZ ELECTRODES	
Electrosurgery Patient Dispersive Pads for LLETZ Procedure	
Reach Kit™ - Cervical Block Procedure Tray	
Extended Needle Adapter and Accessories	
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	
Tubing and Connectors for LLETZ Procedure	
Sponge Forceps, Single-Use ®	
Topical Anesthetic - HurriCaine®	
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenacumlum	
Hooks	
Forceps	75
Rulers	
4- Way Expander Vaginal Speculum	
Lateral Vaginal Retractor	77
Open-Sided Speculum	
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum	80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	
Sullivan Speculum	84-85
Lateral Vaginal Retractors	
Auvard Weighted Speculum	
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	
Open-Sided Speculum	
Titanium Rainbow™ Speculum	
Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	
pHem-Alert® Vaginal pH test	91
Instrument Care and Cleaning	
Hot Glass Beads Sterilizer - Touch-Guard®	
Low Suds Detergent Concentrate - Touch-Guard®	
Stain Ex™ Stain Remover - Touch-Guard®	
Instrument Lubricant - Touch-Guard®	93
Instrument Repair and Sharpening	93
INDEX	95
ORDER INFORMATION	96-97



Promotion valid through 12/31/23. The 25% discount applies to the listed prices of Single-Use* products and cannot be combined with other promotions or discounts. Promotion is only valid for one-time customer use. Offer is subject to availability, and will be applied on a first-come, first-served basis as supplies last. *Offer excludes the following: Reusable Instruments, Reusable Devices, Drugs, Optical Equipment, Exam Lights, Filters, Prefilters, Vacuum Tubing, Doppler Gel, Services, and Warranties.

*25% discount is only valid for the following Single-Use products: 10-160, 10-200, 12-0000, 12-0505, 12-1007, 12-1010, 12-1505, 12-1508, 12-1512, 12-1515, 12-2008, 12-2010, 12-2013, 12-2015, 12-2510, 12-2515, 13-1010, 13-1505, 13-2005, 13-2007, 13-2010, 19-1004, 19-1010, 15-0001, 14-1015, 14-1218, 14-1020, 14-1220, 17-1013, 17-1018, 1322, 1323, 1324, 1325, 1326, 2-3-2, 2-5-2, 21-809, 29-065, 29-200, 29-300, 29-500, 3030, 3130, 3135, 3115, 3207, 3214, 33-714, 4211, 4221, 4212, 4222, 4213, 4223, 4240, 4245, 4250, 4255, 4601, 4630, 4675, 4950, 5130, 5140, 6010, 7106, 7112, 755VL, 950, ph-99, TG-100, SS10, TG-200, TG-300.



Promotion valid through 12/31/23. The 25% discount applies to the listed prices of Single-Use* products and cannot be combined with other promotions or discounts. Promotion is only valid for one-time customer use. Offer is subject to availability, and will be applied on a first-come, first-served basis as supplies last. *Offer excludes the following: Reusable Instruments, Reusable Devices, Drugs, Optical Equipment, Exam Lights, Filters, Prefilters, Vacuum Tubing, Doppler Gel, Services, and Warranties.

*25% discount is only valid for the following Single-Use products: 10-160, 10-200, 12-0000, 12-0505, 12-1007, 12-1010, 12-1505, 12-1508, 12-1512, 12-1515, 12-2008, 12-2010, 12-2013, 12-2015, 12-2510, 12-2515, 13-1010, 13-1505, 13-2005, 13-2007, 13-2010, 19-1004, 19-1010, 15-0001, 14-1015, 14-1218, 14-1020, 14-1220, 17-1013, 17-1018, 1322, 1323, 1324, 1325, 1326, 2-3-2, 2-5-2, 21-809, 29-065, 29-200, 29-300, 29-500, 3030, 3130, 3135, 3115, 3207, 3214, 33-714, 4211, 4221, 4212, 4222, 4213, 4223, 4240, 4245, 4250, 4255, 4601, 4630, 4675, 4950, 5130, 5140, 6010, 7106, 7112, 755VL, 950, ph-99, TG-100, SS10, TG-200, TG-300.

Monsel's Ferric Subsulfate Paste 20-22%

Monsel's is a pre-thickened formulation of the popular hemostatic agent. Apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use 2

REF 5055 Box of 12 \$194⁹⁵

Helps control bleeding after biopsy, LLETZ and laser procedures.





Acetic Acid 5%

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

Helps enhance the appearance of abnormal areas.

REF AA312

Box of 12 \$869



Patel™ Multi-Use Forceps



Introducing the Patel™ Multi-Use Forceps - One instrument that every gynecologist needs in their practice.

With its patent-pending design, the Patel™ excels at multiple functions:

- **IUD** Remover
- Sponge / Foerster Forceps
- Needle Holder
- Atraumatic Tissue Grasper
- More!

REF NHL3450 \$114⁹⁵

The Patel is the Swiss Army Knife of Gynecology



CERAMIX™ Biopsy Punches

Our sharpest, longest lasting biopsy punch

CERAMIX™ coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Sharper up to 10 times longer than ordinary stainless steel with incomparable cutting-edge hardness. See Hardness Comparison Chart below.

- Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab



Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.



CERAMIX[™]

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF 1060

20cm Shaft\$49995



CERAMIX™

Tischler

Actual Bite Size: 5mm x 3mm

REF 1065

20cm Shaft**\$499**⁹⁵



CERAMIX™

Tischler

Actual Bite Size: 7mm x 3mm

REF 1070

20cm Shaft**\$499**⁹⁵



CERAMIX[™]

Apex™

Actual Bite Size: 7mm x 3mm

REF 1075


20cm Shaft\$49995

Opal Rainbow™ Biopsy Punches, TITANIUM

Designed for excellence • Manufactured for durability

Exclusive Titanium coating extends the life of instruments over traditional stainless-steel. The titanium coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer.

- Double-spring handle
- Tip Locking Tab



OPAL RAINBOW™ Tischler

Actual Bite Size: 7mm x 3mm





Tischler

REF TT010 20cm Shaft \$42995

REF TT035

25cm Shaft, Extra-Long \$439⁹⁵



Tischler, Tip Up

REF TT011 20cm Shaft \$42995

REF TT036

25cm Shaft, Extra-Long \$439⁹⁵



Tischler, Tip Down

REF TT012 20cm Shaft \$42995

REF TT037

25cm Shaft, Extra-Long \$439⁹⁵ bariatric

OPAL RAINBOW™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler

REF TT005 20cm Shaft \$42995

REF TT030

25cm Shaft, Extra-Long \$43995



Mini-Tischler, Tip Up

REF TT006 20cm Shaft \$429⁹⁵

REF TT031

25cm Shaft, Extra-Long \$43995



Mini-Tischler, Tip Down

REF TT007 20cm Shaft \$429⁹⁵

REF TT032

25cm Shaft, Extra-Long \$439⁹⁵



Sapphire Biopsy Punches, TITANIUM







Tischler Biopsy Punches STAINLESS



The Best Selling Design in The World

GYNEX **Original!**

Tischler

Actual Bite Size: 7mm x 3mm

Tischler

bariatric

REF 1010	20cm Shaft	\$39995
		A OF

REF 1035 25cm Shaft......\$412⁹⁵

100

Tischler, Tip Up



Tischler, Tip Down

REF 1014 20cm Shaft.....\$399⁹⁵



Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1005 20cm Shaft......**\$399**95

REF 1030 25cm Shaft......\$412⁹⁵

bariatric



Mini-Tischler, Tip Up



Mini-Tischler, Tip Down



SALE

Tischler, Tip Left

REF 1020 20cm Shaft......\$29995



Tischler, Tip Right

REF 1019 20cm Shaft......\$29995



Mini-Tischler, Tip Left

REF 1022 20cm Shaft.....\$299⁹⁵



Mini-Tischler, Tip Right

REF 1021 20cm Shaft......\$29995



Medium Tischler

• Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 5mm x 3mm

Medium Tischler

REF 1008 20cm Shaft\$399⁹⁵

bariatric



GYNEX

Tischler Kevorkian

Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 9mm x 3mm

Tischler-Kevorkian

REF 1015 20cm Shaft\$39995

bariatric



Kevorkian

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

Actual Bite Size: 9mm x 3mm



REF 1029 20cm Shaft\$39995



Rotating Biopsy Punches STAINLESS



ROTO Tip™ rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



ROTO Tip™ Tischler

Actual Bite Size: 7mm x 3mm

ĪSC	

REF 1200-10

Complete Punch\$46095

REF 1210

Tischler, *Tip-Up*

REF 1200-30

Complete Punch\$460⁹⁵

REF 1230

Tischler, *Tip-Down*

REF 1200-20

Complete Punch\$460⁹⁵

REF 1220







ROTO Tip™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1200-05

Complete Punch\$460⁹⁵

REF 1205

Mini-Tischler, Tip-Down

REF 1200-15

Complete Punch\$460⁹⁵

REF 1215

Extra Tip\$27595

Mini-Tischler, Tip-Up

REF 1200-25

Complete Punch $^{\$}460^{95}$

REF 1225

Extra Tip\$27595





ROTO Tip[™] Oval

Actual Bite Size: 5mm x 3mm



ROTO Tip™ Kevorkian

Actual Bite Size: 9mm x 3mm



Oval Tip

REF 1200-35

 $\textbf{Complete Punch } \textbf{$^{\$}460^{95}$}$

REF 1235



Kevorkian Tip

REF 1200-40

Complete Punch\$46095

REF 1240

Extra Tip\$27595





REF 1200

Handle Only\$195⁹⁵



Ring Handle Biopsy Punches STAINLESS



Sullivan Ring Handle Punch

- · Excellent for stenotic cervix
- Small handle / Mini tip

Actual Bite Size: 4mm x 2mm

REF 1050

24cm Shaft**\$399**95



Kevorkian Ring Handle Punch

- Traditional Kevorkian bite
- · Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm



REF 1053

25cm Shaft**\$399**⁹⁵







Other Biopsy Punches STAINLESS



Apex[™]

- V-shaped anchoring jaw on the top and bottom
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 7mm x 3mm



Apex™

REF 1025 20cm Shaft\$39995

bariatric

Eppendorfer and Wittner

Tip Locking Tab

Actual Bite Size: 7.4mm x 3.9mm




Wittner

REF 1026 20cm Shaft

\$29995

SALE



REF 1017

20cm Shaft

\$29995



Wittner, Tip Angled Left

REF 1027 20cm Shaft

\$299⁹⁵

Hooks

Angle Hook

REF 3225 26cm Length \$49⁹⁵



2-Prong Hook

REF 3227 26cm Length....... \$59⁹⁵



Iris Hook

REF 3210 26cm Length **\$49**⁹⁵



Emmett Tenaculum

REF 3220 26cm Length....... \$49⁹⁵



Endometrial Curettes

Novak Curette

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3302\$5395

Shaft/Tip Size: 3mm

REF 3303\$5395

Shaft/Tip Size: 4mm

REF 3304\$5395





Randall Curette

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3310\$5395

Shaft/Tip Size: 3mm

REF 3312\$5395

Shaft/Tip Size: 4mm

REF 3314\$5395





Endocervical Curettes


Kevorkian Curette

with Basket Square Tip

Basket helps hold the sample during the curettage procedure.


Kevorkian Curette Square Tip

Basket Size: 12mm x 2mm



Dublin Curette Round Tip

This curette provides samples when aggressive scraping is necessary for hard to sample tissue.



Stainless Steel

Kevorkian Curette

with Basket RoundTip

Basket helps hold the sample, and the rounded tip allows easier insertion.

Townsend Curette

This curette has the benefit of a small pointed tip that allows easier penetration of the Os.

REF TC3020	
Titanium Rainbow Basket Size: 12mm x 2mm	\$7995
REF 3020	
Stainless SteelBasket Size: 7mm x 1.3mm	\$ 77 ⁹⁵

EndoCurette ECC

This curette is inserted into the canal and rotated to samples from the on two sides.

REF 3050	
Stainless Steel	^{\$} 79 ⁹⁵



Lickrish Spiral Curettes

The innovative Endocervical Lickrish Spiral Dual-Purpose Curette was pioneered by Dr. Gordon M Lickrish, former director of the colposcopy unit at University Health Network in Toronto. With its titanium-coated spiral design, this instrument offers enhanced resistance to corrosion and remarkable durability against impact. Specifically designed for cases of complete or severe partial cervical stenosis, this unique curette proves to be the ideal solution. It enables tissue sampling in situations where a standard curette is too large for insertion. The tip can be gently guided through the Os, while simultaneously advancing and rotating.

- Enables curettage in narrow endocervical canals, surpassing standard curette limitations
- Enables sampling in situations where a normal curette cannot access due to cervical stenosis
- Acts as a cervical dilator, ensuring precise sampling of the cervix or endometrium
- Provides dual functionality, enhancing the effectiveness and versatility of the instrument

Titanium Cobalt

Titanium Rainbow

REF TC3040 21cm Length \$7995

Stainless Steel

D.— GYNCX -

Curette Sharpening File

A small tapered diamond-coated sharpening stone, helps keep your curette sharp.

REF CSF3900\$3295



Kevorkian Curette, Single-Use

Features a consistently sharp tip modeled after the highly popular Curette with Basket and Round Tip. Designed with a firm handle that maintains stability under pressure, enabling improved maneuverability during the procedure. The angled handle provides enhanced leverage for more effective curettage.

REF 3030 Box of 25.....**\$74**95



Tenaculums

Braun Tenaculum

LiteTouch™ TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

\$ 52 95

Angled Handle

REF T2235	25cm Length	\$ 62 ⁹⁵
KEEL LZZSS	zocin i endin	· UZ

STANDARD TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502	25cm Length	\$ 52 95
REF B230	30cm Length	\$ 59 95

Angled Handle

REF 3532 25cm Length	62	2	<u>)</u>)	!!		•	֡		3	3	ł)						į	į	į											ļ	ļ				į	į	į					ĺ	į	į	į	į	į	į	į	į	į		į	į	į	į	į	į	į	į	į	į		į	į	į	į							1	1										1																	1														4	4	4	4	4	4	4	4	4		4	•	4	4										
----------------------	----	---	----------	---	----	--	---	---	--	---	---	---	--	--	--	--	--	---	--	--	--	--	--	---	---	---	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--	---	---	---	--	--	--	--	---	---	---	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	---	--	---	---	---	---	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	---	---	---	---	---	---	--	---	---	---	---	--	--	--	--	--	--	--	--	--	--



Schroeder Tenaculum

LiteTouch™ TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2222	25cm Length	\$ 52 ⁹⁵
------------------	-------------	----------------------------

Angled Handle

REF T2225	OF and I	an ath	\$ 62 ⁹⁵
KEF I Z Z Z S	zacm i	enath.	*UZ**

STANDARD TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3500	25cm Length	\$ 52 95
REF B130	30cm Length	\$ 59 95

Angled Handle

REF 3530 25cm Length	\$ 62 ⁹⁵
-----------------------------	----------------------------

DOUBLE TOOTH



Straight Handle

REF 3501	Length 25cm	\$ 52 9
REF 3501	Length 25cm.	^{\$} 5

Teale Tenaculums

Slight Curve

23cm Length \$5295 **REF** 3536



Endocervical Speculum

Length: 27cm

RATCHET HANDLE

3mm Tip**\$189**⁹⁵ **REF** 2130

4mm Tip**\$189**⁹⁵ REF **2140**

NO RATCHET

3mm Tip**\$179**⁹⁵ **REF** 2030

4mm Tip**\$179**⁹⁵ REF 2040



Skene Tenaculums Slight Curve

24cm Length \$5295 **REF** 3534



Foerster Forceps



Straight Handle

REF 3540

30cm Length \$5995 **REF B330**

Angled Handle

24cm Length \$6295 REF 3542

Bariatric Tissue Forceps

Hold and manipulate various tissue.

25cm Length**\$57**95 REF BTF25

30cm Length**\$57**95 REF BTF30



End view - Tip Detail

Ovum Forceps

Sopher Ovum Forceps

SOPHER ORIGINAL

Length: 25.5cm (10") Curved Jaw 11mm		
REF 3544	Ratchet Handle	. \$114 95
REF 3546	No Ratchet	.\$109 ⁹⁵



Sopher Original "lips" protect surrounding tissue

Sopher Jaw



11mm

Actual Size: 11mm

SOPHER STANDARD

Length: 25.5cm (10") <i>Curved Jaw</i> 12mm		
REF 3548	Ratchet Handle ^{\$} 114 ⁹⁵	
REF 3550	No Ratchet \$109 95	
Length: 25.5cm (10") Curved Jaw 14mm		

KEF 3330	No Natchet 103	
Length:	25.5cm (10″) <i>Curved Jaw</i> 14mm	
REF 3552	Ratchet Handle ^{\$} 1199!	j
REF 3554	No Ratchet	j







Sopher Jaw Actual Size: 12mm

Length: 28cm (11") Curved Jaw 12mm		
REF 3556	Ratchet Handle ^{\$} 114 ⁹⁵	
REF 3558	No Ratchet \$109 95	

Length 2	28cm (11") <i>Curve</i>	d Jaw 14mm
REF 3560	Ratchet Handle	^{\$} 119 ⁹⁵

REF 3562	No Ratchet	\$114 95



Sopher Standard Jaw Open



Length: 33cm (13") Curved Jaw 12mm

Length: 33cm (13") Curved Jaw 14mm REF 3568 Ratchet Handle\$12995 **REF 3570** No Ratchet**\$124**⁹⁵





Sopher Jaw Actual Size: 14mm



Bierer Ovum Forceps

	•	
Length:	28cm (11") Straight Jaw 16	nm
REF 3572	Ratchet Handle	\$114 ⁹⁵
REF 3574	No Ratchet	10995
Length:	28cm (11") Straight Jaw 19i	nm
REF 3576	Ratchet Handle	\$119 ⁹⁵
REF 3578	No Ratchet	\$114 ⁹⁵
Length:	33cm (13") Straight Jaw 16	mm
REF 3580	Ratchet Handle	\$119 ⁹⁵
REF 3582	No Ratchet	\$114 ⁹⁵
•	33cm (13") Straight Jaw 19	

REF 3586 No Ratchet\$11995



Bierer, Jaw Open

Jacobson Ovum Forceps

Length: 28cm (11") Straight Jaw 20mm		
REF 3588	No Ratchet	^{\$} 114 ⁹⁵



Jacobson, Jaw Open

Blumenthal

Blumenthal Ovum Forceps

Length: 28cm (11") Straight Jaw 20mm		
REF 3592 No Ratchet	^{\$} 114 ⁹⁵	
Length: 33cm (13") Straight Jaw 20mm		
REF 3594 No Ratchet	\$119 ⁹⁵	



Blumenthal "lips" protect surrounding tissue

SALE

Saenger Ovum Forceps

Length: 2	26.5cm (10.5″) Straight Jaw	16mm
REF 3596	Ratchet Handle	\$114 ⁹⁵
REF 3598	No Ratchet	\$109 ⁹⁵
Length: 2	26.5cm (10.5″) Curved Jaw	16mm
REF 3600	Ratchet Handle	\$114 ⁹⁵
REF 3602	No Ratchet	\$109 ⁹⁵
Length: 29cm (11.5") Straight Jaw 16mm		
REF 3604	Ratchet Handle	129 ⁹⁵
REF 3606	No Ratchet	124 ⁹⁵
Length: 29cm (11.5") Curved Jaw 16mm		
REF 3608	Ratchet Handle	129 ⁹⁵
REF 3610	No Ratchet	124 ⁹⁵



Saenger Inner diameter teeth within oval jaws

Keyes Vulvar Punch

Features a sharpened round tip, ideal for obtaining vertical core samples from the vulvar epithelium. Designed with a sturdy handle specifically for easy ejection of lodged specimens.

■ 2mm Tip

REF 1302\$4395

■ 4mm Tip

REF 1304\$4395

REF 1305\$4395

REF 1306\$4395 REF 1307\$4395



Keyes Vulvar Punch, (Single-Use) STERILE EO Single-Use ® Not made with natural rubber latex. This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Box of 25. 2mm Tip 3mm Tip REF 1322 \$4695 REF 1323\$4695 4mm Tip 5mm Tip REF 1324 \$4695\$46⁹⁵ **REF** 1325 6mm Tip REF 1326 \$46⁹⁵

Keyes Vulvar Punch Set

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip to stabilize tip while attaching handle. **Tip Sizes:** 2mm - 7mm

REF 1310 Set......\$229⁹⁵

Keyes Punch Accessories Kit

The perfect accessory kit for your Keyes Punch set. This kit includes a small forceps for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315\$8995



Word Bartholin Catheter Kit



Not made with natural rubber latex.




The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle




Outpatient Treatment for Bartholin gland cysts and abscesses.



PATEL[™] Multi-Use Forceps




Patel[™] Multi-Use Forceps - One instrument that every gynecologist needs in their practice. With its patent-pending design, the Patel[™] excels at multiple functions!









IUD Remover



Sponge Forceps



Needle Holder

IUD SECTION page 25 - page 30

CERAMIX™ Coated IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

Ceramix Coated Stainless Steel


KEY ADVANTAGES

- CERAMIX[™] coating stays sharp up to 10 times longer
- Incomparable cutting-edge hardness
- · Extremely rust and corrosion resistant
- · Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040 \$104⁹⁵





Our popular IUD String Scissors are now more durable and sharper than ever!

IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm




VILLA™

New

Hormonal Implant Dissecting Forceps

The Villa™ Hormonal Implant Dissecting Forceps and Implant Remover make the perfect pair in the event that an implant is not visible upon incision. After making an incision, some implants remain difficult or impossible to view. If this is the case, the dissecting forceps, with pointed tip, can be opened and closed to separate the tissue encapsulating the implant. This will allow the remover to grasp, hold, and retract the implant.



$\mathbf{VILLA}^{\mathsf{m}}$



Hormonal Implant Remover

The Villa[™] Hormonal Implant Remover is a clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®]. A small, ring tip secures around the mid-point of the implant for modified "U" technique.

Villa™ Hormonal Implant Remover, Straight

REF 29-800 \$49⁹⁵



Villa™ Hormonal Implant Remover, Angled

REF 29-900 \$49⁹⁵





Includes: 1 Straight, 1 Angled

REF 29-850 \$84⁹⁵



Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®], using a modified "U" technique.







IUD String Scissors, (Single-Use)

Metal Tip / Plastic Handle

• Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065

Box of 12**\$44**95



Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size



GYNEX

Original!

(Single-Use ®

Not made with natural rubber latex.

Serpentine Grasper IUD Remover

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel

KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$299⁹⁵



IUD Remover, Crochet Style, Single-Use

Rounded Tip, Angled, Dual Grasping Slots

Length: 26.5cm

REF 29-200 Box of 12**\$52**⁹⁵





GYNEX

Willows™ IUD String Snare, Single-Use

Rounded Tip, Multiple Grasping Slots

• High quality malleable plastic

Length: 27cm

REF 29-300 Box of 12\$5295





GYNEX

IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$79⁹⁵



Malleable IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

· High quality malleable metal


Length: 26cm

REF 29-025 \$89⁹⁵

ASCONA™ IUD String Snare

Allows gentle removal of IUD

The rotating handle provides a way to the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the Ascona^{IM} allows the user to gently pull out and remove the IUD. The Ascona^{IM} is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.





Uterine Sounds

ACCU-SOUND® Uterine Sound, (Single-Use)







The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® into the uterus, the ring rests against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.

Length: 24cm

Shaft Diameter: 3mm

REF 4950

Box of 25 \$69⁹⁵






Not Shown at Actual Size

1

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



2

Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND® Uterine Sound





Sims Sound • flex, Single-Use



GYNEX Original!



Gynex has improved the Sims Sound. Engineered from specifically formulated memory polymer, the Sims Sound Flex formable shaft enhances the providers ability to pre-shape the sound to meet each patient's unique physical requirements. Bold, laser-etched markings along the shaft provide clear, reliable measurements.

• Formable Memory Polymer

• OD 4mm

Working Length: 16.6cm

25% LISTED PRICE

REF 4630

Box of 25**\$54**9



GYNEX'



Not Shown at Actual Size

Other Sims Sounds

Sims Sound Plus+, (Single-Use)

• Malleable plastic

• OD 4mm

Length: 24cm

REF 4675

Box of 25

25% LISTED PRICE STERILE EO Single-Use ®

, with material rabbot fatox.

GYNEX

Not Shown at Actual Size

Sims Sound, Single-Use

Malleable plastic

OD 4mm

Length: 16.6cm

REF 4601

Box of 25

25% OFF

\$56⁹⁵

\$4995

STERILE EO Single-Use S

GYNEX

Not Shown at Actual Size

Sims Sound, REUSABLE

- Autoclavable
- OD 4mm

Length: 32cm

REF 4332

REF 4334

Stainless Steel, Non-Malleable\$3995



Uterine Dilators

Mini Dilator Set

Set of 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm

Dots show actual diameter in mm

The show a contract of the show actual diameter in mm

T

REF 4005 Set.....\$16795




Extra Mini Dilator Tips

(Fits **REF** 4005 Handle)


Sizes: 4mm and 5mm Available only from GYNEX

REF 4005.5 5mm.....\$42⁹⁵









Soft Dilators, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex. Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These color coded dilators are soft and malleable allowing the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

\$**52**95 Box of 12 **REF** 4211

Box of 24 \$9495 REF 4221

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm

Overall Length: 21.5cm

Box of 12 \$5295 **REF** 4212

Box of 24 \$9495 REF 4222

Soft Dilator, Fundus Finder

Used for establishing the entire length of the cervical canal from external Os to the internal Os.

Tapered Tip Length: 85mm


Overall Length: 21.5cm

Box of 12**\$52**95 **REF** 4213

Box of 24 \$9495 REF 4223







Soft Teflon Dilators, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered Tip Length: 23mm **Overall Length:** 21.5cm

REF 4201\$4495

Soft Teflon Dilator, Canal Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4202 \$4495

Soft Teflon Dilator, Fundus Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4203 \$44⁹⁵

Great Value!

SAVE on a SET of 3 Dilators

STERILE / Reusable OK to Autoclave

STERILE / Reusable

OK to Autoclave

Soft Teflon Dilators Set, REUSABLE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3 \$99⁹⁵

Soft Teflon Dilators Set, REUSABLE NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3 \$9495

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.

Dennis Dilators®, Single-Use



Not made with natural rubber latex.

5mm to 12mm

- Dual sizes on each dilator
- Number on handle for easy identification
- Ergonomic handle
- Soft plastic

Overall Length: 27cm

5-6mm Dilator

REF 4240	Box of 12	\$49 ⁹⁵
----------	-----------	--------------------

7-8mm Dilator

RFF 4245	Box of 12	\$499
REF 4245	Box of 12	*49°

9-10mm Dilator

REF 4250	Box of 12	\$ 49 ⁹⁵
KEF 4ZOU		' T J

11-12mm Dilator

REF 4255	Boy of 12	\$49	95
REF 4255	BOX OT 12	······································	

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover





Dennis Dilators® Set, REUSABLE

STERILE EO

Not made with natural rubber latex.

 $\sqrt{}$

5mm to 14mmDual sizes on each dilator

STERILE / Reusable OK to Autoclave

- Soft plastic
- STERILE Sealed in procedure blister trays
- Reusable sterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5**\$94**⁹⁵

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover





Dots show actual diameter in mm

9mm

11mm

13mm

7mm

5mm

6mm

Uterine Curettes

Sims Uterine Curette

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



Size 3

Size 2

REF CSU3900-9

Size 00

Size 1

Size 0

REF CSU3900-0

REF CSU3900-1

REF CSU3900-2

REF CSU3900-3

Size 4

Size 5

Size 6

REF CSU3900-4

REF CSU3900-5

REF CSU3900-6



Bumm Uterine Curette

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size







Size 1

REF CBU3920-1

Size 1: 48 x 25mm \$6895

Size 2

REF CBU3920-2

Size 2: 52 x 30mm \$6895

REF CBU3920-3

Size 3: 62 x 35mm \$6895

40

Century UMI™ Uterine Manipulator/Injector





The Century UMI[™] Uterine Manipulator is easy-to-use and designed for patient safety. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

- Cannula length: 33cm
- OD 4.5mm
- Luer Lock Syringe 10cc

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

Now including a 10cc luer lock syringe for your convenience!




NEW LOW PRICE!

Low unit price, \$18.33 each

REF 10-160

Box of 12 \$21995

Passing Savings To You!



suresample • Select 1

Endometrial Curette



Suresample® *Select1* is a uniquely designed curette for sampling the uterine endometrium, ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction.

Features

- Randall-Style sharp cutting-edge
- · Semi flexible curette with slight curve
- Highly visible 1cm markings on cannula
- Cannula length: 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger





REF 3130 Box of 5......**\$32**95

REF 3135 Box of 24 \$134⁷⁵

The unique design and special features allow for better accuracy and a more reliable sample.


suresample · Select 1

Endometrial Curette

Simple, Safe and Effective

Tapered tip for easier insertion.

Randall - Style sharp cutting edge.



DEPTH MARKER

Set the desired curette marker depth after sounding the uterus. This depth marker acts as a visual aid to reduce the risk of perforation.

TWIST AND LOCK PLUNGER

The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen



The endometrial sampler with a proven track record!

SUTE Sample® Endometrial Sampler


The Suresample® Endometrial Sampler has been trusted by doctors for over *25 years*

Our patented 3-port sampling system doubles the harvested samples of tested competitors and allows easy retrieval with reduced cell damage. A much greater histological adequacy and integrity than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, Suresample® is the finest endometrial sampler.

Suresample® formable shaft memory allows physicians to **pre-shape shaft** to meet each patient unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, but strong enough to go through a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizing patient discomfort.



AMOUNT OF BIOPSY TISSUE



Better performance than other brands

Suresample® Endometrial Sampler retrieves more than twice the harvest of its competition!

SUPSAMPLE® Endometrial Sampler



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- Grip retraction creates a strong internal vacuum.
- Two phase action between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- Formable memory shaft allows you to shape the sampler to meet each patient's physical requirements.
- Tensile strength and rigidity allow conformity but also provide enough strength to fit through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process simply push the SURESAMPLE® Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.



GalileO® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™530VCDA features a three-step magnification with integrated LED light and HD video camera. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Direct-Access™ Offset Center Post (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video
 (Allows for live feed and image/video capture)

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

1 Year Extended Warranty: REF 530VCDA T/R-1 \$375⁰⁰ 2 Year Extended Warranty: REF 530VCDA T/R-2 \$535⁰⁰

Eye-Shields LED Bulb Cover (Removable) Diopter Knobs Rheostat Knob Green Filter Knob **Head Inclination** Three-Step Adjusting Knob Magnification Knob ▶ Direct-Access[™] Feature Fine Focus Handle Fine Height Adjustment Handle **HDMI Video Connection Gross Height** Adjustment Knob ROLLING BASE with 5 locking wheels is a highly portable industry standard On/Off Switch and with a clean, sleek design. Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

GalileO® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Direct-Access[™] Offset Center Post
 (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 400DA-R\$5,79500

with a 360° rotating Tilt Base: REF 400DA-T\$5,79500

1 Year Extended Warranty: REF 400DA T/R-1\$37500 2 Year Extended Warranty: REF 400DA T/R-2\$53500

LED Bulb Cover Three-Step Magnification Knob Green Filter Rheostat Knob **Optical Measurement** Diopter Knobs Reference Chart Eve-Shields (Removable) Head Inclination Adjusting Knob **Direct-Access**™ Feature Fine Focus Handle Fine Height Adjustment Handle Gross Height Adjustment Knob ROLLING BASE with 5 locking wheels is a highly portable industry standard On/Off Switch and with a clean, sleek design. Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer
Cool To The Touch
Color Balance



360° Tilt Base

Easy Maneuverability

GalileO® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Direct-Access[™] Offset Center Post (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 200DA-R\$4,795⁰⁰

with a 360° rotating Tilt Base: REF 200DA-T\$4,795°°

1 Year Extended Warranty: REF 200DA T/R-1\$37500 2 Year Extended Warranty: REF 200DA T/R-2\$53500

LED Bulb Cover Green Filter Diopter Knobs **Optical Measurement** Reference Chart Rheostat Knob Eye-Shields (Removable) **Head Inclination** Adjusting Knob Direct-Access™ Feature Fine Focus Handle Fine Height Adjustment Handle **Gross Height** Adjustment Knob ROLLING BASE with 5 locking wheels is a highly portable industry standard with a clean, sleek design. On/Off Switch and Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

ACCESSORIES

for GalileO® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer.

REF VC-Magewell\$29900



Cut the Cord!

Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with a built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS\$2,29500

Monitor Only (without base) REF 450M\$29500

(Note: Actual monitor shipped may be different than model shown)

Galileo® Binocular Microscope

Specifications

• Condenser Numerical Aperture: Na = 1.25

• Stage Movement Range: Longitudinal 50mm, Transverse 75mm

• Fine Focusing: Minimum Division .002mm

• Interpupillary Distance Adjustment Range: 53-75mm

• Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images and wider views at a great price!

Eyepieces	10X Magnification	25mm Focus		Φ 18mm Fie	eld
Semi-Plan Achromatic					
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope REF MI6000	\$ 924 95
1 Year Extended Warranty: REF MI6000 -1 \$11500	2 Year Extended Warranty: REF MI6000 - 2 \$17500

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

The CO4100 Colposcope features a three-step magnification and 45° viewing angle with integrated LED light. The 45° angle lenses allow inclined viewing for a natural sitting position, reducing the need to bend over. The CO4100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

360° rotating Tilt Base: REF CO4100-LED \$4,99500

These circles give you the millimeter size at the tissue site



CO4100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light SourceLasts Longer
Cool To The Touch

Color Balance

360

Universal Teflon Ball Joint

360° Easy Maneuver

CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

The CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, and light-weight with 360° tilt base for easy maneuverability. The CO3100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

1 Year Extended Warranty: REF CO3100-1\$32500 2 Year Extended Warranty: REF CO3100-2\$47500

CO3100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver



CO1100 Colposcope

Single Magnification with Integrated LED Light

The CO1100 Colposcope features 9x magnification. The device is compact and light-weight with a with 360° tilt base for easy maneuverability. The CO1100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO1100-LED\$3,19500

These circles give you the millimeter size at **LED Light Source** the tissue site Green Filter Knob Diopter Knobs **Head Inclination** Rheostat Knob Adjusting Knob **Power Port** Fine Height Adjustment Handle Fine Focus Handle Gross Height Adjustment Knob Clutter Reducing Internal Power Cables On/Off Switch and Power Indicator Light Base

CO1100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Galileo® Medical Exam Light

Experience the ultimate convenience and functionality with the Galileo® Medical Exam Light. Its **flexible neck** and adjustable design allow you to position the light exactly where you need it, providing optimal sharp illumination. Its **durable** and aesthetically pleasing design makes it a smart investment for any medical facility.

With **energy-efficient** LED bulb, the Galileo® Medical Exam Light is not only cost-effective but also long-lasting.

Ideal for hospitals, clinics, and private practices, the Galileo® Medical Exam Light is the perfect addition to any medical setting.

Brighter and Cost Effective

- Features 1 white 3W LED for precise, high-output lighting
- Boasts a long lifetime of up to 50,000 hours and provides high illuminance of 70,000
 Lux at a 200mm working distance
- · Consumes less energy than traditional lighting options
- Eliminate the need for frequent bulb replacement

True-to-Life Color Reproduction

- The lighting is easy on the eyes, providing a comfortable visual experience
- Delivers exceptional color rendering capabilities, ensuring that the illuminated area looks natural and highly contrasted

Adjustable Spot Size

- Offers adjustable spot size with a diameter ranging from 15mm to 220mm, making it suitable for a wide range of situations and working distances, from 200mm to 1000mm
- Easy to clean, ensuring hassle-free maintenance

Flexible Goose Neck

- An extremely flexible goose neck can be securely fixed in any position
- Features a two-segment design that allows for bending at any angle and any directions

6





Medical Exam Light Accessories

Table Mount

Mount the Galileo® Medical Exam Light to your table for additional floor space.





Wall Mount

The Galileo® Medical Exam Light Wall Mount Bracket frees up floor space when necessary.

REF MEL-10	^{\$} 72 ^{9!}
------------	--------------------------------



Invest in the best and choose Galileo®

REF MEL-50 \$499⁹⁵



SCAN to SHOP

Touch-Guard® Single-Use **Protective Sheath**

Touch-Guard® Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo® Medical Exam Light [REF] MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter

REF TG-300 Box of 25**\$14**⁹⁵







Hysterectomy Clamps

SALE

Zephyr[™]Titanium Rainbow[™] Titanium Coated Hysterectomy Clamps

Straight		
REF TT580-21	21cm	\$194 ⁹⁵
REF TT580-24	24cm	\$ 204 ⁹⁵
REF TT580-27	27cm	\$ 214 ⁹⁵
REF TT580-30	30cm	\$ 224 ⁹⁵
REF TT580-36	36cm	\$234 ⁹⁵

Slight Curve



REF TT585-21	21cm	\$19495
REF TT585-24	24cm	\$204 ⁹⁵
REF TT585-27	27cm	\$ 214 ⁹⁵
REF TT585-30	30cm	\$224 95
REE TT585-36	36cm	\$ 234 95

Strong Curve

REE TT590-21



\$1**9**495

KEF 11330-21	210111 * IJT
REF TT590-24	24cm \$204 ⁹⁵
REF TT590-27	27cm\$ 214⁹⁵
REF TT590-30	30cm \$224 95
REF TT590-36	36cm \$234 ⁹⁵

21cm

Angled



REF TT595-21	21cm \$194 ⁹⁵
REF TT595-24	24cm \$204 ⁹⁵
REF TT595-27	27cm \$214 ⁹⁵
REF TT595-30	30cm \$224 ⁹⁵
REF TT595-36	36cm \$234 ⁹⁵

The Original Zephyr™

Stainless Steel Hysterectomy Clamps

4 Zenn	Straight	t
REF 3580-21	21cm \$114 ⁹⁵	
REF 3580-24	24cm \$119 ⁹⁵	
REF 3580-27	27cm \$124 ⁹⁵	
REF 3580-30	30cm ^{\$} 129 ⁹⁵	



Slight Curve

REF 3585-21	21cm \$114 ⁹⁵
REF 3585-24	24cm \$119 ⁹⁵
REF 3585-27	27cm \$124 ⁹⁵
REF 3585-30	30cm \$129 ⁹⁵



Strong Curve

REF 3590-21	21cm \$114 ⁹⁵
REF 3590-24	24cm ^{\$} 119 ⁹⁵
REF 3590-27	27cm ^{\$} 124 ⁹⁵
REF 3590-30	30cm \$129 95



Angled

REF 3595-21	21cm \$114 ⁹⁵
REF 3595-24	24cm \$119 ⁹⁵
REF 3595-27	27cm \$124⁹⁵
REF 3595-30	30cm \$129 ⁹⁵

Hysterectomy Scissors

SALE

Titanium Rainbow™ Scissors

Titanium Coated Hysterectomy Scissors



Slight Curve

REF TT680-20	20cm	\$ 97 ⁹⁵
REF TT680-23	23cm	\$ 99 95



Full Curve

REF TT690-20	20cm	\$ 97 ⁹⁵
REF TT690-23	23cm	\$ 99 95



Curve

REF TT685-20	20cm	\$ 97 ⁹⁵
REE TT685-23	23cm	\$9995



Angled

REF TT695-20	20cm	\$ 97 ⁹⁵
REE TT695_23	23cm	\$99 95

Zephyr[™] Scissors Stainless Steel Hysterectomy Scissors



Curve Scissors

REF 3685-20	20cm	\$ 97 ⁹⁵
REF 3685-23	23cm	\$ 99 ⁹⁵



Angled Scissors

REF 3695-20	20cm	\$ 97 ⁹⁵
REF 3695-23	23cm	\$ 99 ⁹⁵



Slight Curve Scissors

REF	3680-20	20cm	\$9/**
REF	3680-23	23cm	\$ 99 ⁹⁵



Full Curve Scissors

REF 3690-20	20cm	\$9/99
REF 3690-23	23cm	\$ 99 ⁹⁵

Scissors

Iris Scissors

Straight

REF S3816

11cm Length......\$2895



Curved

REF S3814

11cm Length.........\$3495



Angled

REF S3812

11cm Length......\$3995



Littaur Stitch Scissors

REF S3810

14cm Length.....\$2995



Laminaria Insertion Forceps

Specifically designed for insertion of laminaria.



Needle Holders

Webster Smooth Needle Holder

Smooth jaw

13cm Length......\$3295 REF NHW3400

Mayo-Hegar Needle Holder

Serrated jaw

14cm Length......\$2995 REF NHMH3410-14 16cm Length......\$3195 REF NHMH3410-16 18cm Length........\$3595 **REF NHMH3410-18**

20cm Length......\$3995

Crile-Wood Needle Holder

Serrated jaw

REF NHMH3410-20

REF NHCW3420-15	15cm Length \$31 95
REF NHCW3420-18	18cm Length\$3595
REF NHCW3420-20	20cm Length\$3995
REF NHCW3420-23	23cm Length\$4595



Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode



REF 12-0000 13cm Length


Box of 5**\$42**^s

ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES



Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes





Electrode Handpiece, Foot Activated

For use with standard removable electrodes

Not made with natural rubber latex.


10 foot cable

REF 950

Box of 12...

\$6895





H-Series Loop Electrodes

Precision Depth and Width Control

STERILE EO (Single-Use (2)

Not made with natural rubber latex.

REF 13-1010 10mm x 10mm Box of 5.....

REF 13-1505 15mm x 5mm

\$62⁹⁵ Box of 5.....

REF 13-2005 20mm x 5mm Box of 5.....

\$62⁹⁵

REF 13-2007 20mm x 7mm

Box of 5.....

GYNCX

REF 13-2010 20mm x 10mm

Box of 5.....**\$62**⁹⁵

Square Loop Electrodes

STERILE EO (Single-Use (2)

Not made with natural rubber latex.

GYNEX

REF 19-1004 10mm x 4mm

\$5995 Box of 5.....

GYNEX

REF 19-1010 10mm x 10mm

Box of 5.....



Ball Electrodes

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

STERBLE EO (Single-Use (2))

Not made with natural rubber latex.

REF 2-3-2 3mm Diameter, 13.5cm Shaft

Box of 5......**\$59**95

GYNEX

REF 2-5-2 5mm Diameter, 13.5cm Shaft

Box of 5.....**\$59**95

Needle Electrode

For electro fulguration using coagulation power outputs



STERILE EO (Single-Use (2) Not made with natural rubber latex.

REF 15-0001 26mm Long Needle

Box of 5**\$59**95



GYNEX® Cone Electrodes






The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens


Cone biopsy electrodes allow for smooth rotation, facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.

Triangle Cone Electrode




REF **14-1015** 10mm Radius x 15mm Height Box of 5.....**\$59**95



REF **14-1218** 12mm Radius x 18mm Height Box of 5......**\$59**⁹⁵


GYNCX:


REF **14-1020** 10mm Radius x 20mm Height Box of 5....**\$59**95



REF **14-1220** 12mm Radius x 20mm Height Box of 5.....**\$59**⁹⁵

Contoured Cone Electrode





Electrosurgical Patient Dispersive Pads







Standard Grounding Pad with Cord, Solid-Style


Generators Compatibility

MANUFACTURES	PAD REF#
BEI® Plus II	395-302
CooperSurgical® LEEP® 1000	6050P
CooperSurgical® LEEP® 6000	6050P





Connector shown at ACTUAL SIZE





REF 6010

Box of 12 \$9695

Grounding Pad with Cord, Solid-Style

Generators Compatibility

MANUFACTURES	PAD REF#	
Utah Medical Finess II		
Utah Medical Finesse®	ESU-405	
JIII (•

Connector shown at ACTUAL SIZE



REF 21-809

Box of 12.... \$9695

Grounding Pad with Cord, Split (REM)

Generators Compatibility

MANUFACTURES	PAD REF#
ConMed [®] Sabre [®] 180	402-2204
Wallach® Quantum 2000, 500	909078
Utah Medical Finesse II®+	ESU-420



Connector shown at ACTUAL SIZE





REF 33-714

Box of 12.... \$9695



Key Benefits:

- Cost Effective
- Convenient
- Quick & Easy Assembly
- Available in 2 lengths

Reach Kit



For Practical Paracervical Blocks



The Gynex Reach Kit[™] allows you to **REACH** the injection site with ease. The kit contains everything you need to perform a paracervical block with the option of two convenient lengths. The Gynex Reach Kit[™] is the perfect solution for those looking to reduce cost without compromise. The Reach Kit[™] Cervical Block Procedure Kit is available in two different lengths.

3" Needle Extender

Syringe Hub to Needle Tip: 10.1cm

4" Needle Extender

Syringe Hub to Needle Tip:12.1cm

REF 5140 Box of 6 Kits**\$34**⁹⁵

Each Kit Contains:


- Syringe, 10ml
- Draw-Up Needle, 18 GA
- Needle Extender, 3" or 4"
- Injection Needle, 0.5" 27 GA

Extended Needle Adapters, Luer Hub, REUSABLE

Extends the reach of hypodermic needles

Stainless Steel, Available: 3-6 inch lengths

REF 5120	7.62cm (3") \$29 ⁹⁵	
REF 5122	10.16cm (4") \$29 ⁹⁵	
REF 5124	12.7cm (5") \$29 ⁹⁵	
REE 5126	15.24cm (6") \$ 29 95	



Cartridge Syringe, Screw Hub, REUSABLE

NOTE: This does not work with the Extended Needle Adapter shown above.





Filter, Prefilter and Reducer

for Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, (Single-Use)

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.



STERLE EO (Single-Use (2)

Not made with natural rubber latex

REF 8200

12 Sets.....**\$198**⁹⁵

Prefilter Reducer, Single-Use

Fits into top of Prefilter (REF 8210), and adapts to .375" ID tubing (REF 8200 Tubing Set)



Not made with natural rubber latex .

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

Oty 10**\$52**95

Prefilter, Single-Use



Not made with natural rubber latex

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Oty 10 \$18995

ULPA Filter, Single-Use

NON-STERILE Single-Use

Not made with natural rubber latex

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215

......**\$166**⁹⁵ each

Perfect match for the competitor's smoke evacuator at a far more reasonable price!







CONNECTS WITH

CONNECTS WITH

Tubing and Connectors

for LLETZ Procedures



NON-STERILE Single-Use

Not made with natural rubber latex

Connects Clear-Flue[™] to Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Box of 12... \$2495

Flexible-S Tubing

NON-STERILE Single-Use Not made with natural rubber latex

Connects to DSE Tubing. 1/4" ID,3/8" OD x 2"

REF 8024 Box of 6 \$4495

DSE Tubing

NON-STERILE Single-Use Not made with natural rubber latex

tube clip in speculum Attaches to specula with smoke evacuation clip.

Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 \$8995

Clear-Flue[™] Tubing

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Tubing Connector,

NON-STERILE Single-Use S Not made with natural rubber latex

Connects Clear-Flue[™] to Sterile Vacuum Tubing. 3/8" to 7/8"


REF 8103

Box of 12..... \$22⁹⁵



Inserts into smoke evacuation





procedures.



STERBLE EO (Single-Use ®)

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 "OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets... \$19895

STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270**°. Gynex LLETZ coating must be autoclaved at **250**°. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10-6.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.


Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

Sponge Forceps, Single-Use

NON-STERILE Single-Use ®

Not made with natural rubber latex \blacksquare

Length: 24cm



Topical Anesthetic

HurriCaine® Topical Anesthetic Snap-n-Go™ Swabs

Box of 72

- Fast onset 20 seconds
- Dose .15ml

See product details from manufacturer.

Beutlich® Pharmaceuticals, LLC

REF 0569\$5395

HurriCaine® Topical Anesthetic Spray Kit

2oz Spray Container

- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

See product details from manufacturer.
Beutlich® Pharmaceuticals, LLC

REF 0183 \$7295



LLETZ Instruments

LLETZ-Coated Teneculum

Extremely gentle tissue pickup • Coated Stainless Steel • Length: 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250

.....^{\$}152⁹⁵



OK to Autoclave Read Notice on Page 74 Before Ordering

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$149⁹⁵



LLETZ-Coated Hooks

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230 \$8995

Emmett Tenaculum

REF 3240\$8995

Angle Hook

REF 3245 \$89⁹⁵



LLETZ-Coated Tissue Forceps

Coated Stainless Steel

Length: 21.5cm

REF 3205 \$99⁹⁵

LLETZ-Coated Rulers

Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250

\$105⁹⁵



Width Ruler

Coated Stainless Steel

Millimeter markings

Length: 22cm

REF 3255

.\$105⁹⁵

4-Way Expander Vaginal Speculum

for LLETZ Procedures

The 4-Way Expander Vaginal Speculum designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

Features



Lateral Vaginal Retractor for LLETZ Procedures REF 2430 \$23795 Control side wall collapse during electrosurgery with a GYNEX LLETZ-OK to Coated Lateral Vaginal Retractor. It **Autoclave** Read Notice on Page 74 provides the extra access and visibil-Before Ordering REF 2435 \$23795 ity needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety. REF 2440 \$23795


Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ Open-Sided Speculum

LLETZ Coated



Blade Reference Chart: Shown Actual Size, Scale 1:1



Sullivan Vaginal Speculum

for LLETZ Procedures


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1






Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula


OK to Autoclave Read Notice on Page 74 Before Ordering














Sullivan Stainless Steel Vaginal Speculum


Features


- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place


ideal for bariatric patients












C-Arm is designed to parallel the contour of the patient's leg

No side obstruction like most specula



Lateral Vaginal Retractor


Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



SALE





Blade Reference Chart: Shown Actual Size, Scale 1:1



Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size:105mm long x 38mm wide

REF SA2200 \$299⁹⁵

Guttman Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.

Medium

Large



Greenberg Hysteroscopy Speculum

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.



James Greenberg, MD,

Boston, MA

85mm Greenberg 80mm 75mm 70_{mm} 65mm 60mm 55mm 50mm 45mm 40mm 35mm 30mm 25mm 20mm 15mm 10mm 5mm 0mm


Open-Sided Speculum, STAINLESS




Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.

Titanium Rainbow™ Speculum

Exclusive Titanium Rainbow™ coating extends the life of instruments over traditional stainless-steel. The titanium coated speculum offers increased resistance to corrosion, resilience against impact and low friction coefficient. Titanium Rainbow™ is available in two viewing widths for Pederson and Graves.





GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler to your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500\$29595



AVAILABLE ACCESSORIES

Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$29095



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6\$3995



pHem-Alert® Vaginal pH Test





pHem-Alert® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set

REF pH-99 Box of 12**\$67**⁹⁵

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!



- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

- Low grade bacterial vaginitis
- Borderline serum estradiol

- Bacterial vaginitis
- Low serum estradiol

- **Bacterial vaginitis**
- Low serum estradiol

- **Bacterial vaginitis**
- Very low serum estradiol

pH 7.0

Low to no serum estradiol

Low to no serum estradiol

Instruments Care and Cleaning

Touch-Guard® Hot Beads

Sterilization Beads

- Touch-Guard® Hot Beads provide a safe, effective and convenient way to sterilize surgical instruments.
- No need for potentially dangerous gases, flames, or chemicals to achieve sterilization.
- The specially cast "no-lead" glass beads transmit heat properly and remain intact at high temperatures.
- Simply plunge metal instruments into the hot glass beads for instant sterilization.
- Touch-Guard® Hot Beads are free of pathogens and microbial contaminants.
- Pre-measured containers make it easy to use the right amount of beads for each sterilization cycle.







REF 7106 6-Pack (6-month supply)

REF 7112 12-Pack (1-year supply)

Touch-Guard® Stain-Ex™

Biological & Chemical Stain Remover

- Touch-Guard[®] Stain-Ex[™] is a fast and effective biological and chemical stain remover.
- It removes a variety of stains, including lodinebased stains, Lugol's stain, and medical/ histological stains.
- It can be used on a range of surfaces, including hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment, and hospital linen.
- Touch-Guard[®] Stain-Ex[™] works great on LLETZcoated instruments.

 Application is easy, and stains are removed quickly (in a matter of seconds).





SCAN to SHOP

Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use in automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- · Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- · Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- · Safe for ophthalmic cleaning









REF TG-200

1 Gallon**\$32**95

Touch-Guard® Lubricant

Instrument Lubricant and Rust Inhibitor

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

- Prevents rust, spots, stains and corrosion
- Restores articulation to sticky box-locks and joints
- Withstands high temperatures ad autoclaving
- Steam penetrable, sterizable and ETO sterizable
- Non-oily, non sticky, non-toxic and silicone free





FREE SAMPLE
To redeem your free sample,

contact us (888) 486-4644



SCAN to SHO

REF TG-100 16.9 fl. oz. (500 ml)

\$16⁹⁵

Instrument Repair and Sharpening

Gynex[®] allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex[®] sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Pricing is as follows:

Toll Free: (888) 486-4644 (8:00_{AM}-5:30_{PM} CDT)

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (888) 486-4644. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above

will be refused by GYNEX and return shipped to the customer. The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
 *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufactur-

ers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ascona, Ceramix, Century Uterine Manipulator/Injector. Clear-Flue, C-Safe, Direct-Access, EasyView, HexLoc, i-Series Titanium Rainbow, LiteTouch, LongView, FullView, LVR, NoSlip, New GYNeration, Opal Rainbow, Reach, Reach Extended Needle, RotoTip, Stain-Ex, Titanium Rainbow, Touch-Guard, Villa, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Galileo are registered trademarks of GYNEX Corporation. . Use of these product names is limited to those with written authorization by an officer of **GYNEX Corporation of North Richland** Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Teflon is a registered trademark of DuPont.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas


INDEX

ACETIC ACID	
Alligator Grapser, Gynex®	28
Ascona™ IUD String Snare	30
Accu-Sound®	31
BARIATRIC INSTRUMENTS	
Biopsy Punches	6-14
Tissue Forceps	19
Specula, LLETZ Coated80	
Specula, Stainless Steel82	2-83
BIOPSY PUNCHES	
Amethyst	8
Apex™	
Ceramix™	6
Gold	
Kevorkian Ring Handle	
Eppendorfer	
Medium-Tischler	
Mini-Tischler	
Opal Rainbow™	
Rose Gold	9
Sapphire	
ROTOTip™ Biopsy Punches1	
Sullivan Ring Handle	
Wittner	14
CARE AND CLEANING	
Hot Glass Beads Sterilizer - Touch-Guard®	
Instrument Lubrication - Touch-Guard®	
Instrument Repair and Sharpening	
Low Suds Detergent - Touch-Guard®	92
Stain-Ex [™] Stain Remover - Touch-Guard [®]	92
Stain-Ex [™] Stain Remover - Touch-Guard [®] COLPOSCOPES	92
COLPOSCOPES Galileo®40	6-51
COLPOSCOPES Galileo®40 Accessories for Galileo®41	6-51 52
COLPOSCOPES Galileo®40	6-51 52
COLPOSCOPES Galileo®	6-51 52 1-59
COLPOSCOPES Galileo®	6-51 52 1-59 3-39
COLPOSCOPES Galileo®	6-51 52 1-59 3-39
COLPOSCOPES Galileo®	6-51 52 4-59 3-39 38
COLPOSCOPES Galileo®	6-51 52 4-59 3-39 38
COLPOSCOPES Galileo®	6-51 52 1-59 3-39 38 39
COLPOSCOPES Galileo®	6-51 52 1-59 3-39 38 39 34
COLPOSCOPES Galileo®	6-51 52 1-59 3-39 38 39 34
COLPOSCOPES Galileo®	6-51 52 4-59 3-39 39 35 33
COLPOSCOPES Galileo®	3-51 52 4-59 3-39 38 39 33 33
COLPOSCOPES Galileo®	3-51 52 4-59 3-39 39 34 35 33
COLPOSCOPES Galileo®	3-51 52 4-59 3-39 34 35 33 33
COLPOSCOPES Galileo®	3-51 3-39 3-39 3-39 34 35 33 33 35 36 37
COLPOSCOPES Galileo®	3-51 3-39 3-39 3-39 34 35 33 33 35 36 37
COLPOSCOPES Galileo®	6-51 52 4-59 3-39 38 35 35 35 35 35 35 35
COLPOSCOPES Galileo®	6-51 52 4-59 3-39 38 35 35 35 35 35 35 35
COLPOSCOPES Galileo®	6-51 52 1-59 3-39 38 35 35 35 36 37 90
COLPOSCOPES Galileo®	6-51 52 1-59 3-39 38 35 35 35 36 37 90
COLPOSCOPES Galileo®	3-51 3-39 3-39 3-39 34 35 33 35 37 39 40 61 62 63 65 65 67
COLPOSCOPES Galileo®	3-51 52 4-59 3-39 39 35 33 35 37 90 67 66 65 65
COLPOSCOPES Galileo®	3-51 52 4-59 3-39 39 35 33 35 37 90 67 66 65 65
COLPOSCOPES Galileo®	3-51 52 1-59 3-39 33 35 33 35 36 39 90 67 66

Electrosurgical Patient Dispersive Pads	69
ENDOCERVICAL	10
Curettes - Rainbow™and Stainless	
Kevorkian Curette, Single-Use Lickerish Spiral Curettes	
Specula	
ENDOMETRIAL CURETTE AND SAMPLER	19
SURESAMPLE® <i>Select1</i> Curette	12 12
SURESAMPLE® Sampler	
FORCEPS	.44-45
Foerster Forceps, Stainless Steel	19
Laminaria Insertion Forceps	
Sponge Forceps, Single-Use	
Ovum Forceps	
FETAL DOPPLER - GYNEX®	
GRASPER	
Alligator Grapser - GYNEX®	28
Serpentine Grasper	
HOOKS	20
LLETZ Coated	75
Stainless Steel	
UD INSTRUMENTS	
Ascona™ IUD String Snare	30
Ceramix™ Coated String Scissors	
Crochet Type IUD Removers	
GYNEX® Alligator Grasper	
IUD Insertion Kit, Single-Use -GYNEX®	
IUD String Scissors	25
Serpentine Grasper IUD Remover	28
Single-Use IUD String Scissors	28
Villa™ Hormonal Dissecting Forceps	26
Villa™ Hormonal Implant Remover	27
Willows™ IUD String Snare, Single-Use	29
LATERAL VAGINAL RETRACTORS	
LLETZ	77
Stainless Steel	86
LLETZ COATED INSTRUMENTS	
All Items	
Hooks	
LVR	
Speculum	
Sponge Forceps, Single-Use ®	
MEDICAL EXAM LIGHT - Galileo®	
Medical Exam Light - Accessories	
Medical Exam Light Protective Sheath	
Microscope - Galileo®	
MONSEL'S PASTE	
NEEDLE ADAPTER	71
NEEDLE HOLDERS	
Webster	
Mayo-Hegar	
Crile-Wood	64
DVUM FORCEPS	
Bierer	
Blumenthal	
Jacobson	
Saenger	21

Sopher Original	
PATEL™ MULTI-USE FORCEPS	5,24
PUNCHES	
Keyes	22
Keyes Accessories	22
REACH KIT™ Cervical Block Procedure Tray	70
REPAIRS & SHARPENING SERVICE	93
SCISSORS	
IUD String	25
Titanium Rainbow™	
Zephyr™ Stainless Steel	
Iris Stainless Steel	
Littaur Stitch Scissors	
SMOKE EVACUATION	
Prefilter, Single-Use @	72
Prefilter Reducer	
ULPA Filter	
Tubing	
SPECULA	
LLETZ Coated	
4-Way Expander	76
Graves	
Open-Sided (left/right opening)	
Pedersons	
Sullivan	
Stainless Steel	.,,,,,
Auvard	86
Graves	
Greenberg	
Guttman	
Open-Sided (left/right opening)	
Pederson	
Sullivan	
Titanium Rainbow™	.04-03
Graves	0.0
Pederson	
STERILIZATION NOTICE	
Syringe, Cartridge®	
TABLE OF CONTENTS	I
TENACULA	10
Braun	
Schroeder	
Skene	
Teale	19
TOPICAL ANESTHETIC - HurriCaine®	
Spray Kit	
Swabs	
TRANSIT MAP	
UTERINE MANIPULATOR / INJECTOR - CenturyUN	⁄II [™] 41
UTERINE SOUNDS	
Accu-Sound®	
Sim Sound	
Sim Sound • flex	
VAGINAL PH TESTING - pHEM-ALERT®	
WORD BARTHOLIN CATHETER KIT	24

Transit Map







Toll Free: (888) 486-4644

(8:00am-5:30pm CDT

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made at the time of purchase. This is applicable to orders that are mailed in with a check for payment of the entire order and for credit card orders. COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials were products are already discounted.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.



MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

MAIL TO: GYNEX

P.O. BOX 822369 N. RICHLAND HILLS, TX 76182

FAX TO: (425) 895-0115

BILLING ADDRESS	SHIP TO
Name	Name Address State Zip Fax Contact Person

REF	Qty.	DESCRIPTION	Price Each	TOTAL
				,
				l /

Make checks payable to: GYNE	X Corp.	Total Amount Ordered	
Credit Card Charge:	WISA AMERICAN EXPRESS	5% Discount for Pre-Paid Orders ONLY	
Credit Card Security Code	Exp. Date	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)	\$17.50
Credit Card Number		Sales Tax	
Signature		Total	



6631 Browning Drive, North Richland Hills, TX 7618

Tel: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX

Unprecedented 25% Savings on Single-Use* Products

see pages 2-3



SCAN to SHOP





(888) 486-4644 www.gynex.com



