GYNEX®

Spring 2024

LLETZ ELECTRODES

See pages 2, 66-68



Derek says . . .



As the season of renewal blooms around us, we're thrilled to present our Spring Catalog, brimming with exciting offers and essential tools to enhance your practice. From innovative medical instruments to indispensable supplies, we have everything you need to thrive in your profession.

Featured in this catalog are our acclaimed LLETZ Electrodes – meticulously engineered for precision and performance. With their easy-grip ribbed handles and ultra-thin loop wires, these electrodes guarantee smoother procedures and superior

outcomes. Plus, take advantage of our special Spring Sale discounts to stock up on these essential tools at unbeatable prices!

Whether you're restocking your clinic or upgrading your equipment, now is the perfect time to seize incredible deals and elevate your practice to new heights. Don't miss out on this opportunity to invest in quality instruments while saving big during our Spring Sale.

Browse our catalog today and spring into savings with confidence!

Thank you for choosing Gynex as your partner in women's healthcare. We look forward to serving you and being an integral part of your continued success.

Thank you,

Derek Mancini, MBA

Derek Mancini

Vice President of Sales, GYNEX® Corporation

Look for myself or other Gynex representatives at the following upcoming shows:

ASCCP Scientific Meeting – New Orleans, LA – May 2th – 4th

ACOG Annual Meeting – San Francisco, CA – May 17th - 19th

ASCCP Comprehensive Colposcopy – San Diego, CA - July 10th – 12th



Stephen J. SullivanPresident and CEO, GYNEX® Corporation

1996 – 1999 International Medical Consultant
1993 – 1995 President, CooperSurgical® International Division
1991 – 1993 President, Euro-Med™ Division of CooperSurgical®

1978 – 1991 Founder and President of Euro-Med®, Inc.



Table of Contents

Monsel's Ferric Subsulfate Paste	3
Acetic Acid	3
Spring Sale	4
Patel™, Multi-Use Forceps	5
BIOPSY PUNCHES	6-14
Ceramix™ Biopsy Punch	6
Opal Rainbow™ Biopsy Punch, Titanium	7
Amethyst Biopsy Punch, Titanium	8
Sapphire Biopsy Punch, Titanium	8
Gold Biopsy Punch, Titanium	9
Rose Gold Biopsy Punch, Titanium	9
Tischler Biopsy Punch, Stainless	10-11
Rotating Biopsy Punches, Stainless - ROTO Tip™	12-13
Ring Handle Biopsy Punches, Stainless	14
Other Biopsy Punches, Stainless	14
HOOKS	15
ENDOMETRIAL CURETTES	15
ENDOCERVICAL CURETTES	16
Lickrish Spiral Curettes	17
Curette Sharpening File	17
TENACULUMS	18-19
ENDOCERVICAL SPECULUM	19
FOERSTER FORCEPS	19
Bariatric Tissue Forceps, 1x2 teeth	19
OVUM FORCEPS	20-21
KEYES PUNCHES	22
Word Bartholin Catheter Kit	23
	20
Patel™, Multi-Use Forceps	
Patel™, Multi-Use Forceps IUD SECTION	
•	24
IUD SECTION	24
IUD SECTION CERAMIX™ Coated IUD String Scissors	24 25 25
IUD SECTION CERAMIX™ Coated IUD String Scissors IUD String Scissors	24 25 25 26
IUD SECTION CERAMIX™ Coated IUD String Scissors IUD String Scissors Villa™ Hormonal Dissecting Forceps	2425252627
IUD SECTION CERAMIX™ Coated IUD String Scissors IUD String Scissors Villa™ Hormonal Dissecting Forceps Villa™ Hormonal Implant Remover	2425252626
IUD SECTION CERAMIX™ Coated IUD String Scissors IUD String Scissors Villa™ Hormonal Dissecting Forceps Villa™ Hormonal Implant Remover	2425262728
IUD SECTION CERAMIX™ Coated IUD String Scissors IUD String Scissors Villa™ Hormonal Dissecting Forceps Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX®	242526272828
IUD SECTION CERAMIX™ Coated IUD String Scissors	2425262728282829
IUD SECTION CERAMIX™ Coated IUD String Scissors	2425262728282829
IUD SECTION CERAMIX™ Coated IUD String Scissors	2425262728282829
IUD SECTION CERAMIX™ Coated IUD String Scissors	242526272828282930
IUD SECTION CERAMIX™ Coated IUD String Scissors	24252627282828293031
IUD SECTION CERAMIX™ Coated IUD String Scissors	24252627282829303132
IUD SECTION CERAMIX™ Coated IUD String Scissors	242526272828293031323233-39
IUD SECTION CERAMIX™ Coated IUD String Scissors	242526272828293031323233-39
IUD SECTION CERAMIX™ Coated IUD String Scissors	242526272828293031323233-3940
CERAMIX™ Coated IUD String Scissors	2425262728282930313232332343434313231323131
IUD SECTION CERAMIX™ Coated IUD String Scissors	24252627282829303132323332344142-4344-45
CERAMIX™ Coated IUD String Scissors	2425262728282930313232334142-4344-4546-51

Galileo® Binocular Microscope	
COLPOSCOPES - CO Series	54-59
Galileo® Medical Exam Light	60-61
Accessories for Galileo® Medical Exam Light	60
Touch-Guard® Single-Use Protective Sheath	61
HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
HYSTERECTOMY SCISSORS - Titanium Rainbow [™] / Zephyr [™] .	63
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
Laminaria Insertion Forceps	64
Electrode Extender / Electrode Handpieces	65
LLETZ ELECTRODES	66-68
Electrosurgery Patient Dispersive Pads for LLETZ Procedure	69
Reach Kit™ - Cervical Block Procedure Tray	70
Extended Needle Adapter and Accessories	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	73
Sponge Forceps, Single-Use ®	74
Topical Anesthetic - HurriCaine®	74
STERILIZATION NOTICE for LLETZ Coated Instruments	74
LLETZ COATED INSTRUMENTS	
Tenacumlum	75
Hooks	75
Forceps	
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum	80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	82-83
Sullivan Speculum	84-85
Lateral Vaginal Retractors	
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Titanium Rainbow™ Speculum	89
Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	
pHem-Alert® Vaginal pH test	91
Instrument Care and Cleaning	
Hot Glass Beads Sterilizer - Touch-Guard®	
Low Suds Detergent Concentrate - Touch-Guard®	
Stain Ex™ Stain Remover - Touch-Guard®	
Instrument Lubricant - Touch-Guard®	
Instrument Repair and Sharpening	
INDEX	
ORDER INFORMATION	
ORDER FORM	97

Explore our wide selection of LLETZ electrodes.

Precision - Control - Reliability

- Easy Grip Ribbed Handle
- 0.20mm Ultra-Thin Loop Wires
- HexLoc[™] Anti-Rotation System
- Molded Blister Tray Packaging

To learn more, see pages 66-68

Monsel's Ferric Subsulfate Paste 20-22%

Monsel's is a pre-thickened formulation of the popular hemostatic agent. Apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use (2)

REF 5055 Box of 12 \$197⁹⁵

Helps control bleeding after biopsy, LLETZ and laser procedures.




Acetic Acid 5%

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

Helps enhance the appearance of abnormal areas.

REF AA312

Box of 12 \$8995



Hysterectomy Scissors, Titanium Rainbow™ see page 63

INSTRUMENTS

Saenger Ovum Forceps, see page 21

> Ball Electrode **REF** 2-3-2

> see page 67

Tischler Biopsy Punches, REF 1020, 1019, 1022, 1021

see page 10

Lateral Vaginal Retractor see page 86

bring

H-Series Electrode **REF** 13-1505, 13-2005

see page 67

Hysterectomy Clamps, The Original Zephyr™

see page 62

Cartridge Syringe see page 71

Hysterectomy Scissors, Titanium RainbowTM

see page 63

Hysterectomy Clamps, Titanium Rainbow™

see page 62

PateI[™] Multi-Use Forceps



Introducing the **Patel™** Multi-Use Forceps - One instrument that every gynecologist needs in their practice.

With its patent-pending design, the **Patel**[™] excels at multiple functions:

- IUD Remover
- Sponge / Foerster Forceps
- Needle Holder
- Atraumatic Tissue Grasper
- More!

REF NHL3450 \$119⁹⁵

The Patel is the Swiss Army Knife of Gynecology

To learn more, see **page 24**



CERAMIX™ Biopsy Punches

Our sharpest, longest lasting biopsy punch

CERAMIX™ coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Sharper up to 10 times longer than ordinary stainless steel with incomparable cutting-edge hardness. See Hardness Comparison Chart below.

- · Single anchoring tooth on top and bottom jaws
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient
- Tip Locking Tab

Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.





CERAMIX™

Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF 1060

20cm Shaft**\$525**95



CERAMIX[™]

Tischler

Actual Bite Size: 5mm x 3mm

REF 1065

20cm Shaft**\$525**95



CERAMIX™

Tischler

Actual Bite Size: 7mm x 3mm

REF 1070

20cm Shaft**\$525**⁹⁵



CERAMIX™

Apex™

Actual Bite Size: 7mm x 3mm

REF 1075




Sure-Lock - the thumb locking mechanism.



Opal Rainbow™ Biopsy Punches, TITANIUM

Designed for excellence • Manufactured for durability

Exclusive Titanium coating extends the life of instruments over traditional stainless-steel. The titanium coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer.



Tip Locking Tab



OPAL RAINBOW™ Tischler

Actual Bite Size: 7mm x 3mm





Tischler

REF TT010 20cm Shaft \$43495

REF TT035

25cm Shaft, Extra-Long \$444⁹⁵



Tischler, Tip Up

REF TT011 20cm Shaft \$43495

REF TT036

25cm Shaft, Extra-Long \$444⁹⁵ bariatric



Tischler, Tip Down

REF TT012 20cm Shaft \$43495

REF TT037

25cm Shaft, Extra-Long \$444⁹⁵

OPAL RAINBOW™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler

REF TT005 20cm Shaft \$43495

REF TT030

25cm Shaft, Extra-Long \$444⁹⁵



Mini-Tischler, Tip Up

REF TT006 20cm Shaft \$43495

REF TT031

25cm Shaft, Extra-Long \$444⁹⁵



Mini-Tischler, Tip Down

REF TT007 20cm Shaft \$43495

REF TT032


25cm Shaft, Extra-Long \$444⁹⁵



SAPPHIRE BIOPSY PUNCHES, TITANIUM







TISCHLER BIOPSY PUNCHES STAINLESS

The Best Selling Design in The World



Tischler

Actual Bite Size: 7mm x 3mm

Tischler

REF 1010	20cm Shaft	\$414 ⁹⁵
REF 1035	25cm Shaft	\$424 ⁹⁵



Tischler, Tip Up

	4040	20cm Shaft	\$/1	/ 195	i
REF	1012	20cm Shatt	"4 1	43	•



Tischler, Tip Down

	-	
DEE 101/	20cm Shaft	\$Д1Д95



Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1005	20cm Shaft 414
REF 1030	25cm Shaft ^{\$} 424 ⁹⁵

bariatric



Mini-Tischler, Tip Up

REF 1006	20cm Shaft	\$ 414 9!
KEL TOOP	Zucm Snart	717



Mini-Tischler, Tip Down

DEE	1007	20cm Shaft	\$414 95



SALE

Tischler, Tip Left



Tischler, *Tip Right*

REF 1019 20cm Shaft......\$29995



Mini-Tischler, Tip Left

REF 1022 20cm Shaft.....\$29995



Mini-Tischler, Tip Right

REF 1021 20cm Shaft.....\$29995



Medium Tischler

• Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 5mm x 3mm



REF 1008 20cm Shaft\$41495

bariatric



Tischler Kevorkian

Single anchoring tooth on top and bottom jaws

• Tip Locking Tab

• High Quality Stainless Steel

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 9mm x 3mm


Tischler-Kevorkian

Size. Sillili X Sillili

REF 1015 20cm Shaft**\$414**95

REF 1037 25cm Shaft, Extra Long........ \$424⁹⁵

bariatric



Kevorkian

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Tip Locking Tab

Actual Bite Size: 9mm x 3mm


REF 1029 20cm Shaft**\$414**95



ROTATING BIOPSY PUNCHES STAINLESS



ROTO TIP™ rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



ROTO TIP™ Tischler

Actual Bite Size: 7mm x 3mm

Tisc	h	Δr
1136		

REF 1200-10

Complete Punch \$49595

REF 1210 Extra Tip\$299⁹⁵ Tischler, Tip-Up

REF 1200-30

Complete Punch\$49595

REF 1230

Extra Tip\$29995

Tischler, Tip-Down

REF 1200-20

Complete Punch\$49595

REF 1220

Extra Tip\$299⁹⁵







ROTO TIP™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1200-05

Complete Punch\$49595

REF 1205

Mini-Tischler, Tip-Down

REF 1200-15

Complete Punch\$49595

REF 1215

Extra Tip\$299⁹⁵

Mini-Tischler, Tip-Up

REF 1200-25

Complete Punch\$49595

REF 1225

Extra Tip\$299⁹⁵







ROTO TIP™ Oval

Actual Bite Size: 5mm x 3mm

ROTO TIP™ Kevorkian

Actual Bite Size: 9mm x 3mm



Oval Tip

REF 1200-35

Complete Punch\$49595

REF 1235

Extra Tip\$29995

Kevorkian Tip

REF 1200-40

Complete Punch\$49595

REF 1240











RING HANDLE BIOPSY PUNCHES STAINLESS



Sullivan Ring Handle Punch

• Excellent for stenotic cervix

• Small handle / Mini tip

Actual Bite Size: 4mm x 2mm

REF 1050

24cm Shaft**\$414**95



Kevorkian Ring Handle Punch

• Traditional Kevorkian bite

· Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm

REF 1053

25cm Shaft**\$414**95



OTHER BIOPSY PUNCHES STAINLESS



Apex™

- V-shaped anchoring jaw on the top and bottom
- Tip Locking Tab

Available: Standard 20cm L • Extra-Long 25cm L

Actual Bite Size: 7mm x 3mm





20cm Shaft\$414⁹⁵ REF 1025

REF 1039

25cm Shaft,Extra Long.......... \$42495

bariatric



HOOKS

Angle Hook

REF 3225 26cm Length \$4995



2-Prong Hook



Iris Hook

REF 3210 26cm Length \$4995



Emmett Tenaculum

REF 3227 26cm Length \$5995

REF 3220 26cm Length \$4995



ENDOMETRIAL CURETTES

Novak Curette

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3302\$**57**95

Shaft/Tip Size: 3mm

REF 3303\$**57**95

Shaft/Tip Size: 4mm

REF 3304





Randall Curette

· Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3310\$**57**95

Shaft/Tip Size: 3mm

REF 3312\$5795

Shaft/Tip Size: 4mm REF 3314\$**57**95





ENDOCERVICAL CURETTES

Kevorkian Curette

with Basket Square Tip

Basket helps hold the sample during the curettage procedure.

Basket Size: 10.5mm x 2mm



Titanium Rainbow\$8695

REF 3005

REF TC3005

Kevorkian Curette Square Tip

Basket Size: 12mm x 2mm

REF TC3010

REF 3010
Stainless Steel \$7995

Dublin Curette RoundTip

This curette provides samples when aggressive scraping is necessary for hard to sample tissue.

REF TC3025

10.00

REF 3025

Kevorkian Curette

with Basket RoundTip

Basket helps hold the sample, and the rounded tip allows easier insertion.

Basket Size: 11.5mm x 2mm



REF TC3015

REF 3015

Townsend Curette

This curette has the benefit of a small pointed tip that allows easier penetration of the Os.

REF TC3020



Basket Size: 7mm x 1.3mm



REF 3020

Basket Size: 7mm x 1.3mm

EndoCurette ECC

This curette is inserted into the canal and rotated to samples from the on two sides.

REF 3050

Stainless Steel \$8295

32cm Lenght



LICKRISH SPIRAL CURETTES

The innovative Endocervical Lickrish Spiral Dual-Purpose Curette was pioneered by Dr. Gordon M Lickrish, former director of the colposcopy unit at University Health Network in Toronto. With its titanium-coated spiral design, this instrument offers enhanced resistance to corrosion and remarkable durability against impact. Specifically designed for cases of complete or severe partial cervical stenosis, this unique curette proves to be the ideal solution. It enables tissue sampling in situations where a standard curette is too large for insertion. The tip can be gently guided through the Os, while simultaneously advancing and rotating.

- Enables curettage in narrow endocervical canals, surpassing standard curette limitations
- Enables sampling in situations where a normal curette cannot access due to cervical stenosis
- Acts as a cervical dilator, ensuring precise sampling of the cervix or endometrium
- Provides dual functionality, enhancing the effectiveness and versatility of the instrument

Titanium Cobalt



Titanium Rainbow

REF TC3040 21cm Length \$8695



Stainless Steel

REF 3040 21cm Length \$8295

Curette Sharpening File

A small tapered diamond-coated sharpening stone, helps keep your curette sharp.

REF CSF3900\$3495



Kevorkian Curette, Single-Use

Features a consistently sharp tip modeled after the highly popular Curette with Basket and Round Tip. Designed with a firm handle that maintains stability under pressure, enabling improved maneuverability during the procedure. The angled handle provides enhanced leverage

for more effective curettage. Box of 25.....**\$77**95

REF 3030

STERILE EO (Single-Use (2) Not made with natural rubber latex.

Total Length: 31cm Inner Basket OD: 3mm Working Length: 16cm

OD: 4mm



TENACULUMS

Braun Tenaculum

LiteTouch™ TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2230	25cm Lenath	\$56 ⁹⁵
KEF 1223U	zocm i enath	

Angled Handle

REF	T2235	25cm Length	\$ 62 95
-----	-------	-------------	-----------------

Standard TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502	25cm Length	\$ 56 ⁹⁵
REF B230	30cm Length	\$64 ⁹⁵

Angled Handle

REF 3532	25cm Length	\$ 65 ⁹⁵
----------	-------------	----------------------------



Schroeder Tenaculum

LiteTouch™ TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T	2222	25cm Length	\$56 95
-------	------	-------------	----------------

Angled Handle

REF T2225	25cm Length	\$ 62 ⁹⁵
TREE I / / / 7	7.3CHH	· UZ

Standard TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3500	25cm Length	" 26 ₂
REF B130	30cm Length	\$64 ⁹⁵

Angled Handle

REF 3530	25cm Length	. \$65 95
----------	-------------	------------------

Double Tooth



Straight Handle

REF 3501	Length 25cm	\$65 ⁹⁵
KEF 35U I	Lengin Zacm	, (1)=1

Teale Tenaculum

Slight Curve

REF 3536 23cm Length \$56⁹⁵



ENDOCERVICAL SPECULUM

Length: 27cm

Ratchet Handle

No Ratchet

REF 2030 3mm Tip\$187⁹⁵



Skene Tenaculum

Slight Curve

REF 3534 24cm Length \$56⁹⁵



FOERSTER FORCEPS



Straight Handle

Angled Handle

REF 3542 24cm Length \$65⁹⁵

Bariatric Tissue Forceps

Hold and manipulate various tissue.

REF BTF25 25cm Length**\$59**95



End view - Tip Detail

OVUM FORCEPS

Sopher Ovum Forceps

Sopher Original

Sopher Standard

Length: 25.5cm (10") <i>Curved Jaw</i> 11mm		
REF 3544	Ratchet Handle \$114 95	
REF 3546	No Ratchet\$10995	



Sopher Original "lips" protect surrounding tissue

Sopher Jaw Actual Size: 11mm

Sopher Jaw Actual Size: 12mm

12mm



Sopher Original Jaw Open




Length: 25.5cm (10") Curved Jaw 14mm		
REF 3552	Ratchet Handle	^{\$} 119 ⁹⁵

DEE	2554	No Batchot	\$114 ⁹⁵
NEF	3334	NO Hatchet	



Sopher Standard Jaw Closed



REF 3556	Ratchet Handle	^{\$} 114 ⁹⁵
REF 3556	Ratchet Handle	*114**

REF 3558	No Ratchet	^{\$} 109 ⁹⁵
----------	------------	---------------------------------



Length: 33cm (13") Curved Jaw 12mm



Sopher Standard Jaw Open







Sopher Jaw Actual Size: 14mm

Bierer Ovum Forceps

	_			
Length: 28cm (11") Straight Jaw 16mm				
REF 3572	Ratchet Handle	\$114 95		
REF 3574	No Ratchet	\$109 ⁹⁵		
Length: 28cm (11") Straight Jaw 19mm				
REF 3576	Ratchet Handle	\$119 95		
REF 3578	No Ratchet	\$114 95		
Length: 33cm (13") Straight Jaw 16mm				
REF 3580	Ratchet Handle	\$119 ⁹⁵		
REF 3582	No Ratchet	\$114 95		
Length: 33cm (13") Straight Jaw 19mm				

REF 3586 No Ratchet \$11995



Bierer, Jaw Open

Jacobson Ovum Forceps

Length: 28cm (11") Straight Jaw 20mm				
REF 3588	No Ratchet	^{\$} 114 ⁹⁵		

Le	ength:	33cm (13") S	Straight Jaw 20mn	n
RE	F 3590	No Ratchet	^{\$} 11	4 95



Jacobson, Jaw Open

Blumenthal

Blumenthal Ovum Forceps

Length: 28cm (11") Straight Jaw 20mm				
REF 3592 No Ratchet				
Length: 33cm (13") Straight Jaw 20mm				
REF 3594 No Ratchet \$119 ⁹⁵				



Blumenthal "lips" protect surrounding tissue

SALE

Saenger Ovum Forceps

Length: 26.5cm (10.5") Straight Jaw 16mm				
REF 3596	Ratchet Handle	\$114 ⁹⁵		
REF 3598	No Ratchet	\$109 ⁹⁵		
Length: 26.5cm (10.5") Curved Jaw 16mm				
REF 3600	Ratchet Handle	\$114 ⁹⁵		
REF 3602	No Ratchet	\$109 ⁹⁵		



Saenger Inner diameter teeth within oval jaws

Keyes Vulvar Punch

Features a sharpened round tip, ideal for obtaining vertical core samples from the vulvar epithelium. Designed with a sturdy handle specifically for easy ejection of lodged specimens.

■ 2mm Tip

REF 1302\$4595

■ 4mm Tip

REF 1304\$4595

■ 6mm Tip

REF 1305\$4595



REF 1307

....\$45⁹⁵

Keyes Vulvar Punch

Single-Use

REF 1306\$4595

STERILE EO Single-Use ®

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum

control and comfort. Box of 25.

• 2mm Tip

REF 1322\$4995

• 4mm Tip

REF 1324\$4995

• 6mm Tip

REF 1326\$4995



Keyes Vulvar Punch Set

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip to stabilize tip while attaching handle. **Tip Sizes:** 2mm - 7mm

REF 1310 Set.......\$229⁹⁵

Keyes Punch Accessories Kit

The perfect accessory kit for your Keyes Punch set. This kit includes a small forceps for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315\$9495



Word Bartholin Catheter Kit



Not made with natural rubber latex.




The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

Outpatient Treatment for Bartholin gland cysts and abscesses.



PATEL[™]

Multi-Use Forceps




Patel[™] Multi-Use Forceps - One instrument that every gynecologist needs in their practice. With its patent-pending design, the Patel[™] excels at multiple functions!





Atraumatic Tissue Grasper



IUD Remover



Sponge Forceps



Needle Holder

IUD SECTION page 25 - page 30

ONYX IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

Onyx Titanium Coated Stainless Steel

KEY ADVANTAGES

- Incomparable cutting-edge hardness
- · Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040 \$10995



Our popular IUD String Scissors are now more durable and sharper than ever!



Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm

REF 29-030 \$85⁹⁵






VILLA™



Hormonal Implant Dissecting Forceps

The Villa™ Hormonal Implant Dissecting Forceps and Implant Remover make the perfect pair in the event that an implant is not visible upon incision. After making an incision, some implants remain difficult or impossible to view. If this is the case, the dissecting forceps, with pointed tip, can be opened and closed to separate the tissue encapsulating the implant. This will allow the remover to grasp, hold, and retract the implant.



$\mathbf{VILLA}^{\mathsf{m}}$



Hormonal Implant Remover

The Villa[™] Hormonal Implant Remover is a clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®]. A small, ring tip secures around the mid-point of the implant for modified "U" technique.

Villa™ Hormonal Implant Remover, Straight

REF 29-800 \$5295

Villa™ Hormonal Implant Remover, Angled

REF 29-900 \$5295




Villa™ Hormonal Implant Remover, Set


Includes: 1 Straight, 1 Angled

REF 29-850 \$89⁹⁵



Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon®, using a modified "U" technique.







IUD String Scissors, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

Metal Tip / Plastic Handle

· Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065

Box of 12**\$47**95



Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size



GYNEX'
Original!

Serpentine Grasper IUD Remover

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel


KEY ADVANTAGES

- Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$314⁹⁵



IUD Remover, Crochet Style, Single-Use



Rounded Tip, Angled, Dual Grasping Slots

Length: 26.5cm

REF 29-200 Box of 12**\$54**⁹⁵

GYNEX'

Willows[™] IUD String Snare, Single-Use

STERILE EO Single-Use

Not made with natural rubber latex.

Rounded Tip, Multiple Grasping Slots

· High quality malleable plastic

Length: 27cm



GYNEX

IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$829!





Rounded Tip, Angled, Dual Grasping Slots

• High quality malleable metal


Length: 26cm

REF 29-025 \$92⁹⁵

ASCONA™ IUD String Snare

Allows gentle removal of IUD

The rotating handle provides a way to the string in the hook tip. Pulling back on the handle secures the string at the tip. Once secured, the AsconaTM allows the user to gently pull out and remove the IUD. The AsconaTM is easily disassembled for cleaning and sterilization. The locking tab can be loosened to remove the hook and flexible shaft.



Gynex® IUD Insertion Kit, Single-Use



UTERINE SOUNDS

ACCU-SOUND® Uterine Sound, Single-Use



The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® into the uterus, the ring rests against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.

Length: 24cm

Shaft Diameter: 3mm

REF 4950


Box of 25 \$72⁹⁵





Not Shown at Actual Size

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.



Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.



Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND®

Sims Sound • flex, Single-Use







Gynex has improved the Sims Sound. Engineered from specifically formulated memory polymer, the Sims Sound Flex formable shaft enhances the providers ability to pre-shape the sound to meet each patient's unique physical requirements. Bold, laser-etched markings along the shaft provide clear, reliable measurements.

• Formable Memory Polymer

OD 4mm

Working Length: 16.6cm

REF 4630

Box of 25**\$57**95



GYNEX.

Not Shown at Actual Size

OTHER SIMS SOUNDS

Sims Sound Plus+, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

• Malleable plastic

• OD 4mm

Length: 24cm

REF 4675

Box of 25

\$5995

Sims Sound, Single-Use

STERILE EO Single-Use S

Not made with natural rubber latex.

• Malleable plastic

• OD 4mm

Length: 16.6cm

REF 4601

Box of 25

\$**52**95

GYNEX

Not Shown at Actual Size

GYNEX

Not Shown at Actual Size

Sims Sound, REUSABLE

• Autoclavable

• OD 4mm

Length: 32cm

REF 4334

Stainless Steel, Non-Malleable \$4595

REF 4336

Stainless Steel, Malleable\$4795



UTERINE DILATORS

Mini Dilator Set

Set of 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm

Dots show actual diameter in mm

The show actual diameter in m

REF 4005 Set.....\$17995



Extra Mini Dilator Tips

(Fits **REF**] 4005 Handle)

Sizes: 4mm and 5mm Available only from GYNEX


REF 4005.4 4mm......\$4595

REF 4005.5 5mm.....\$45⁹⁵









Soft Dilators, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These color coded dilators are soft and malleable allowing the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm **Overall Length:** 21.5cm

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4212 Box of 12\$55⁹⁵

Soft Dilator, Fundus Finder


Used for establishing the entire length of the cervical canal from external Os to the internal Os.


Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4223 Box of 24**\$99**⁹⁵







Soft Teflon Dilators, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered Tip Length: 23mm **Overall Length:** 21.5cm

REF 4201 \$44⁹⁵

Soft Teflon Dilator, Canal Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4202 \$44⁹⁵

Soft Teflon Dilator, Fundus Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4203 \$44⁹⁵

Great Value!

SAVE on a SET of 3 Dilators

STERILE / Reusable OK to Autoclave

STERILE / Reusable

OK to Autoclave

Soft Teflon Dilators Set, REUSABLE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200 Set of 3 \$99⁹⁵

Soft Teflon Dilators Set, REUSABLE NON-STERILE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4300 Set of 3 \$9695

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.

Dennis Dilators®, Single-Use



5mm to 12mm

- Dual sizes on each dilator
- Number on handle for easy identification
- Ergonomic handle
- Soft plastic

Overall Length: 27cm

5-6mm Dilator

REF 4240	Box of 12	\$ 62 95
-----------------	-----------	-----------------

7-8mm Dilator

REF	4245	Box of	12		\$ 62 ⁹⁵
-----	------	--------	----	--	----------------------------

9-10mm Dilator

REF 4250	Box of 12	\$ 62 ⁹⁵
IREF 4ZJU	DUX UL 17	

11-12mm Dilator

REF 4255	Box of 12	\$62 ⁹⁵
KEF 4233		······································

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover





Dennis Dilators® Set, REUSABLE

STERILE EO

Not made with natural rubber latex.

$\sqrt{}$

STERILE / Reusable OK to Autoclave

5mm to 14mm

- Dual sizes on each dilator
- Soft plastic
- STERILE Sealed in procedure blister trays
- Reusable sterilize after use (fully autoclavable)

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5**\$99**⁹⁵

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover





Dots show actual diameter in mm

9mm

11mm

13mm

7mm

5mm

UTERINE CURETTES

Sims Uterine Curette

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size















Size 00

Size 0

Size 1

Size 2

Size 3

Size 4

Size 5

Size 6

REF CSU3900-9

Size 00: 10.5×4.0 mm, Sharp, Rigid....... 72^{95}

REF CSU3900-0

REF CSU3900-1

REF CSU3900-2

REF CSU3900-3

\$7295 Size 3: 16 x 7mm, Sharp, Rigid

REF CSU3900-4

REF CSU3900-5

REF CSU3900-6



Bumm Uterine Curette

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size







Size 1

REF CBU3920-1 Size 1: 48 x 25mm \$7295

REF CBU3920-2

Size 2

Size 2: 52 x 30mm \$7295

REF CBU3920-3

Size 3: 62 x 35mm\$7295

Size 3

Century UMI™ **Uterine Manipulator/Injector**





The Century UMI™ Uterine Manipulator is easy-to-use and designed for patient safety. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Specifications

- Cannula length: 33cm
- OD 4.5mm
- Luer Lock Syringe 10cc

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Reduced cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os


LOW PRICE!

Low unit price, \$19.16 each

REF 10-160

Box of 12**\$229**⁹⁵

Passing Savings To You!



Now including a 10cc luer lock syringe for your convenience!

suresample · Select 1

Endometrial Curette



Suresample® *Select1* is a uniquely designed curette for sampling the uterine endometrium, ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction.

Features

- Randall-Style sharp cutting-edge
- · Semi flexible curette with slight curve
- Highly visible 1cm markings on cannula
- Cannula length: 8-1/8" (20.5cm)
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- OD 3mm
- 10mL standard syringe with Twist-and-Lock plunger



REF 3130	Box of 5	\$34 95
REF 3135	Box of 24	\$139 ⁹⁵

The unique design and special features allow for better accuracy and a more reliable sample.

suresample • Select 1

Endometrial Curette

Simple, Safe and Effective

Tapered tip for easier insertion.

Randall - Style sharp cutting edge.



DEPTH MARKER

Set the desired curette marker depth after sounding the uterus. This depth marker acts as a visual aid to reduce the risk of perforation.

TWIST AND LOCK PLUNGER

The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen



The endometrial sampler with a proven track record!

SUTE Sample® Endometrial Sampler


The Suresample® Endometrial Sampler has been trusted by doctors for over *25 years*

Our patented 3-port sampling system doubles the harvested samples of tested competitors and allows easy retrieval with reduced cell damage. A much greater histological adequacy and integrity than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, Suresample® is the finest endometrial sampler.

Suresample® formable shaft memory allows physicians to **pre-shape shaft** to meet each patient unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, but strong enough to go through a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizing patient discomfort.



AMOUNT OF BIOPSY TISSUE



Better performance than other brands

Suresample® Endometrial Sampler retrieves more than twice the harvest of its competition!

<u>sure</u>sample[®] **Endometrial Sampler**



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- Grip retraction creates a strong internal vacuum.
- Two phase action between the ports and grip produces a higher yield of tissue sample in an amazingly controlled manner.
- Formable memory shaft allows you to shape the sampler to meet each patient's physical requirements.
- Tensile strength and rigidity allow conformity but also provide enough strength to fit through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process simply push the SURESAMPLE® Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.

Specifications

- STERILE, Single-Use

3mm shaft diameter 24cm shaft length Box of 25.....**\$129**⁹⁵ **REF** 3115 Formable Shaft Expel Vacuum **Extended Piston Outer Shaft Control Cuff** Grip

GalileO® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Galileo® Colposcope Direct-Access™530VCDA features a three-step magnification with integrated LED light and HD video camera. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 530VCDA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Direct-Access™ Offset Center Post (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video
 (Allows for live feed and image/video capture)

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 530VCDA • Three-Step Magnification with Integrated LED Light and HD Video Camera

1 Year Extended Warranty: REF 530VCDA T/R-1 \$575°0 2 Year Extended Warranty: REF 530VCDA T/R-2 \$825°0

Eye-Shields LED Bulb Cover (Removable) Diopter Knobs Rheostat Knob Green Filter Knob **Head Inclination** Three-Step Adjusting Knob Magnification Knob ▶ Direct-Access[™] Feature Fine Focus Handle Fine Height Adjustment Handle **HDMI Video Connection Gross Height** Adjustment Knob ROLLING BASE with 5 locking wheels is a highly portable industry standard On/Off Switch and with a clean, sleek design. Power Indicator Light TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 530VCDA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

GalileO® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 400DA features a three-step magnification with integrated LED light. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 400DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

 Direct-Access[™] Offset Center Post (Eliminates an obscured view and provides a direct visual and easy access)

 Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)

Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)

 Low voltage DC power (Eliminates the need to replace fuses)

 LED Illumination System (Accurate color balance, cool to the touch, long bulb life)

- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

• Focal Length: ± 300mm

• Magnification: 3.75X, 7.5X, 15X

• Field Of View: 79mm, 39mm, 19mm

• Depth Of Field: 4.5mm, 1.13mm, 0.76mm

• Light Intensity: > 30,000 LUX

• Working Height: 975mm to 1135mm

• Power Supply: 100V to 240V

Warranty: 1 Year - Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 400DA • Three-Step Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 400DA-R\$5,99500

with a 360° rotating Tilt Base: REF 400DA-T\$5,99500

1 Year Extended Warranty: REF 400DA T/R-1 \$450°0 2 Year Extended Warranty: REF 400DA T/R-2 \$645°0



GalileO® Colposcope Direct-Access™ 400DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

GalileO® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Galileo® Colposcope Direct-Access™ 200DA features single magnification with integrated LED light. The offset center post provides a direct visual and easy access. Combining modern technology with classic aesthetics, the Galileo® Colposcope Direct-Access™ 200DA is a piece of art designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Direct-Access[™] Offset Center Post (Eliminates an obscured view and provides a direct visual and easy access)
- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



Galileo® Colposcope Direct-Access™ 200DA • Single Magnification with Integrated LED Light

with a 5-wheel Rolling Base: REF 200DA-R\$4,99500

with a 360° rotating Tilt Base: REF 200DA-T\$4,99500

1 Year Extended Warranty: REF 200DA T/R-1 \$375⁰⁰ 2 Year Extended Warranty: REF 200DA T/R-2 \$535⁰⁰



GalileO® Colposcope Direct-Access™ 200DA

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Color Balance



360° Tilt Base

Easy Maneuverability

ACCESSORIES

for GalileO® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer.

REF VC-Magewell\$31495



Cut the Cord!

Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with a built-in rechargeable battery for your convenience, and can easily be recharged. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Stand Base REF 450MS\$2,69500

Monitor Only (without base) REF 450M\$32495

(Note: Actual monitor shipped may be different than model shown)

Galileo® Binocular Microscope

Specifications

• Condenser Numerical Aperture: Na = 1.25

• Stage Movement Range: Longitudinal 50mm, Transverse 75mm

• Fine Focusing: Minimum Division .002mm

• Interpupillary Distance Adjustment Range: 53-75mm

• Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images and wider views at a great price!

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo® Binocular Microscope REF MI-6000	\$99595
1 Year Extended Warranty: REF MI-6000-1 \$11500	2 Year Extended Warranty: REF MI-6000-2 \$17500

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

The CO4100 Colposcope features a three-step magnification and 45° viewing angle with integrated LED light. The 45° angle lenses allow inclined viewing for a natural sitting position, reducing the need to bend over. The CO4100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options


Additional Extended Warranty



CO4100 Colposcope • Three-Step Magnification 45° Angle with Integrated LED Light

360° rotating Tilt Base: REF CO4100-LED \$5,29500

These circles give you the millimeter size at the tissue site



CO4100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light SourceLasts Longer
Cool To The Touch

Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver

CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

The CO3100 Colposcope features a three-step magnification with integrated LED light. The device is compact, and light-weight with 360° tilt base for easy maneuverability. The CO3100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



CO3100 Colposcope • Three-Step Magnification with Integrated LED Light

CO3100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

360° Easy Maneuver



CO1100 Colposcope

Single Magnification with Integrated LED Light

The CO1100 Colposcope features 9x magnification. The device is compact and light-weight with a with 360° tilt base for easy maneuverability. The CO1100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

• Additional Extended Warranty



CO1100 Colposcope • Single Magnification with Integrated LED Light

360° rotating Tilt Base: REF CO1100-LED \$3,39500

1 Year Extended Warranty: REF CO1100-1\$29500 2 Year Extended Warranty: REF CO1100-2\$41500

These circles give you the millimeter size at **LED Light Source** the tissue site Green Filter Knob **Diopter Knobs Head Inclination** Rheostat Knob Adjusting Knob **Power Port** Fine Height Adjustment Handle Fine Focus Handle Gross Height Adjustment Knob Clutter Reducing Internal Power Cables On/Off Switch and Power Indicator Light Base

CO1100 Colposcope

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Galileo® Medical Exam Light

Experience the ultimate convenience and functionality with the Galileo® Medical Exam Light. Its **flexible neck** and adjustable design allow you to position the light exactly where you need it, providing optimal sharp illumination. Its **durable** and aesthetically pleasing design makes it a smart investment for any medical facility.

With **energy-efficient** LED bulb, the Galileo® Medical Exam Light is not only cost-effective but also long-lasting.

Ideal for hospitals, clinics, and private practices, the Galileo® Medical Exam Light is the perfect addition to any medical setting.

Brighter and Cost Effective

- Features 1 white 3W LED for precise, high-output lighting
- Boasts a long lifetime of up to 50,000 hours and provides high illuminance of 70,000
 Lux at a 200mm working distance
- Consumes less energy than traditional lighting options
- Eliminate the need for frequent bulb replacement

True-to-Life Color Reproduction

- The lighting is easy on the eyes, providing a comfortable visual experience
- Delivers exceptional color rendering capabilities, ensuring that the illuminated area looks natural and highly contrasted

Adjustable Spot Size

- Offers adjustable spot size with a diameter ranging from 15mm to 220mm, making it suitable for a wide range of situations and working distances, from 200mm to 1000mm
- Easy to clean, ensuring hassle-free maintenance

Flexible Goose Neck

- An extremely flexible goose neck can be securely fixed in any position
- Features a two-segment design that allows for bending at any angle and any directions

ngle and any directions

Medical Exam Light Accessories

Table Mount

Mount the Galileo® Medical Exam Light to your table for additional floor space.





Wall Mount

The Galileo® Medical Exam Light Wall Mount Bracket frees up floor space when necessary.

REF MEL-10	^{\$} 74 ⁹
REF MEL-10	³ 74 ⁵



Invest in the best and choose

Galileo®



SCAN to SHOP

Touch-Guard® Single-Use Protective Sheath

Touch-Guard® Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo® Medical Exam Light | REF | MEL-50
- Can be used with most goose-neck exam lights under 4 cm in diameter





HYSTERECTOMY CLAMPS

SALE

Zephyr[™]Titanium Rainbow[™]

Titanium Coated Hysterectomy Clamps

REF TT580-21 21cm \$19495 REF TT580-24 24cm \$20495 REF TT580-27 27cm \$21495 REF TT580-30 30cm \$22495 REF TT580-36 36cm \$23495

Slight Curve

REF TT585-21	21cm \$194 95
REF TT585-24	24cm ^{\$} 204 ⁹⁵
REF TT585-27	27cm\$ 214 95
REF TT585-30	30cm \$ 224 95
REF TT585-36	36cm \$234 95

Angled

REF TT595-21	21cm	\$194 ⁹⁵
REF TT595-24	24cm	\$ 204 ⁹⁵
REF TT595-27	27cm	\$ 214 ⁹⁵
REF TT595-30	30cm	\$ 224 ⁹⁵
REE TT595-36	36cm	\$234 ⁹⁵

The Original Zephyr™

Stainless Steel Hysterectomy Clamps

4 Zermin	Straigh	t
REF 3580-21	21cm \$114 ⁹⁵	
REF 3580-24	24cm \$119 ⁹⁵	
REF 3580-27	27cm \$124 ⁹⁵	
REF 3580-30	30cm ^{\$} 129 ⁹⁵	







HYSTERECTOMY SCISSORS

SALE

Titanium Rainbow™ Scissors

Titanium Coated Hysterectomy Scissors



Slight Curve

REF TT680-20	20cm	\$ 97 ⁹⁵
REF TT680-23	23cm	\$ 99 95



Full Curve

REF TT690-20	20cm	\$ 97 ⁹⁵
PEE TT600_22	23cm	\$QQ 95



Curve

REF TT685-20	20cm	\$ 9 7 ⁹⁵
REF TT685-23	23cm	\$ 99 ⁹⁵



Angled

REF TT695-20	20cm	\$ 97 ⁹⁵
REF TT695-23	23cm	\$ 99 ⁹⁵

Zephyr[™] **Scissors Stainless Steel Hysterectomy Scissors**



Curve Scissors

REF 3685-20	20cm	\$ 97 ⁹⁵
REF 3685-23	23cm	\$ 99 ⁹⁵



Angled Scissors

REF 3695-20	20cm	\$ 97 ⁹⁵
REF 3695-23	23cm	\$ 99 ⁹⁵



Slight Curve Scissors

REF 3680-20	20cm	\$ 97 ⁹⁵
REF 3680-23	23cm	\$ 99 ⁹⁵



Full Curve Scissors

REF 3690-20	20cm	\$ 97 ⁹⁵
REF 3690-23	23cm	\$ 99 ⁹⁵

SCISSORS

Iris Scissors

Straight

REF S3816

11cm Length......\$3295



Curved

REF **S3814**

11cm Length......\$3695



Angled

REF S3812

11cm Length.......\$3995



Littaur Stitch Scissors

REF S3810

14cm Length.....\$2295



Laminaria Insertion Forceps

Specifically designed for insertion of laminaria.

REF 1600 \$7995



NEEDLE HOLDERS

Webster Smooth Needle Holder

Smooth jaw

REF NHW3400 13cm Length.........\$3295

Mayo-Hegar Needle Holder

Serrated jaw

 REF
 NHMH3410-14
 14cm Length.........\$3195

 REF
 NHMH3410-16
 16cm Length.........\$3395

 REF
 NHMH3410-18
 18cm Length..........\$3595

 REF
 NHMH3410-20
 20cm Length.........\$3995

Crile-Wood Needle Holder

Serrated jaw

 REF
 NHCW3420-15
 15cm Length...........\$3395

 REF
 NHCW3420-18
 18cm Length...........\$3695

 REF
 NHCW3420-20
 20cm Length............\$3995

 REF
 NHCW3420-23
 23cm Length.............\$4595



Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode

STERILE EO Single-Use ®

Not made with natural rubber latex.

REF 12-0000 13cm Length

Box of 5\$4795

ACCESS DEEP CAVITIE

ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES



Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes



10 foot cable



Electrode Handpiece,Foot Activated

For use with standard removable electrodes


STERILE EO Single-Use ®

Not made with natural rubber latex

10 foot cable

REF 950 Box of 12......**\$74**⁹⁵





H-SERIES LOOP ELECTRODES

Precision Depth and Width Control

STERILE EO Single-Use ®


Not made with natural rubber latex_





\$6**8**95

All Electrode Tips Shown at Actual Size



BALL ELECTRODES

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

STERILE EO Single-Use ®

Not made with natural rubber latex.

SALE

REF 2-3-2 3mm Diameter, 13.5cm Shaft

0=

Box of 5.....**\$39**⁹⁵

Offer Valid for REF 2-3-2.

Available while supplies last.



REF 2-5-2 5mm Diameter, 13.5cm Shaft

Box of 5.....**\$64**95

NEEDLE ELECTRODE

REF 13-2010 20mm x 10mm

Box of 5.....

For electro fulguration using coagulation power outputs



GYNEX® Cone Electrodes




The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens


Cone biopsy electrodes allow for smooth rotation, facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.

Triangle Cone Electrode




REF **14-1015** 10mm Radius x 15mm Height Box of 5......**\$68**⁹⁵







REF **14-1020** 10mm Radius x 20mm Height Box of 5......**\$68**⁹⁵



Contoured Cone Electrode





Electrosurgical Patient Dispersive Pads


for LLETZ Procedures











Reach Kit[™]

For Practical Paracervical Blocks



The Gynex Reach Kit[™] allows you to **REACH** the injection site with ease. The kit contains everything you need to perform a paracervical block with the option of two convenient lengths. The Gynex Reach Kit[™] is the perfect solution for those looking to reduce cost without compromise. The Reach Kit[™] Cervical Block Procedure Kit is available in two different lengths.

3" Needle Extender

Syringe Hub to Needle Tip: 10.1cm

REF 5130 Box of 6 Kits \$35⁹⁵

4" Needle Extender

Syringe Hub to Needle Tip:12.1cm

REF 5140 Box of 6 Kits \$35⁹⁵

Each Kit Contains:


- Syringe, 10ml
- Draw-Up Needle, 18 GA
- Needle Extender, 3" or 4"
- Injection Needle, 0.5" 27 GA

Extended Needle Adapters, Luer Hub, REUSABLE

Extends the reach of hypodermic needles

Stainless Steel, Available: 3-6 inch lengths

REF 5120	7.62cm (3") \$34 ⁹⁵	
REF 5122	10.16cm (4") \$34 ⁹⁵	
REF 5124	12.7cm (5") \$34 ⁹⁵	
REF 5126	15.24cm (6") \$34 ⁹⁵	



Cartridge Syringe, Screw Hub, REUSABLE

NOTE: This does not work with the Extended Needle Adapter shown above.

REF 5210 \$5495



SALE

FILTER, PREFILTER AND REDUCER

for Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, Single-Use

Fits many popular smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.



Not made with natural rubber latex

REF 8200

12 Sets.....

\$19995

CONNECTS WITH

CONNECTS WITH

Prefilter Reducer, Single-Use

Fits into top of Prefilter (REF 8210), and adapts to .375" ID tubing (REF 8200 Tubing Set)



Not made with natural rubber latex

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

\$**54**95 Qty 10

Prefilter, Single-Use



Not made with natural rubber latex

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Oty 10**\$197**95

ULPA Filter, Single-Use



Not made with natural rubber latex

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

.....\$194⁹⁵ each



Perfect match for the competitor's smoke evacuator at a far more reasonable price!









TUBING AND CONNECTORS

for LLETZ Procedures



NON-STERILE Single-Use

Not made with natural rubber latex

Connects Clear-Flue[™] to Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Box of 12....\$2795

Flexible-S Tubing

NON-STERILE Single-Use Not made with natural rubber latex

Connects to DSE Tubing. 1/4" ID,3/8" OD x 2"

REF 8024 Box of 6 \$4795

DSE Tubing

NON-STERILE Single-Use

Not made with natural rubber latex

tube clip in speculum Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 \$9295

Clear-Flue[™] Tubing

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Oty 24.....**\$77**95

Tubing Connector

NON-STERILE Single-Use S Not made with natural rubber latex •


Connects Clear-Flue[™] to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103

Box of 12..... \$2795



Inserts into smoke evacuation



Sterile Vacuum Tubing Sets, Single-Use

STERBLE EO (Single-Use (2)

Not made with natural rubber latex...

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets... \$19995

Sponge Forceps, Single-Use


NON-STERILE Single-Use

Not made with natural rubber latex

Non-Sterile Single-Use

Length: 24cm

REF 3214 24-Pack**\$79**⁹⁵



TOPICAL ANESTHETIC

HurriCaine® Topical Anesthetic Snap-n-Go™ Swabs

Box of 72

- Fast onset 20 seconds
- Dose .15ml

See product details from manufacturer.

Beutlich® Pharmaceuticals, LLC

REF 0569 \$5995

HurriCaine® Topical Anesthetic Spray Kit

2oz Spray Container

- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

See product details from manufacturer.

Beutlich® Pharmaceuticals, LLC

REF	0183	\$7	79 9!
IVEI	0102		J



STERILIZATION NOTICE

Please read before ordering Gynex LLETZ coated instruments

We find that most autoclaves are default set at **270**°. Gynex LLETZ coating must be autoclaved at **250**°. Please lower autoclave setting to this temperature to avoid damage to the coating. Bubbling can occur at a higher temperature. This also voids the warranty on these coated instruments.

Please use the following instructions:

- Use only distilled water in the autoclave.
- Assure that any towels the instruments are laid out on are free of residual soap, and are essentially pH neutral.
- Autoclave instruments constructed of like materials at the same time. E.g., autoclave only GYNEX LLETZ-Coated instruments together.
- The recommended sterilization cycle is saturated steam at 250° for 25–30 minutes. Use of this cycle will produce a Sterility Assurance Level (SAL) of at least 10-6.
- Do not allow instruments to touch each other during the autoclaving process, and assure that all instruments are completely dry when removed from the autoclave.

Sterrad Sterilization Systems, can be used for Gynex LLETZ coated instruments.

Sterrad 100NX system has been established by Advanced Sterilization Products as the testing model for material functionality, representing all Sterrad System models. This can be applied to Sterrad NX, 100S, 50 and 200 systems and will be at least equivalent. Follow the manufacturer's instructions for operation and loading of sterilized items. Coating is compatible with at least 30 sterilization cycles with the 100NX System being the most challenging system on material functionality, although 60 cycles is the average compatibility. After 30 cycles, surface bubbling may be visible, but this will not impact the functionality of the product. If cracking of the coating is observed, do not use the instrument.

LLETZ INSTRUMENTS

LLETZ-Coated Teneculum

Extremely gentle tissue pickup • Coated Stainless Steel • Length: 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250 \$156⁹⁵



OK to Autoclave Read Notice on Page 74 Before Ordering

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$156⁹⁵



LLETZ-Coated Hooks

Length: 26cm on all hooks • Coated Stainless Steel

Iris Hook

REF 3230 \$99⁹⁵

Emmett Tenaculum

REF 3240 \$995

Angle Hook

REF 3245 \$99⁹⁵

5



Coated Stainless Steel

Length: 21.5cm

REF 3205 \$109⁹⁵

LLETZ-Coated Rulers

Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250 \$114⁹⁵



Width Ruler

Coated Stainless Steel

• Millimeter markings

Length: 22cm

REF 3255



\$114⁹⁵

4-Way Expander Vaginal Speculum

for LLETZ Procedures

The 4-Way Expander Vaginal Speculum designed for LLETZ procedures with Gynex's autoclavable lavender coating. It provides a superior view with one instrument as compared to a standard speculum and lateral retractor. The built-in side blades are erected on demand to enhance the view of the cervix as needed.

> **Autoclave** Read Notice on Page 74

Before Ordering

Features

- Built-in smoke evacuation tube holder
- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades
- Autoclavable & Sterilizable



REF L4MEX

REF L4LEX



CLOSED

.DSE Tubbing Holder

for Smoke Evacuation

Lateral Vaginal Retractor

for LLETZ Procedures

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.

LLETZ Coated



Blade Reference Chart: Shown Actual Size, Scale 1:1


LLETZ Open-Sided Speculum

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1

Pederson

Graves



Sullivan Vaginal Speculum

for LLETZ Procedures


Features

- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

ideal for bariatric patients

Blade Reference Chart: Shown Actual Size, Scale 1:1







Ideal to use with a Lateral Vaginal Retractor as there are no side obstructions like most specula

OK to Autoclave Read Notice on Page 74 Before Ordering











Pederson & Graves





Sullivan

Stainless Steel Vaginal Speculums


Features


- Unique C-Arm maximizes your view
- Easy one handed open and release feature
- Locks firmly into place

ideal for bariatric patients



Blade Reference Chart: Shown Actual Size, Scale 1:1








C-Arm is designed to parallel the contour of the patient's leg

No side obstruction like most specula




Lateral Vaginal Retractor

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

- Compatible with GYNEX® Wide-View™ and FullView™ Specula
- Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix





SALE



Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size:105mm long x 38mm wide

REF SA2200 \$29995

Guttman Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.

Medium

Large



Greenberg Hysteroscopy Speculum

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.



James Greenberg, MD,

Boston, MA

90mm		
85mm		
80mm	Greenberg	
75mm	_	
70mm		ш—
65mm		
60mm	_	
55mm	_	
50mm	_	
45mm	_	
40mm	_	
35mm	_	
30mm	_	
25mm		
20mm		
15mm		
10mm		
5mm		
0mm		_


Open-Sided Stainless Steel Speculum




Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.

Titanium Rainbow™ Speculum

Exclusive Titanium Rainbow™ coating extends the life of instruments over traditional stainless-steel. The titanium coated speculum offers increased resistance to corrosion, resilience against impact and low friction coefficient. Titanium Rainbow™ is available in two viewing widths for Pederson and Graves.





GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler to your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF	D2500	\$3	19	
	D2300	 •		



AVAILABLE ACCESSORIES

Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$314⁹⁵



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle



pHem-Alert® Vaginal pH Test

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

pHem-Alert® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set

Box of 12**\$69**⁹⁵ REF pH-99

The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!



- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

- Low grade bacterial vaginitis
- Borderline serum estradiol

- Bacterial vaginitis
- Low serum estradiol

- **Bacterial vaginitis**
- Low serum estradiol

- **Bacterial vaginitis**
- Very low serum estradiol

pH 7.0

Low to no serum estradiol

Low to no serum estradiol

INSTRUMENT CARE AND CLEANING

Touch-Guard® Hot Beads

Sterilization Beads

- Touch-Guard® Hot Beads provide a safe, effective and convenient way to sterilize surgical instruments.
- No need for potentially dangerous gases, flames, or chemicals to achieve sterilization.
- The specially cast "no-lead" glass beads transmit heat properly and remain intact at high temperatures.
- Simply plunge metal instruments into the hot glass beads for instant sterilization.
- Touch-Guard® Hot Beads are free of pathogens and microbial contaminants.
- Pre-measured containers make it easy to use the right amount of beads for each sterilization cycle.





REF 7106 6-Pack (6-month supply)

REF 7112 12-Pack (1-year supply)

Touch-Guard® Stain-Ex™

Biological & Chemical Stain Remover

- Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover.
- It removes a variety of stains, including lodinebased stains, Lugol's stain, and medical/ histological stains.
- It can be used on a range of surfaces, including hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment, and hospital linen.
- Touch-Guard[®] Stain-Ex[™] works great on LLETZcoated instruments.
- Application is easy, and stains are removed quickly (in a matter of seconds).





Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use in automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- · Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning









Touch-Guard® Lubricant

Instrument Lubricant and Rust Inhibitor

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

- Prevents rust, spots, stains and corrosion
- Restores articulation to sticky box-locks and joints
- Withstands high temperatures ad autoclaving
- Steam penetrable, sterizable and ETO sterizable
- Non-oily, non sticky, non-toxic and silicone free





(888) 486-4644



INSTRUMENT REPAIR AND SHARPENING

Gynex® allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex[®] sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Pricing is as follows:

Toll Free: (888) 486-4644

(8:00AM-5:30PM CDT)

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (888) 486-4644. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above

will be refused by GYNEX and return shipped to the customer. The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
 *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ascona, Ceramix, Century Uterine Manipulator/Injector. Clear-Flue, C-Safe, Direct-Access, EasyView, HexLoc, i-Series Titanium Rainbow, LiteTouch, LongView, FullView, LVR, NoSlip, New GYNeration, Opal Rainbow, Reach, Reach Extended Needle, RotoTip, Stain-Ex, Titanium Rainbow, Touch-Guard, Villa, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Galileo are registered trademarks of GYNEX Corporation. . Use of these product names is limited to those with written authorization by an officer of **GYNEX Corporation of North Richland** Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Teflon is a registered trademark of DuPont.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

INDEX


ACETIC ACID	. 3
Alligator Grapser, Gynex®	28
Ascona™ IUD String Snare	30
Accu-Sound®	31
BARIATRIC INSTRUMENTS	
Biopsy Punches6-	14
Tissue Forceps	19
Specula, LLETZ Coated80-	81
Specula, Stainless Steel82-8	83
BIOPSY PUNCHES	
Amethyst	. 8
Apex [™]	14
Ceramix™	. 6
Gold	
Kevorkian Ring Handle	14
Medium-Tischler	11
Mini-Tischler	10
Opal Rainbow™	. 7
Rose Gold	. 9
Sapphire	. 8
ROTOTip™ Biopsy Punches12-	13
Sullivan Ring Handle	14
CARE AND CLEANING	
Hot Glass Beads Sterilizer - Touch-Guard®	92
Instrument Lubrication - Touch-Guard®	93
Instrument Repair and Sharpening	93
Low Suds Detergent - Touch-Guard®	92
Stain-Ex [™] Stain Remover - Touch-Guard®	92
COLPOSCOPES	
Galileo®46-	
Galileo®46-	52
Galileo®46-! Accessories for Galileo®	52
Galileo®	52 59 39
Galileo®	52 59 39 38
Galileo®	52 59 39 38
Galileo®	52 59 39 38 39
Galileo®	52 59 39 38 39 34 35
Galileo®	52 59 39 38 39 34 35 33
Galileo®	52 59 39 38 39 34 35 33 33
Galileo®	52 59 39 38 39 34 35 33 33
Galileo®	52 59 39 38 39 34 35 33 33 35 34
Galileo®	52 59 39 38 39 34 35 33 35 34 36
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37
Galileo®	52 59 38 39 34 35 33 33 35 34 36 37 90
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90 67 68 65
Galileo®	52 59 38 39 34 35 33 35 34 36 37 90 67 68 65 65
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90 67 68 65 65 67
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90 67 68 65 67 67
Galileo®	52 59 39 38 39 34 35 33 35 36 37 90 67 68 65 67 67 66
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90 67 68 65 67 66 68
Galileo®	52 59 39 38 39 34 35 33 35 34 36 37 90 67 68 65 67 66 68 67

ENDOCERVICAL	
Curettes - Rainbow [™] and Stainless	16
Kevorkian Curette, Single-Use	17
Lickerish Spiral Curettes	17
Specula	19
ENDOMETRIAL CURETTE AND SAMPLER	
SURESAMPLE® Select1 Curette	42-43
SURESAMPLE® Sampler	44-45
FORCEPS	
Foerster Forceps, Stainless Steel	19
Laminaria Insertion Forceps	
Sponge Forceps, Single-Use	74
Ovum Forceps	
FETAL DOPPLER - GYNEX®	90
GRASPER	
Alligator Grapser - GYNEX®	
Serpentine Grasper	28
HOOKS	
LLETZ Coated	75
Stainless Steel	15
IUD INSTRUMENTS	
Ascona™ IUD String Snare	
Ceramix™ Coated String Scissors	
Crochet Type IUD Removers	
GYNEX® Alligator Grasper	
IUD Insertion Kit, Single-Use -GYNEX®	
IUD String Scissors	
Serpentine Grasper IUD Remover	
Single-Use IUD String Scissors	
Villa™ Hormonal Dissecting Forceps	
Villa™ Hormonal Implant Remover	
Willows™ IUD String Snare, Single-Use	29
LATERAL VAGINAL RETRACTORS	
LLETZ	
Stainless Steel	86
LLETZ COATED INSTRUMENTS	
All Items	
Hooks	
LVR	
Speculum	
Sponge Forceps, Single-Use ®	
MEDICAL EXAM LIGHT - Galileo®	
Medical Exam Light - Accessories	
Medical Exam Light Protective Sheath	
Microscope - Galileo®	
MONSEL'S PASTE	
NEEDLE ADAPTER	/1
NEEDLE HOLDERS	0.4
Webster	
Mayo-Hegar	
Crile-Wood	64
OVUM FORCEPS	0.5
Bierer	
Blumenthal	
Jacobson	
Saenger	21

Sopher Original20

PATEL™ MULTI-USE FORCEPS	5,24
PUNCHES	
Keyes	22
Keyes Accessories	
REACH KIT™ Cervical Block Procedure Tray	
REPAIRS & SHARPENING SERVICE	93
SCISSORS	
IUD String	25
Titanium Rainbow™	
Zephyr™ Stainless Steel	
Iris Stainless Steel	
Littaur Stitch Scissors	
SMOKE EVACUATION	
Prefilter, Single-Use ®	72
Prefilter Reducer	
ULPA Filter	
Tubing	
SPECULA	
LLETZ Coated	
4-Way Expander	76
Graves8	
Open-Sided (left/right opening)	
Pedersons	
Sullivan7	
Stainless Steel	5 7.
Auvard	Q(
Graves	
Greenberg	
Guttman	
Open-Sided (left/right opening)	
Pederson	
Sullivan8	
Sullivano Titanium Rainbow™	4-0:
Graves	0.0
Pederson	
STERILIZATION NOTICE	
Syringe, Cartridge®	
TABLE OF CONTENTSTENACULA	
Braun	18
Schroeder	18
Skene	
Teale	19
TOPICAL ANESTHETIC - HurriCaine®	
Spray Kit	74
Swabs	74
TRANSIT MAP	96
UTERINE MANIPULATOR / INJECTOR - CenturyUMI	
UTERINE SOUNDS	
Accu-Sound®	31
Sim Sound	
Sim Sound • flex	
VAGINAL PH TESTING - pHEM-ALERT®	
WORD BARTHOLIN CATHETER KIT	

Transit Map





Toll Free: (888) 486-4644

(8:00AM-5:30PM CDT)

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made by check or ACH at the time of purchase. Credit card payments and COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials where products are already discounted. This discount cannot be combined with other discounts.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.



MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

MAIL TO: GYNEX
P.O. BOX 822369
N. RICHLAND HILLS, TX 76182

FAX TO: (425) 895-0115

BILLING ADDRESS	SHIP TO
Name	Name
Address	Address
CityState Zip	CityState Zip
Email	Fax
Phone ()	Contact Person

REF	Qty.	DESCRIPTION	Price Each	TOTAL
				<i></i>

MAKE CHECKS PAYABLE TO:

GYNEX CORP. PO BOX 822369 N. RICHLAND HILLS, TX 76182

	Total Amount Ordered
	5% Discount for Pre-Paid Orders ONLY
\$17.50	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)
	Sales Tax
	Total



6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX



SCAN to SHOP





(888) 486-4644 www.gynex.com



