GYNEX®



CERAMIX

Probably the world's finest biopsy punch

see page 6

QUALITY

Spring 2025

Trevor says . . .



With spring in full bloom, we are happy to introduce the latest edition of our catalogue, a thoughtfully curated selection of medical instruments and supplies tailored to support women's healthcare.

This edition features several new products, including Metzenbaum Scissors with tungsten carbide blades, offering razor-sharp edges and increased durability, and Bozeman Uterine Forceps, especially useful for D&C procedures and IUD removal. We're also excited to introduce the Stainless Steel 4-Way Expander Speculum, designed to control side wall collapse

without the need for additional instruments.

We are particularly thrilled to introduce the latest edition of a customer favorite: the Sullivan Ring Handle Biopsy Punch, now available with a Titanium coating for enhanced durability and corrosion resistance. Created by our founder, Stephen J. Sullivan, the Sullivan Biopsy Punch features a miniature bite size ideal for stenotic cervices and minimizing unnecessary trauma.

From innovative medical instruments to quality, time-tested essentials, our goal remains the same: to support healthcare professionals with tools that uphold the highest standards of quality and performance.

Thank you for choosing Gynex as your partner in women's health. We are honored to serve you and look forward to being part of your continued success.

Sincerely,

evor

Trevor Kurz Chief Operating Officer, GYNEX[®] Corporation

Stephen J. Sullivan

President and CEO, GYNEX® Corporation

- 1996 1999
 International Medical Consultant
- 1993 1995 President, CooperSurgical® International Division
- 1991 1993 President, Euro-Med[™] Division of CooperSurgical®
- 1978 1991 Founder and President of Euro-Med[®], Inc.



VETERAN OWNED AND OPERATED SINCE 1997

Table of Contents

Bozeman Uterine Forceps	2
4-Way Expander Vaginal Speculum	2
Metzenbaum TC Scissors	3
Patel™, Multi-Use Forceps	4
Monsel's Ferric Subsulfate Paste	5
Acetic Acid	5
BIOPSY PUNCHES	6-14
Ceramix™ Biopsy Punch	6
Opal Rainbow™ Biopsy Punch, Titanium	7
Amethyst Biopsy Punch, Titanium	8
Sapphire Biopsy Punch, Titanium	
Gold Biopsy Punch, Titanium	9
Rose Gold Biopsy Punch, Titanium	9
Tischler Biopsy Punch, Stainless	10-11
Rotating Biopsy Punches, Stainless - ROTO Tip [™]	12-13
Ring Handle Biopsy Punches, Stainless	
Other Biopsy Punches, Stainless	14
TENACULUMS	15-16
Tissue Forceps, 1x2 teeth	
HOOKS	
ENDOMETRIAL CURETTES	
ENDOCERVICAL CURETTES	18
Lickrish Spiral Curettes	19
RotoCurette [™]	19
ENDOCERVICAL SPECULUM	19
FOERSTER FORCEPS	19
OVUM FORCEPS	20-21
Word Bartholin Catheter Kit	22
Carson Myoma Polyp Grasping Forceps	22
KEYES PUNCHES	23
Patel™, Multi-Use Forceps	24
IUD SECTION	
CERAMIX [™] Coated IUD String Scissors	25
IUD String Scissors	25
Villa™ Hormonal Dissecting Forceps	26
Villa™ Hormonal Implant Remover	27
IUD String Scissors, Single-Use	
Alligator Grasper by GYNEX®	28
Serpentine Grasper	28
IUD Removers	
Ascona® IUD Snare	30
IUD Insertion Kit -GYNEX [®] , Single-Use [®]	30
UTERINE SOUNDS	
Accu-Sound®	
Sims Sound • flex	
Other Sims Sound	
UTERINE DILATORS - Stainless Steel, Soft and Dennis	33-39
UTERINE CURETTES - Sims / Bumm	
Uterine Manipulator / Injector - Century UMI™	
Endometrial Curette - SURESAMPLE® Select1	40.40

Endometrial Sampler - SURESAMPLE® 44-45

2	COLPOSCOPES - Galileo®	
2	Accessories for Galileo® Colposcope	52
3	Galileo® Biological Microscope	
4	COLPOSCOPES - CO Series	54-59
5	Galileo® Medical Exam Light	60-61
5	Accessories for Galileo® Medical Exam Light	60
4	Touch-Guard® Single-Use Protective Sheath	61
6	HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
7	HYSTERECTOMY SCISSORS - Titanium Rainbow™/ Zephyr™	
8	NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
8	Laminaria Insertion Forceps	64
9	Electrode Extender / Electrode Handpieces	65
9	LLETZ ELECTRODES	66-68
1	Electrosurgery Patient Dispersive Pads for LLETZ Procedure .	69
3	Bozeman Uterine Forceps	70
4	Extended Needle Adapter and Accessories	71
4	Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
6	Tubing and Connectors for LLETZ Procedure	73
6	Sponge Forceps, Single-Use 🕲	74
7	Topical Anesthetic - HurriCaine®	74
7	LLETZ COATED INSTRUMENTS	
8	Tenacumlum	75
9	Hooks	75
9	Forceps	75
9	Rulers	75
9	4- Way Expander Vaginal Speculum	76
21	Lateral Vaginal Retractor	77
2	Open-Sided Speculum	77
2	Sullivan Vaginal Speculum	.78-79
3	Pederson & Graves Vaginal Speculum	80-81
4	SPECULUM, STAINLESS STEEL	
	Pederson & Graves Speculum	82-83
5	Sullivan Speculum	84-85
5	Lateral Vaginal Retractors	86
6	Auvard Weighted Speculum	86
7	Guttman Speculum	87
8	Greeberg Hysteroscopy Speculum	87
8	Open-Sided Speculum	88
8	Titanium Rainbow™ Speculum	89
9	Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	90
0	pHem-Alert® Vaginal pH test	91
0	Instrument Care and Cleaning	
	Hot Glass Beads Sterilizer - Touch-Guard®	92
1	Low Suds Detergent Concentrate - Touch-Guard®	92
2	Stain Ex™ Stain Remover - Touch-Guard®	
2	Instrument Lubricant - Touch-Guard®	
9	Instrument Repair and Sharpening	93
0	INDEX	
1	ORDER INFORMATION	
3	ORDER FORM	97

1

Bozeman Uterine Forceps

Designed with long, curved jaws for optimal reach and control, Bozeman Uterine Forceps are ideal for a variety of gynecological tasks.

The perfect tool for various situations!

- Holding gauze and sponges
- Grasping and handling tissues
- Removing foreign bodies or placental fragments
- Assisting in IUD removal
- Holding sutures or tissues for better access and precision

REF 3612 26cm Length..... \$8495

Finely serrated tips to decrease trauma while providing a firm grip!


4-Way Expander Vaginal Speculum

The 4-Way Expander Vaginal Speculum provides a superior view with one instrument as compared to a standard speculum and lateral retractor. The built-in side blades are erected to enhance the view of the cervix as needed.

LARGE		
REF S4LEX	125mm	^{\$} 114 ⁹⁵
MEDIUM		
REF S4MEX	115mm	\$109 ⁹⁵

Features

- Built-in lateral retractor blades
- Side blades lock firmly into place
- Pederson size blades





To learn more, see **page 70**

New

Metzenbaum TC Scissors



GYNEN

Metzenbaum TC (*Tungsten Carbide*) Scissors are precision instruments designed for cutting delicate tissue with control and minimal trauma. Featuring tungsten carbide inserts for longlasting sharpness and durability, these scissors offer superior cutting performance and reliability.

REF MSTC14C	14cm Length, <i>Curved</i>	\$ 89 ⁹⁵
REF MSTC14S	14cm Length, <i>Straight</i>	\$ 89 ⁹⁵
REF MSTC18C	18cm Length, <i>Curved</i>	\$ 89 ⁹⁵
REF MSTC18S	18cm Length, <i>Straight</i>	\$ 89 ⁹⁵

The fine, tapered blades and lightweight design make them ideal for soft tissue dissection in a variety of surgical procedures.

Patel[™] Multi-Use Forceps



The one instrument that every gynecologist needs in their practice. With its patent-pending design, the **Patel**[™] excels at multiple functions:

- IUD Remover
- Sponge / Foerster Forceps
- Needle Holder
- Atraumatic Tissue Grasper
- More!

REF NHL3450 \$119⁹⁵

The Patel is the Swiss Army Knife of Gynecology

To learn more, see **page 24**

Monsel's Ferric Subsulfate Paste 20-22%

Monsel's is a pre-thickened formulation of the popular hemostatic agent. Apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use (2)

REF 5055 Box of 12 **\$205**⁹⁵

Controls bleeding after biopsy, LLETZ and laser procedures.



Acetic Acid 5%

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs

Box of 12

• Single-Patient-Use (2)

REF AA312

Helps enhance the appearance of abnormal areas.



\$**94**95

CERAMIX[™]**Biopsy Punches**

Our sharpest, longest lasting biopsy punch

CERAMIX[™] coated biopsy punches offer increased resistance to corrosion and resilience against impact and low friction coefficient results on the market. Sharper up to 10 times longer than ordinary stainless steel with incomparable cutting-edge hardness.

See Hardness Comparison Chart below.

Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.



CERAMIX[™] Mini-Tischler Actual Bite Size: 4.2mm x 2.3mm

REF 1060 20cm Shaft\$537⁹⁵



CERAMIX[™] Medium Tischler Actual Bite Size: 5mm x 3mm • REF 1065 20cm Shaft^{\$}537⁹⁵

GYNEX[®] Original!



CERAMIX[™] Tischler Actual Bite Size:

7mm x 3mm 🛛 🔤

REF 1070 20cm Shaft^{\$}537⁹⁵



CERAMIX[™] Apex[™] Actual Bite Size: 7mm x 3mm

REF 1075 20cm Shaft\$537⁹⁵



Opal Rainbow[™] Biopsy Punches, TITANIUM

Exclusive Titanium coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer than traditional stainless steel.

• Double-spring handle

OPAL RAINBOW[™] Tischler

Actual Bite Size: 7mm x 3mm



Tischler	
REF TT010	20cm Shaft \$439 95

 REF
 TT035

 25cm Shaft, Extra-Long
 \$44995

 bariatric



Tischler, *Tip Up* [REF] TT011 20cm Shaft ^{\$}439⁹⁵

REF TT036 25cm Shaft, Extra-Long ^{\$}449⁹⁵ bariatric



Original!





Tischler, *Tip Down* **REF TT012** 20cm Shaft ^{\$}439⁹⁵

REF TT037 25cm Shaft, Extra-Long ^{\$}449⁹⁵ bariatric

OPAL RAINBOW™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm



Mini-Tischler **REF TT005** 20cm Shaft \$439⁹⁵

REF TT030 25cm Shaft, Extra-Long ^{\$}449⁹⁵ bariatric



Mini-Tischler, *Tip Up* REF TT006 20cm Shaft ^{\$}439⁹⁵

REF **TT031** 25cm Shaft, Extra-Long ^{\$}449⁹⁵ bariatric



Mini-Tischler, *Tip Down* REF TT007 20cm Shaft ^{\$}439⁹⁵

REF TT032 25cm Shaft, Extra-Long ^{\$}449⁹⁵ bariatric





TISCHLER BIDPSY PUNCH STAINLESS

GYNEX[°] Original!

The Best Selling Design in The World

20cm Shaft\$419⁹⁵

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide!

Tischler

Tischler

REF 1010

Actual Bite Size: 7mm x 3mm



Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1005	20cm Shaft	^{\$} 419 ⁹⁵
REF 1030 bariatric	25cm Shaft, Extra Long	. ^{\$} 427 ⁹⁵



Mini-Tischler, *Tip Up* **REF 1006** 20cm Shaft^{\$}419⁹⁵

Mini-Tischler, *Tip Down* **REF 1007** 20cm Shaft^{\$}419⁹⁵







Tischler Kevorkian

Single anchoring tooth on top and bottom jaws
Actual Bite Size: 9mm x 3mm

Tischler-Kevorkian

 REF
 1015
 20cm Shaft
 \$419⁹⁵

 REF
 1037
 25cm Shaft, Extra Long.....\$427⁹⁵

bariatric



GYNEX^{*} Original!

Kevorkian

- Traditional Kevorkian bite
- Four teeth on bottom jaw
- Actual Bite Size: 9mm x 3mm

REF 1029

20cm Shaft\$419⁹⁵

ATT TAR

OTNES

Medium Tischler

Actual Bite Size: 5mm x 3mm 🔴

Medium Tischler

REF 1008	20cm Shaft ^{\$} 419 ⁹⁵
REF 1033	25cm Shaft, Extra Long ^{\$} 427 ⁹⁵
bariatric	

RotoTIP[™] Biopsy Punch, STAINLESS

RotoTIP[™] rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.

Features

- Shaft/tip can be rotated 360°
- Shaft/tip assembly is interchangeable
- Lower cost alternative to individual biopsy punches


Length: 21cm

RotoTIP

Roto**TIP**[™] Tischler

Actual Bite Size: 7mm x 3mm

Tischler





Tischler, Tip-Down
REF 1200-20
Complete Punch\$499 ⁹⁵

GYNEX[®] Original!

REF 1220 Tip Only\$304⁹⁵



Roto**TIP**[™] Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1205 Tip Only\$30495



RotoTIP[™] Oval Actual Bite Size: 5mm x 3mm ●

REF 1235 Tip Only\$304⁹⁵ REF 1215 Tip Only\$304⁹⁵

REF 1225 Tip Only \$30495



RotoTIP[™] Kevorkian Actual Bite Size: 9mm x 3mm

REF 1240 Tip Only\$304⁹⁵



Roto**TIP**[™]Handle

OTNER

Ring Handle Biopsy Punches, STAINLESS



Biopsy Punches, STAINLESS



GYNEX[®]

Original!

Tenaculums

Braun Tenaculum

LiteTouch[™] TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Ha	ndle	
REF T2230	25cm Length	\$59 95
Angled Han	dle	
REF T2235	25cm Length	\$ 65 ⁹⁵

Standard TIP Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502	25cm Length	\$ 59 95
REF B230	30cm Length	\$ 67 ⁹⁵

Straight Handle

Angled Handle

REF 3532

25cm Length \$6595

Angle Handle

Schroeder Tenaculum

LiteTouch[™] TIP

Straight Handla

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Ha	andie	
REF T2222	25cm Length	\$ 59 95
Angled Ha	ndle	
REF T2225	25cm Length	\$ 65 ⁹⁵

Standard TIP Standard tips overlap 4-6 mm ±1mm (when closed)

Straight Handle

REF 3500	25cm Length	\$59 95
REF B130	30cm Length	\$67 95
Angled Har	ndle	
REF 3530	25cm Length	\$65 95

Double Tooth



Straight Handle

REF 3501

Length 25cm \$6595

Teale Tenaculum

Slight Curve

REF 3536

25cm Length \$5995



Foerster Foceps



Angled Handle

REF 3542 24cm Length \$6795

Tissue Forceps

Hold and manipulate various tissue.

REF S3205	21.5cm Length	^{\$} 62 ⁹⁵
REF BTF25	25cm Length	\$62 95
REF BTF30	30cm Length	\$62 95

Skene Tenaculum

Slight Curve

REF 3534 24cm Length \$5995



Endocervical Speculum



Ratchet Handle

REF 2130	3mm Tip	. \$197 ⁹⁵
REF 2140	4mm Tip	. \$197 ⁹⁵

No Ratchet

REF 2030	3mm Tip	. \$187 95
REF 2040	4mm Tip	. \$187 95



GYNEX

Hooks



Endometrial Curettes

Novak Curette

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm	•
REF 3302	^{\$} 57 ⁹⁵

Shaft/Tip Size: 3mm 🔴		
REF 3303	\$ 57 95	

Shaft/Tip Size: 4mm REF 3304\$5795

Randall Curette

• Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm	•
REF 3310	^{\$} 57 ⁹⁵
Shaft/Tip Size: 3mm	•
REF 3312	\$57 ⁹⁵
Shaft/Tip Size: 4mm	•
REF 3314	\$57 ⁹⁵

Endocervical Curettes

Kevorkian Curette with Basket Square Tip

Features a basket for secure sample collection during curettage procedures.

Basket Size: 10.5mm x 2mm



Titanium Rainbow ...^{\$}86⁹⁵



REF 3005

Stainless Steel\$7995

Kevorkian Curette Square Tip

Opening: 12mm x 2mm

REF TC3010

Titanium Rainbow ...^{\$8695}



REF 3010



Dublin Curette Round Tip

Provides samples when aggressive scraping is necessary for hard to sample tissue.

Diameter: 4mm

REF TC3025

Titanium Rainbow ...^{\$}86⁹⁵

REF 3025



Kevorkian Curette with Basket Round Tip

Features a basket for secure sample collection and a rounded tip for easier insertion. Basket Size: 11.5mm x 2mm

REF TC3015

Titanium Rainbow ...^{\$8695}



REF 3015



Townsend Curette

Designed with a small, pointed tip to facilitate easier penetration of the os.

Opening: 7mm x 1.3mm

REF TC3020

Titanium Rainbow ...^{\$}86⁹⁵



REF 3020



Curette Sharpening File

A compact, tapered sharpening stone with a diamond coating to maintain your curette's sharpness.

REF CSF3900\$3495



Lickrish Spiral Curettes





Dilator • Curette

The innovative Endocervical Lickrish Spiral Dual-Purpose Curette was developed by Dr. Gordon M Lickrish, former director of the colposcopy unit at University Health Network in Toronto. The spiral design is ideal for addressing cases of severe cervical stenosis and narrow endocervical canals, allowing for gentle insertion, dilation, and precise tissue sampling when standard curettes are inadequate. The tip can be gently guided through the Os while simultaneously advancing and rotating.

Titanium Cobalt Titanium Rainbow REF TC3040 21cm Length \$8695 Stainless Steel REF 3040 21cm Length \$8295 Roto**Curette**™ The RotoCurette ECC is inserted into the canal and rotated to obtain samples from both sides. **REF** 3050 \$**82**95 Stainless Steel NED Kevorkian Curette, Single-Use STERILE EO (Single-Use 🛞 Not made with natural rubber latex. Featuring a sharp basket tip and firm, angled handle for stability, leverage, and precise maneuverability during curettage procedures. Box of 25 \$8295 [REF] 3030 **REF** 3030 GYNEX Total Length: 31cm Inner Basket: 3mm Working Length: 16cm **0D**: 4mm

Ovum Forceps

Sopher Ovum Forceps

Sopher Original

Length: 25.5cn	n (10″) <i>Curved Jaw</i> 11mm
REF 3544 Ratche	et Handle ^{\$} 114 ⁹⁵
REF 3546 No Ra	tchet ^{\$} 109 ⁹⁵

Sopher Standard

Length:	25.5cm (10″) <i>Cu</i>	rved Jaw 12mm
REF 3548	Ratchet Handle	^{\$} 114 ⁹⁵
REF 3550	No Ratchet	^{\$} 109 ⁹⁵
Length:	25.5cm (10″) <i>Cu</i>	rved Jaw 14mm
REF 3552	Ratchet Handle	^{\$} 119 ⁹⁵

<u></u>		luic	
REF 3554	No Ratchet		\$114 95

Length: 28cm (11") *Curved Jaw* 12mm

REF 3556	Ratchet Handle	^{\$} 114 ⁹⁵
REF 3558	No Ratchet	^{\$} 109 ⁹⁵

Length 28cm (11") <i>Curved Jaw</i> 14mm	
REF 3560	Ratchet Handle ^{\$11995}
REF 3562	No Ratchet \$11495

Length: 33cm (13") Curved Jaw 12mm

REF 3564	Ratchet Handle	^{\$} 124 ⁹⁵
REF 3566	No Ratchet	^{\$} 119 ⁹⁵

Length:	33cm (13″) <i>Curved Jaw</i> 14mm
REF 3568	Ratchet Handle ^{\$} 129 ⁹⁵
REF 3570	No Ratchet



Sopher Original "lips" protect surrounding tissue



Sopher Original Jaw Open



Sopher Standard Jaw Closed



Sopher Standard Jaw Open

Ratchet





Sopher Jaw Actual Size: 11mm



Sopher Jaw Actual Size: 12mm



Sopher Jaw Actual Size: 14mm

Bierer Ovum Forceps

Length:	28cm (11") Straight Jaw 16r	nm
REF 3572	Ratchet Handle	5 114 95
REF 3574	No Ratchet	109 ⁹⁵
Length:	28cm (11") Straight Jaw 19r	nm
REF 3576	Ratchet Handle	5 119 95
REF 3578	No Ratchet	⁵ 114 ⁹⁵
Length:	33cm (13") Straight Jaw 16	nm
REF 3580	Ratchet Handle	5 119 95
REF 3582	No Ratchet	5 114 95

Length: 33cm (13") Straight Jaw 1	9mm
REF 3584 Ratchet Handle	. \$124 95
REF 3586 No Batchet	\$119 ⁹⁵



Bierer, Jaw Open

Jacobson Ovum Forceps

Length: 2	28cm (11″) St	traight Jaw 20mm
REF 3588	No Ratchet	\$114 ⁹⁵

Jacobson, Jaw Open

Blumenthal

Blumenthal Ovum Forceps

Length: 2	28cm (11″) S	traight Jaw 20mm	
REF 3592	No Ratchet	^{\$} 114 ⁹⁵	



"lips" protect surrounding tissue

Saenger Ovum Forceps

Length:	26.5cm (10.5″) Straight Jaw	/ 16mm
REF 3596	Ratchet Handle	\$ 114 95
REF 3598	No Ratchet	\$ 109 95
Length:	26.5cm (10.5″) Curved Jaw	16mm
	26.5cm (10.5") Curved Jaw Ratchet Handle	



Saenger Inner diameter teeth within oval jaws

Word Bartholin Catheter Kit

STERILE EO Single-Use ®

The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.

Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

REF 10-200 Box of 2 kits\$6795

Outpatient Treatment for Bartholin gland cysts and abscesses.

Insertion of an inflatable balloon is a non-surgical procedure that can be performed as an outpatient using a local anaesthetic injection to numb the area. It involves making a passage from the cyst or abscess through which the pus can drain over 4 weeks.

Corson Myoma Polyp Grasping Forceps

Experience precision and reliability with our Polyp Grasping Forceps, designed for superior performance in polyp removal procedures. Engineered with high-quality stainless steel, these forceps ensure exceptional durability and longevity.

Key Features:


22

- Precision Grip: Fine-tipped design for secure and accurate grasping of polyps.
- Ergonomic Handle: Comfortable, non-slip grip reduces hand fatigue during extended use.
- Enhanced Control: Smooth operation for seamless maneuverability in delicate procedures.



REF 3720-07	Jaw 7mm	 \$179 ⁹⁵
REF 3720-11	Jaw 11mm	 \$ 189 95
REF 3720-17	Jaw 17mm	 \$ 199 95

www.gynex.com • 1.888.486.4644



New

Syringe



Cyst cavity

Inflated balloon in cyst cavity

Bartholin gland

Keyes Vulvar Punch


Features a sharpened round tip, ideal for obtaining vertical core samples from the vulvar epithelium. Designed with a sturdy handle specifically for easy ejection of lodged specimens.



Keyes Vulvar Punch Single-Use

STERILE EO Single-Use S

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Box of 25.



Keyes Vulvar Punch Set

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip to stabilize tip while attaching handle. **Tip Sizes:** 2mm - 7mm



Keyes Punch Accessories Kit

The perfect accessory kit for your Keyes Punch set. This kit includes a small forceps for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:


- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone



Patel[™] Multi-Use Forceps



The one instrument that every gynecologist needs in their practice. With its patent-pending design, the Patel[™] excels at multiple functions!



IUD Section page 25-30

ONYX IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

Onyx Titanium Coated Stainless Steel

KEY ADVANTAGES

- Incomparable cutting-edge hardness
- Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040 \$119⁹⁵

Finely serrated teeth in the jaw help secure the IUD string


Our popular IUD String Scissors are now more durable and sharper than ever!



VILLA[™] Hormonal Implant Dissecting Forceps



The Villa[™] Hormonal Implant Dissecting Forceps and Implant Remover make the perfect pair in the event that an implant is not visible upon incision. After making an incision, some implants remain difficult or impossible to view. If this is the case, the dissecting forceps, with pointed tip, can be opened and closed to separate the tissue encapsulating the implant. This will allow the remover to grasp, hold, and retract the implant.



VILLA[™] Hormonal Implant Remover



DIAMOND

The Villa[™] Hormonal Implant Remover is a clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®]. A small, ring tip secures around the mid-point of the implant for modified "U" technique.

Villa[™] Hormonal Implant Remover, Straight

REF 29-800 \$62⁹⁵

Villa[™] Hormonal Implant Remover, Angled


REF 29-900 \$62⁹⁵


Villa[™] Hormonal Implant Remover, Set

Includes: 1 Straight, 1 Angled

REF 29-850 \$109⁹⁵

Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon^{®,} using a modified "U" technique.







IUD String Scissors, Single-Use

STERILE EO Single-Use S

Metal Tip / Plastic Handle

• Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065 Box of 12**\$59**⁹⁵

Gynex® Alligator Grasper

GYNEX[°] **Original!**

High Quality Stainless Steel

Blunt tip, Fine Serrated Teeth

Perfect for grasping IUD strings

Length: 23cm

Available in Two Jaw Size

REF 29-100	Jaw Size: 20mm	. \$97 ⁹⁵
REF 29-550	Jaw Size: 10mm	\$ 97 95

Serpentine Grasper IUD Remover

Finely serrated teeth in the jaw secures

the IUD string

Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel

KEY ADVANTAGES

- · Flexible shaft offers over 360° of mobility
- Shaft holds desired position until reshaped
- Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$324⁹⁵


IUD Rem	over, Crochet Style, Single-Use
STERILE EO Single-	
Not made with natural rubl	ber latex.
Rounded Tip	o, Angled, Dual Grasping Slots
Length: 26.5cm	n and a start of the
REF 29-200	Box of 12\$5995
	GYNEX'
Willows	IUD String Snare, Single-Use
STERILE EO Single-	Use ®
Not made with natural rub	ber latex. D, Multiple Grasping Slots
nounded ng	s, manuple Glasping Clous
High quality	malleable plastic
Length: 27cm	
REF 29-300	Box of 12
	GYNEX
IIID Rom	over Crochet Style
	over, Crochet Style
Rounded Tip	o, Angled, Dual Grasping Slots
Rounded Tip Length: 26cm	o, Angled, Dual Grasping Slots
Rounded Tip	
Rounded Tip Length: 26cm	o, Angled, Dual Grasping Slots
Rounded Tip Length: 26cm	o, Angled, Dual Grasping Slots
Rounded Tip Length: 26cm REF 29-020	p, Angled, Dual Grasping Slots \$84 ⁹⁵ CYNex
Rounded Tip Length: 26cm REF 29-020 Malleabl	b, Angled, Dual Grasping Slots \$84 ⁹⁵ Ie IUD Remover, Crochet Style
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip	p, Angled, Dual Grasping Slots \$84 ⁹⁵ CYNex
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip High Quality N	b, Angled, Dual Grasping Slots \$84 ⁹⁵ Ie IUD Remover, Crochet Style b, Angled, Dual Grasping Slots
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip High Quality N Length: 26cm	p, Angled, Dual Grasping Slots \$84 ⁹⁵ Le IUD Remover, Crochet Style b, Angled, Dual Grasping Slots Malleable Metal
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip High Quality N	b, Angled, Dual Grasping Slots \$84 ⁹⁵ Ie IUD Remover, Crochet Style b, Angled, Dual Grasping Slots
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip High Quality N Length: 26cm	p, Angled, Dual Grasping Slots \$84 ⁹⁵ Le IUD Remover, Crochet Style b, Angled, Dual Grasping Slots Malleable Metal
Rounded Tip Length: 26cm REF 29-020 Malleabl Rounded Tip High Quality N Length: 26cm	p, Angled, Dual Grasping Slots \$84 ⁹⁵ Le IUD Remover, Crochet Style b, Angled, Dual Grasping Slots Malleable Metal

ASCONA[™] IUD String Snare

Effortless IUD Removal with Precision and Security

The ASCONA[™] IUD String Snare is expertly designed to ensure secure and efficient IUD removal. Simply twist the hook to and advance the coild outer shaft to secure the string for removal. The ASCONA[™] can be disassembled for thorough cleaning and sterilization. The flexible shaft and detachable hook make maintenance hassle-free.

REF 29-350 \$87⁹⁵



Gynex® IUD Insertion Kit, Single-Use

STERILE EO Single-Use (8)

Not made with natural rubber latex.

- Reduces the risk of transmission of infectious agents
- Eliminates costly instrument sterilization

GYNEX[°] **Original!**

 REF 29-500
 Box of 12

 Second Second


Uterine Sounds

ACCU-SOUND® Uterine Sound, Single-Use

STERILE EO Single-Use (8)

Not made with natural rubber latex.

The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® into the uterus, the ring rests against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.



Sims Sound • flex, Single-Use

 STERILE EO
 Single-Use (2013)

 Not made with natural rubber latex.

GYNEX[.] Original!



Gynex has improved the Sims Sound. Engineered from specifically formulated memory polymer, the Sims Sound Flex formable shaft enhances the providers ability to pre-shape the sound to meet each patient's unique physical requirements. Bold, laser-etched markings along the shaft provide clear, reliable measurements.



Same Day Shipping for All In-Stock Orders Received by 2PM CDT


Uterine Dilators

Mini Dilator Set

Set of 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel **Sizes:** 1mm, 1.5mm, 2mm, 2.5mm and 3mm






Especially useful for nulliparous patients

GYNEX

Extra Mini Dilator **Tips**

(Fits [REF] 4005 Handle) Sizes: 1.5mm, 2.5mm, 4mm and 5mm Available only from GYNEX 1.5mm **\$47**95 1.5mm REF 4005.1.5 2.5mm...... **\$47**95 2.5mm REF 4005.2.5 4mm...... **\$47⁹⁵** REF 4005.4 4mm 5mm...... **\$47**95 5mm REF 4005.5 Dots show actual diameter in mm





Soft Dilators, Single-Use

STERILE EO Single-Use (S) Not made with natural rubber latex.

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These color coded dilators are soft and malleable allowing the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

REF 4211	Box of 12	\$ 62 95
REF 4221	Box of 24	\$114 95

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm

Overall Length: 21.5cm

REF 4212	Box of 12	\$ 62 ⁹⁵
REF 4222	Box of 24	\$ 114 95

Soft Dilator, Fundus Finder

Used for establishing the entire length of the cervical canal from external Os to the internal Os.


Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4213	Box of 12	\$ 62 ⁹⁵
		64 4 4 OF







www.gynex.com • 1.888.486.4644



Soft Teflon Dilators, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locato

Tapered Tip Length: 23mm Overall Length: 21.5cm

REF 4201

\$4995

\$**49**⁹⁵

Soft Teflon Dilator, Canal Finder

Tapered Tip Length: 45mm Overall Length: 21.5cm

REF 4202

Soft Teflon Dilator, Fundus Finder

Tapered Tip Length: 45mm Overall Length: 21.5cm \$**49**⁹⁵ **REF** 4203



STERILE / Reusable

OK to Autoclave

STERILE / Reusable OK to Autoclave


Soft Teflon Dilators Set, REUSABLE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200

Set of 3 \$9995

Note: Multi-Colored Single-Use (and the White Reusable Soft Dilators) are the same shape and are intended for identical use.



Dennis Dilators® Set, REUSABLE

STERILE EO

Not made with natural rubber latex.

5mm to 14mm

- Dual sizes on each dilator
- Diameter marked on handle for easy identification

Overall length: 28cm

Great Value!

SAVE on a SET of 5 Dilators

REF 4230 Set of 5 \$119⁹⁵



STERILE / Reusable OK to Autoclave

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover



Dots show actual diameter in mm

Uterine Curettes

Sims Uterine Curette

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size



Bumm Uterine Curette

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size



Same Day Shipping for All In-Stock Orders Received by 2PM CDT

www.gynex.com • 1.888.486.4644

Century UMI[™] Uterine Manipulator/Injector

STERILE EO Single-Use S

The Century UMI[™] Uterine Manipulator is easy-to-use and designed for patient safety. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Now including a 10cc luer lock

syringe for your convenience!

Cannula Length: 33cm

OD: 4.5mm

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

REF 10-160 Box of 12 **\$242**⁹⁵

Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.

5% Discount on Prepaid Orders by Check or ACH payment (offer excludes microscopes, colposcopes, and/or extended warranties).

suresample[®]•Select1


Endometrial Curette

Suresample® Select1 is a uniquely designed curette for sampling the uterine endometrium, ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction.

Cannula Length: 8-1/8" (20.5cm) **OD:** 3mm

Features

- Randall-Style sharp cutting-edge
- Semi flexible curette with slight curve
- Easily readable 1cm markings on cannula
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- 10mL standard syringe with Twist-and-Lock plunger



REF 3130	Box of 5	\$38 95
REF 3135	Box of 24\$	149 ⁹⁵

The unique design and special features allow for better accuracy and a more reliable sample.

SUR Sample • Select 1 Endometrial Curette Simple, Safe and Effective

Tapered tip for easier insertion. Randall - Style sharp cutting edge.

DEPTH MARKER

Set the desired curette marker depth after sounding the uterus. This depth marker acts as a visual aid to reduce the risk of perforation.

TWIST AND LOCK PLUNGER

The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen

The endometrial sampler with a proven track record!

<u>sure</u>sample[®]

Endometrial Sampler


The Suresample[®] Endometrial Sampler has been trusted by doctors for over *25 years*

Our patented 3-port sampling system doubles the harvested samples of tested competitors and allows easy retrieval with reduced cell damage. A much greater histological adequacy and integrity than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, Suresample[®] is the finest endometrial sampler.

Suresample® formable shaft memory allows the physicians to **pre-shape shaft** to meet each patient's unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, strong enough to access a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizes patient discomfort.



AMOUNT OF BIOPSY TISSUE



Better performance than other brands

Suresample[®] Endometrial Sampler retrieves more than twice the harvest of its competition!

44

SUTE Endometrial Sampler



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- Grip retraction creates a strong internal vacuum.
- **Two phase action** between the ports and grip produce a higher yield of tissue sample in an amazingly controlled manner.
- Formable memory shaft allows physician to shape the sampler to meet each patient's physical requirements.
- **Tensile strength and rigidity** allow conformity but also provide enough strength to access through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process simply push the SURESAMPLE[®] Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.



GalileO[®] Colposcope Direct-Access[™] 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access[™] Offset Center Post (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video (Allows for live feed and image/video capture)

Options


- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

with a 5-wheel Rolling Base	1 Year Extended Warranty
REF 530VCDA-R	REF 530VCDA-T/R-1 ^{\$} 600 ⁰⁰
with a 360° rotating Tilt Base REF 530VCDA-T	2 Year Extended Warranty REF 530VCDA-T/R-2 \$ 875 00

Multiple Patent



GalileO[®] Colposcope Direct-Access[™] 400DA

Three-Step Magnification with Integrated LED Light

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access[™] Offset Center Post (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty


Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

with a 5-wheel Rolling Base	1 Year Extended Warranty
REF 400DA-R ^{\$} 6,595 00	REF 400DA-T/R-1 ^{\$} 475 00
with a 360° rotating Tilt Base REF 400DA-T \$6,59500	2 Year Extended Warranty REF 400DA-T/R-2 \$ 675 00

Multiple Paten

Featured



GalileO[®] Colposcope Direct-Access[™] 200DA

Single Magnification with Integrated LED Light

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access[™] Offset Center Post (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options


- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

with a 5-wheel Rolling Base	1 Year Extended Warranty
REF 200DA-R ^{\$} 5,195 ⁰⁰	REF 200DA-T/R-1 \$375 ⁰⁰
with a 360° rotating Tilt Base REF 200DA-T \$5,19500	2 Year Extended Warranty REF 200DA-T/R-2 ^{\$} 535 ⁰⁰

Multiple Paten



Accessories

for Galileo[®] Colposcope Direct-Access[™] 530VCDA

Video Capture Device

Connects Galileo[®] Colposcope 530VCDA to a PC for viewing and capturing images. Uses a USB 2.0 or 3.0 port on a computer.

REF VG-Magewell \$314⁹⁵

Cut the Cord!

Equipped with rechargeable battery.

Gynex[®] Monitor

The Gynex[®] monitor is equipped with a built-in rechargeable battery for your convenience. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

USB Capture HD

Monitor with Rolling Base

REF 450MS \$3,095⁰⁰

MonitorOnly

REF 450M \$374⁹⁵

(Note: Actual monitor shipped may be different than model shown)

Galileo[®] Biological Microscope

Specifications

- Condenser Numerical Aperture: Na = 1.25
- Stage Movement Range: Longitudinal 50mm, Transverse 75mm
- Fine Focusing: Minimum Division .002mm
- Interpupillary Distance Adjustment Range: 53–75mm
- Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images and wider views at a great price!

Eyepieces	10X Magnification	25mm Focus		Φ 18mm	Field
	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo Biological Microscope REF MI-6000^{\$}1,129⁹⁵ 1 Year Extended Warranty REF **MI-6000-1**^{\$}**115**00

2 Year Extended Warranty

REF MI-6000-2 \$175⁰⁰

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

The CO4100 Colposcope features three-step magnification and 45° viewing angle with integrated LED light. The 45° angle lenses allow inclined viewing for a natural sitting position, reducing the need to bend over. The CO4100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty

with a 360° rotating Tilt Base

 REF
 CO4100-LED
 \$5,595°°



2 Year Extended Warranty

REF CO4100-2 \$645⁰⁰





CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

The CO3100 Colposcope features three-step magnification with integrated LED light. The device is compact, and light-weight with 360° tilt base for easy maneuverability. The CO3100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty

1 Year Extended Warranty	
--------------------------	--

REF CO3100-1 \$400⁰⁰

2 Year Extended Warranty

REF CO3100-2 \$575⁰⁰



CO1100 Colposcope

Single Magnification with Integrated LED Light

The CO1100 Colposcope features 9x magnification. The device is compact and light-weight with a with 360° tilt base for easy maneuverability. The CO1100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty

with a 360° rotating Tilt Base REF CO1100-LED \$3,595°°

1 Year Extended Warranty
REF CO1100-1 \$29500
2 Year Extended Warranty

REF CO1100-2 \$415⁰⁰



Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



- LED Light Source
- Lasts Longer
- Cool To The Touch
- Optimal Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Galileo[®] Medical Exam Light

Experience the ultimate convenience and functionality of the Galileo[®] Medical Exam Light. Its **flexible neck** and adjustable design allow you to position the light exactly where you need it, providing optimal sharp illumination. Its **durable and aesthetically pleasing** design makes it a smart investment for any medical facility.

With **energy-efficient** LED bulb, the Galileo[®] Medical Exam Light is not only cost-effective but also long-lasting.

Ideal for hospitals, clinics, and private practices, the Galileo[®] Medical Exam Light is the perfect addition to any medical setting.

Brighter and Cost Effective

- Features 1 white 3W LED for precise, high-output lighting
- Boasts a long lifetime of up to 50,000 hours and provides high illuminance of 70,000 Lux at a 200mm working distance
- Consumes less energy than traditional lighting options
- Eliminate the need for frequent bulb replacement

True-to-Life Color Reproduction

- The lighting is easy on the eyes, providing a comfortable visual experience
- Delivers exceptional color rendering capabilities, ensuring that the illuminated area looks natural and highly contrasted

Adjustable Spot Size

- Offers adjustable spot size with a diameter ranging from 15mm to 220mm, making it suitable for a wide range of situations and working distances, from 200mm to 1000mm
- Easy to clean, ensuring hassle-free maintenance

Flexible Goose Neck

- An extremely flexible goose neck can be securely fixed in any position
- Features a two-segment design that allows for bending at any angle and any directions

Medical Exam Light Accessories

Table Mount

Mount the Galileo[®] Medical Exam Light to your table for additional floor space.

REF MEL-20\$104⁹⁵

Wall Mount

The Galileo[®] Medical Exam Light Wall Mount Bracket frees up floor space when necessary.















SCAN to SHOP

Invest in the best and choose GalileO[®]


Touch-Guard[®] Single-Use Protective Sheath

Touch-Guard[®] Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo[®] Medical
 Exam Light **REF MEL-50**
- Can be used with most goose-neck exam lights under 4cm in diameter

REF TG-300 Box of 25





\$14⁹⁵

Hysterectomy Clamps

Zephyr[™]Titanium Rainbow[™]

Titanium Coated Hysterectomy Clamps

The Original Zephyr[™]

Stainless Steel Hysterectomy Clamps

Straight		2 Zerrink	Straight
Straight			SP
REF TT580-21	21cm \$194 95	REF 3580-21	21cm\$ 114 95
REF TT580-24	24cm\$ 204 95	REF 3580-24	24cm \$119 ⁹⁵
REF TT580-27	27cm\$ 214⁹⁵	REF 3580-27	27cm\$124 ⁹⁵
REF TT580-30	30cm \$224 95	REF 3580-30	30cm \$129 95
REF TT580-36	36cm \$234 95		/
			A
	Commence of the second s	August .	
Slight Curve		filme	Slight Curve
REF TT585-21	21cm\$ 194 95	REF 3585-21	21cm \$114⁹⁵
REF TT585-24	24cm\$ 204 95	REF 3585-24	24cm \$119⁹⁵
REF TT585-27	27cm\$ 214 95	REF 3585-27	27cm \$124 95
REF TT585-30	30cm \$224 95	REF 3585-30	30cm \$129 95
REF TT585-36	36cm \$234 95		
		Zennt	Strong Curve
Angled			Strong Curve
-	21cm	REF 3590-21	21cm \$114 95
REF TT595-21	21cm \$194 ⁹⁵ 24cm \$204 ⁹⁵	REF 3590-24	21cm \$114⁹⁵ 24cm \$119⁹⁵
REF TT595-21 REF TT595-24	24cm \$204 95	REF 3590-24 REF 3590-27	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27	24cm \$204⁹⁵ 27cm \$214⁹⁵	REF 3590-24	21cm \$114⁹⁵ 24cm \$119⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27	24cm \$204⁹⁵ 27cm \$214⁹⁵	REF 3590-24 REF 3590-27	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27 REF 3590-30	21cm\$114 ⁹⁵ 24cm\$119 ⁹⁵ 27cm\$124 ⁹⁵ 30cm\$129 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27 REF 3590-30	21cm
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27 REF 3590-30	21cm \$114 ⁹⁵ 24cm \$119 ⁹⁵ 27cm \$124 ⁹⁵ 30cm \$129 ⁹⁵
REF TT595-21 REF TT595-24 REF TT595-27 REF TT595-30	24cm \$204⁹⁵ 27cm \$214⁹⁵ 30cm	REF 3590-24 REF 3590-27 REF 3590-30	21cm

Hysterectomy Scissors

Titanium Rainbow[™] Scissors

Titanium Coated Hysterectomy Scissors



Slight Curve

REF TT680-20	20cm	\$ 97 ⁹⁵
REF TT680-23	23cm	\$ 99 ⁹⁵



Full Curve

REF TT690-20	20cm	\$ 97 ⁹⁵
REF TT690-23	23cm	\$ 99 ⁹⁵



Curve

REF TT685-20	20cm	\$ 97 ⁹⁵
REF TT685-23	23cm	\$ 99 ⁹⁵



Angled

REF TT695-20	20cm	\$ 97 ⁹⁵
REF TT695-23	23cm	\$ 99 ⁹⁵

Zephyr[™] Scissors

Stainless Steel Hysterectomy Scissors



Curve Scissors

REF 3685-20	20cm	\$ 97 ⁹⁵
REF 3685-23	23cm	\$99 95

Angled Scissors

REF 3695-20	20cm	\$ 97 ⁹⁵
REF 3695-23	23cm	\$ 99 ⁹⁵



Slight Curve Scissors

REF 3680-20	20cm	\$ 97 ⁹⁵
REF 3680-23	23cm	\$ 99 ⁹⁵



Full Curve Scissors

REF 3690-20	20cm	\$ 97 ⁹⁵
REF 3690-23	23cm	\$ 99 ⁹⁵

Scissors

Iris Scissors

Straight

REF \$3816 11cm Length......\$3695

Curved

REF \$3814 11cm Length......\$3995

F

Angled

REF \$3812 11cm Length.......\$4295

Laminaria Insertion Forceps

Specifically designed for insertion of laminaria.

REF 1600\$79⁹⁵

Needle Holders

Webster Smooth Needle Holder

Smooth jaw

REF NHW3400

13cm Length......\$3495

Mayo-Hegar Needle Holder

Serrated jaw

REF NHMH3410-14 REF NHMH3410-16 REF NHMH3410-18

REF NHMH3410-20

14cm Length	\$34 95
16cm Length	\$37 95
18cm Length	\$39 95
20cm Length	\$42 95

Crile-Wood Needle Holder

Serrated jaw

64

REF NHCW3420-15	15cm Length \$37 95
REF NHCW3420-18	18cm Length \$39 95
REF NHCW3420-20	20cm Length\$4295
REF NHCW3420-23	23cm Length \$47 95





www.gynex.com • 1.888.486.4644

Littaur Stitch Scissors

REF \$3810 14cm Length......\$2795

Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode

 STERLE E0
 Single-Use (Single-Use (Single-Use

Box of 5\$4995

ACCESS DEEP CAVITIES AND OTHER HARD-TO-REACH SITES

Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes

Box of 12.....

STERLE EO Single-Use S Not made with natural rubber latex.

10 foot cable

REF 755VL

\$11695

GYNEX

Electrode Handpiece, Foot Activated


For use with standard removable electrodes


STERLE EO Single-Use ® Not made with natural rubber latex

10 foot cable

REF 950







5% Discount on Prepaid Orders by Check or ACH payment (offer excludes microscopes, colposcopes and/or extended warranties).


GYNEX® Cone Electrodes

STERLE EO Single-Use S

The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens

Cone biopsy electrodes allow for smooth rotation, facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.



Electrosurgical Patient Dispersive Pads

for LLETZ Procedures

(NON-STERILE) (Single-Use (Single-Use))

Standard Grounding Pad with Cord, Solid-Style

MANUFACTURES	PAD REF #
BEI [®] Plus II	395-302
CooperSurgical [®] LEEP [®] 1000	6050P
CooperSurgical [®] LEEP [®] 6000	6050P



Connector shown at ACTUAL SIZE

REF 6010

Box of 12 .. **\$109**⁹⁵

Grounding Pad with Cord, Solid-Style Generators Compatibility



Grounding Pad with Cord, Split (REM)



5% Discount on Prepaid Orders by Check or ACH payment (offer excludes microscopes, colposcopes and/or extended warranties).

Bozeman Uterine Forceps

Bozeman Uterine Forceps are meticulously engineered with elongated, curved jaws to facilitate superior reach and control during uterine packing or tissue manipulation. This highly adaptable instrument is proficient in a range of applications, such as securing gauze and sponges, manipulating and managing tissues, extracting foreign objects or placental remnants, aiding in intrauterine device removal, and stabilizing sutures or tissues to enhance accessibility and procedural accuracy.

The perfect tool for various situations!

- Holding gauze and sponges
- Grasping and handling tissues
- Removing foreign bodies or placental fragments
- Assisting in IUD removal
- Holding sutures or tissues for better access and precision

REF 3612 26cm Length...... \$84⁹⁵


Finely serrated tips to decrease trauma while providing a firm grip!

Extended Needle Adapters, Luer Hub, REUSABLE

Extends the reach of hypodermic needles

Stainless Steel

Available Size: 3-6 inch lengths



Cartridge Syringe, Screw Hub, REUSABLE

NOTE: This does not work with the Extended Needle Adapter shown above.



Filter, Prefilter and Reducer

for Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, Single-Use

STERLE EO Single-Use (8)

Not made with natural rubber latex_

Fits most smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200 12 Sets......**\$214**⁹⁵

Prefilter Reducer, Single-Use

(NON-STERILE) Single-Use (8)

Not made with natural rubber latex

Fits into top of Prefilter (**REF** 8210), and adapts to .375" ID tubing (**REF** 8200 Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230 Qty 10

Prefilter, Single-Use

NON-STERILE Single-Use (

Not made with natural rubber latex \blacksquare

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Qty 10^{\$}199⁹⁵

\$**57**95

ULPA Filter, Single-Use

NON-STERILE Single-Use (8)

- Not made with natural rubber latex ${\scriptstyle \bullet}$
- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

REF 8215 \$199⁹⁵ each

CONNECTS WITH

CONNECTS WITH







Tubing and Connectors

Α

for LLETZ Procedures

Tubing Connector

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

Connects Clear-Flue[™] to Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Box of 12....^{\$}27⁹⁵

Flexible-S Tubing

В (NON-STERILE) (Single-Use (8) Not made with natural rubber latex Connects to DSE Tubing. 1/4" ID,3/8" OD x 2'

REF 8024 Box of 6 **\$49**⁹⁵

DSE Tubing

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

tube clip in speculum Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 **\$97**95

Clear-Flue[™] Tubing

(NON-STERILE) (Single-Use (8) Not made with natural rubber latex

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Qty 24.....**\$77**95

Tubing Connector

(NON-STERILE) (Single-Use (8) Not made with natural rubber latex

Connects Clear-Flue[™] to Sterile Vacuum Tubing. 3/8" to 7/8"

Box of 12..... **\$29**95 REF 8103

CONNECTS WITH

Inserts into smoke evacuation

> GYNEX coated specula for LLETZ procedures.

R

Sterile Vacuum Tubing Sets, Single-Use

STERLE EO (Single-Use (8)

Not made with natural rubber latex.

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets ... \$21495

Sponge Forceps, Single-Use



Length: 24cm

REF 3207	12-Pack	\$ 47 95
-----------------	---------	-----------------

REF 3214

Topical Anesthetic

HurriCaine[®] Topical Anesthetic Spray Kit

2oz Spray Container

- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

See product details from manufacturer. Beutlich® Pharmaceuticals, LLC

REF 0183 \$79⁹⁵







LLETZ Instruments

LLETZ-Coated Teneculum

Coated Stainless Steel **Length:** 25cm

Braun LiteTouch[™] Tenaculum

Atraumatic design Closed position, tips overlap 1-2 mm REF LT2250 \$159⁹⁵

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$159⁹⁵



LLETZ-Coated Tissue Forceps

\$10995

Coated Stainless Steel
Length: 21.5cm

REF 3205

LLETZ-Coated Hooks

Coated Stainless Steel **Length:** 26cm on all hooks

Iris Hook

REF 3230

\$**99**95

Angle Hook REF 3245 \$9995

LLETZ-Coated Rulers

Depth Ruler Coated Stainless Steel

Coated Stainless Steel

Millimeter markings, center at 5mm

Length: 24cm

REF 3250

.....^{\$}119⁹⁵

Width Ruler

С	oated Stainless Steel	
•	Millimeter markings	

Length: 22cm

engun. 220m

REF 3255 \$119⁹⁵

Vaginal Speculum, LLETZ COATED


4-Way Expander Vaginal Speculum

The 4-Way Expander Vaginal Speculum is designed for LLETZ procedures with Gynex's lavender non-conductive coating It provides a superior view with one instrument as compared to a standard speculum and lateral retractor. The built-in side blades are erected to enhance the view of the cervix as needed.



Lateral Vaginal Retractor

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.




Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ Open-Sided Speculum

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1






Features

- Unique C-Arm maximizes your view
- Easy one handed open and release
- Locks firmly into place


ideal for bariatric patients





Blade Reference Chart: Shown Actual Size, Scale 1:1


















Features


- Unique C-Arm maximizes your view
- Easy one handed open and release
- · Locks firmly into place



ideal for bariatric patients










No side obstruction like most specula





Lateral Vaginal Retractor

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

Compatible with GYNEX[®] Wide-View[™] and FullView[™] Specula

• Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix





Stainless Steel

Blade Reference Chart: Shown Actual Size, Scale 1:1



Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg Size:105mm long x 38mm wide

REF SA2200 \$299⁹⁵

Guttman Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.

Medium

REF 2310	Top Separator: 82mm
Large	
REF 2312	Top Separator: 92mm \$69 95



Greenberg Hysteroscopy Speculum

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.



James Greenberg, MD, Boston, MA

90mm		
85mm		
80mm	Greenberg	
75mm		
70mm		
65mm		
60mm		
55mm		
50mm		
45mm		
40mm		
35mm		
30mm		
25mm		
20mm		
15mm		
10mm		
5mm		
0mm	_	


Open-Sided Stainless Steel Speculum



Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.

Titanium Rainbow[™] Speculum

Exclusive Titanium Rainbow[™] coating extends the life of instruments over traditional stainless-steel. The titanium coated speculum offers increased resistance to corrosion, resilience against impact and low friction coefficient. Titanium Rainbow[™] is available in two viewing widths for Pederson and Graves.



GYNEX® ULTRASONIC FETAL DOPPLER

Add this excellent Fetal Doppler to your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500\$334⁹⁵

Thermasonic Gel Warmer

- Maintains constant temperature
- Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$314⁹⁵



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6 ... **\$40**⁹⁵



New

GYNEX ♥ 145 ● ®

M2



pHem-Alert® Vaginal pH Test

(NON-STERILE) (Single-Use (Sin

pHem-Alert[®] test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set

REF pH-99 Box of 12**\$69**⁹⁵



The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!

pł	14.5
•	Normal pH
•	Predominant lactobacilli
•	Possible yeast overgrowth
•	Normal serum estradiol
pł	15.0
•	Low grade bacterial vaginitis
•	Borderline serum estradiol
pł	15.5
•	Bacterial vaginitis
•	Low serum estradiol
pŀ	16.0
•	Bacterial vaginitis
•	Low serum estradiol
pł	16.5
•	Bacterial vaginitis
•	Very low serum estradiol
pł	17.0
•	Low to no serum estradiol
pł	17.5
•	Low to no serum estradiol

Instrument Care and Cleaning

Touch-Guard® Hot Beads

Sterilization Beads

- Touch-Guard[®] Hot Beads provide a safe, effective and convenient way to sterilize surgical instruments.
- No need for potentially dangerous gases, flames, or chemicals to achieve sterilization.
- The specially cast "no-lead" glass beads transmit heat properly and remain intact at high temperatures.
- Simply plunge metal instruments into the hot glass beads for instant sterilization.
- Touch-Guard[®] Hot Beads are free of pathogens and microbial contaminants.
- Pre-measured containers make it easy to use the right amount of beads for each sterilization cycle.



Touch-Guard[®] Stain-Ex[™]

Biological & Chemical Stain Remover

- Touch-Guard[®] Stain-Ex[™] is a fast and effective biological and chemical stain remover.
- It removes a variety of stains, including lodinebased stains, Lugol's stain, and medical/ histological stains.
- It can be used on a range of surfaces, including hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment, and hospital linen.
- Touch-Guard[®] Stain-Ex[™] works great on LLETZcoated instruments.
- Application is easy, and stains are removed quickly (in a matter of seconds).





Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard[®] Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use in automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning

REF TG-200







Touch-Guard® Lubricant

Instrument Lubricant and Rust Inhibitor

Touch-Guard[®] Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. Clinically tested to be thoroughly steam penetrable, steam sterilizable and ETO sterilizable. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

- Reduces repair and replacement cost
- Prevents rust, spots, stains and corrosion
- · Restores articulation to sticky box-locks and joints
- Withstands high temperatures ad autoclaving
- Steam penetrable, sterizable and ETO sterizable
- Non-oily, non sticky, non-toxic, water-soluable and silicone free

REF TG-100 16.9 fl. oz. (500 ml)**\$19**⁹⁵



SCAN to SHOP





Instrument Repair and Sharpening

Gynex[®] allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex[®] sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Pricing is as follows:

Gynex [®] Biopsy Punch	^{\$} 65 ⁰⁰
Other Brand Biopsy Punch	^{\$} 75 ⁰⁰
Gynex® Curette	^{\$} 40 ⁰⁰
Other Brand Curette	\$50 00

Toll Free: (888) 486-4644 (8:00AM-5:30PM CDT)

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain а Returned Merchandise Authorization (RMA) number from GYNEX customer service at (888) 486-4644. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above

will be refused by GYNEX and return shipped to the customer. The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warrantv).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
- *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ascona, Ceramix, Century Uterine Manipulator/Injector, Clear-Flue, C-Safe, Direct-Access, EasyView, HexLoc, i-Series Titanium Rainbow, LiteTouch, LongView, LVR, NoSlip, FullView, New GYNeration, Opal Rainbow, Reach, Reach Extended Needle, RotoTip, Stain-Ex, Titanium Rainbow, Touch-Guard, Villa, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Galileo are registered trademarks of GYNEX Corporation. . Use of these product names is limited to those with written authorization by an officer of **GYNEX Corporation of North Richland** Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah

Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Teflon is a registered trademark of DuPont.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas

		-	
Ν	U	E	Х
 			-

ACETIC ACID
Alligator Grapser, Gynex [®]
Ascona™ IUD String Snare30
Accu-Sound®
BARIATRIC INSTRUMENTS
Biopsy Punches6-14
Tissue Forceps
Specula, LLETZ Coated80-81
Specula, Stainless Steel82-83
BIOPSY PUNCHES
Amethyst8
Apex [™]
Ceramix™6
Gold
Kevorkian Ring Handle 14
Medium-Tischler 11
Mini-Tischler 10
Opal Rainbow™7
Rose Gold9
Sapphire
ROTOTip [™] Biopsy Punches12-13
Sullivan Ring Handle 14
BOZEMAN UTERINE FORCEPS2,70
CARE AND CLEANING
Hot Glass Beads Sterilizer - Touch-Guard [®] 92
Instrument Lubrication - Touch-Guard [®] 93
Instrument Repair and Sharpening
Low Suds Detergent - Touch-Guard®
Stain-Ex [™] Stain Remover - Touch-Guard [®] 92
COLPOSCOPES
Galileo®
Accessories for Galileo®
CO Series
DILATORS
All Uterine Dilators
Dennis Dilators, Single-Use \circledast
Dennis Dilators, Reusable
Hank Dilators, Uterine
Hegar Dilators, Uterine
Mini Dilators, Uterine
Mini Dilators Tips, 4mm and 5mm
Pratt Dilators, Uterine
Small Dilators, Uterine
Soft Dilators, Single-Use &
Soft Teflon Dilators, Reusable
Doppler Gel
ELECTRODES
Ball Electrode
Contoured Loop Electrodes
Electrode Extender
Electrode Handpieces
H-Series Loop Electrodes
Needle Electrode
Radius Loop Electrode
Triangle Loop Electrodes
Square Loop Electrodes67 Electrosurgical Patient Dispersive Pads69
LIEULIUSULYICAL FALIEIIL DISPEISIVE FAUS


ENDOCERVICAL Curettes - Rainbow™and Stainless 18 Kevorkian Curette, Single-Use 19 Lickerish Spiral Curettes..... 19 Specula

Specula	16
ENDOMETRIAL CURETTE AND SAMPLER	
Navak and Randall Curette (Stainless)	17
SURESAMPLE [®] Select1 Curette	42-43
SURESAMPLE® Sampler	44-45
FORCEPS	
Corson Myoma Polyp Grasping Forceps.	22
Foerster Forceps, Stainless Steel	
Laminaria Insertion Forceps	
Sponge Forceps, Single-Use	
Ovum Forceps	20-21
Bozeman Uterine Forceps	
FETAL DOPPLER - GYNEX®	90
GRASPER	
Alligator Grapser - GYNEX [®]	28
Serpentine Grasper	
HOOKS	
LLETZ Coated	75
Stainless Steel	17
IUD INSTRUMENTS	
Ascona™ IUD String Snare	30
Ceramix™ Coated String Scissors	25
Crochet Type IUD Removers	29
GYNEX® Alligator Grasper	28
IUD Insertion Kit, Single-Use -GYNEX®	30
IUD String Scissors	25
Serpentine Grasper IUD Remover	28
Single-Use IUD String Scissors	
Villa™ Hormonal Dissecting Forceps	26
Villa™ Hormonal Implant Remover	27
Willows™ IUD String Snare, Single-Use	29
LATERAL VAGINAL RETRACTORS	
LLETZ	77
Stainless Steel	86
LLETZ COATED INSTRUMENTS	
All Items	
Hooks	75
LVR	
Speculum	
Sponge Forceps, Single-Use 🕲	
MEDICAL EXAM LIGHT - Galileo®	
Medical Exam Light - Accessories	
Medical Exam Light Protective Sheath	
Microscope - Galileo®	
METZENBAUM TC SCISSORS	
MONSEL'S PASTE	
NEEDLE ADAPTER	71
NEEDLE HOLDERS	
Webster	
Mayo-Hegar	
Crile-Wood	64

OVUM FORCEPS

Bierer	21
Blumenthal	21
Jacobson	21
Saenger	
Sopher Original	
PATEL [™] MULTI-USE FORCEPS	4,24
PUNCHES	
Keyes Vulvar	
Keyes Accessories	
REPAIRS & SHARPENING SERVICE	
SCISSORS	
IUD String	
Titanium Rainbow™	
Zephyr [™] Stainless Steel	
Iris Stainless Steel	
Littaur Stitch Scissors	
Metzenbaum TC Scissors	3
SMOKE EVACUATION	
Prefilter, Single-Use ®	
Prefilter Reducer	
ULPA Filter	
Tubing	
LLETZ Coated 4-Way Expander	70
Graves Open-Sided (left/right opening)	
Pedersons	
Sullivan Stainless Steel	/8-/9
4-Way Expander Vaginal Speculum	2
Auvard	86
Graves	82-83
Greenberg	87
Guttman	87
Open-Sided (left/right opening)	88
Pederson	82
Sullivan	84-85
Titanium Rainbow™	
Graves	89
Pederson	
TABLE OF CONTENTS	1
TENACULA	
Braun	
Schroeder	
Skene	
Teale	
TISSUE FORCEPS	16
TOPICAL ANESTHETIC - HurriCaine®	
Spray Kit	
TRANSIT MAP	
UTERINE MANIPULATOR / INJECTOR - Century	/UMI [™] 41
Accu-Sound [®]	
Sim Sound a flow	
Sim Sound • flex	
VAGINAL PH TESTING - pHEM-ALERT®	91

Transit Map



Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made by check or ACH at the time of purchase. Credit card payments and COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials where products are already discounted. This discount cannot be combined with other discounts.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.

GYNE	$\mathbb{E}X^{\mathbb{R}}$	MAIL TO: GYNEX P.O. BOX 822369 N. RICHLAND HILLS, TX 76182
MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AN	ID SEND BY FAX OR MAIL	FAX TO: (425) 895-0115
BILLING ADDRESS	SHIP TO	
Name	Name)
Address	Address	
City State Zip	CitySta	ate Zip

Fax _____

Contact Person_

Phone (______) _____

Email_____

REF	Qty.	DESCRIPTION	Price Each	TOTAL

	Total Amount Ordered	
	5% Discount for Pre-Paid Orders ONLY	MAKE CHECKS PAYABLE TO:
\$17.50	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)	
	Sales Tax	N. RICHLAND HILLS, TX 76182
	Total	



6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • Fax: (425) 895-0115 service@gynex.com • www.gynex.com





Monsel's see page 5



Acetic Acid 5%

see page 5

SCAN to SHOP





(888) 486-4644 www.gynex.com



© 2025 GYNEX Corporation. North Richland Hills, TX 76180. All rights reserved.